





Rossini Tech	16	
Professional wear	18	
Trousers and bermuda shorts	30	
Multi-protection	38	
- Flame-retardant anti-acid antistatic	48	
High visibility	58	
Sweatshirts and fleeces	78	
Jackets and vests	84	
Rossini	106	
Professional wear	108	
Trousers and bermuda shorts	150	
Polo shirts and T-Shirts	164	
Jackets, summer vests and caps	184	
Sweatshirts and fleeces	192	
Jackets and vests	214	
Food industry	230	
Rossini Design	238	
Trousers and bermuda shorts	240	
Shirts	242	
Footwear	244	
Personal protective equipment	260	
Anti-fall	262	
Respiratory Track	271	
Hearing	286	
Eyes and face	291	
Hands	300	
Aluminized	317	
Non-woven fabric Personal safety	321 326	
Angiolina by Rossini	330	
Summary by category	340	

í

Rossini was founded in 1969, with a small workshop manufacturing workwear

In an era when occupational safety was a subject relating to just a few people, Emilio Rossini caught a glimpse of a mission that took shape in the small workshop where he first started making work clothes.

Over the years Rossini has expanded its production, adapting it to the workers changing needs and new technical innovations, soffering safety solutions even for the most extreme conditions.

1969

EMILIO ROSSINI BEGINS ITS ACTIVITY

The first production laboratory for nylon raincoats and cotton workwear is launched.

1990

THE PRODUCTION EXPANDS

The laboratory is expanded and personal protective equipment is now part of the firm's range of products.







1988

INCREASE IN PRODUCTION

The laboratory has 160 operating stations and produces 5,000 outfits per day.

Rossini currently dresses thousands of professionals with high quality and resilient fabrics, without ever foregoing comfort and fitting.

For over half a century Rossini has been dressing your work on a daily bases, to make it safe, secure, comfortable and pleasant to the eye.



2009

(NEW ROSSINI HEADQUARTERS)

A new 40,000 sqm production facility is built, with 90 employees dedicated to the sales teams.



2000

2019

NEW WAREHOUSE TECHNOLOGIES

The automated and electronic management of production and warehouse activities boosts efficiency to a whole new level.

NEW BRAND PRESENTATION

The new Rossini brand is presented to better communicate values of historicity, trust, safety and competence.

We have always protected your work with passion and competence



TRUST

Business with a human face

For us trust means being an honest partner, a serious and reliable partner to work with without worries, capable of creating good products at the right price.

SAFETY

Tradition and innovation

Rossini is a solid company, grown at a steady pace, with measured investments, that has gradually expanded its size and range of action.

Today it is a highly structured and technological enterprise with reliability as its core value.

COMPETENCE

A listening approach.

Rossini has over 50 years of experience in the occupational workwear sector, this means having developed a profound knowledge of the product,

but also the ability to anticipate and respond to the needs of its customers.

Valued brands at the customer's service

The Rossini brand portfolio consists of the proprietary brands Rossini, Rossini Tech, Rossini Design and Angiolina by Rossini, capable of guaranteeing a competitive and prestigious position in the occupational workwear and personal protective equipment market.

Brand diversification allows the company to offer tailor-made solutions based on the needs of the reference target and the end customer.



Workwear produced with utmost attention to detail, using the right materials and designed for those who wear them to work.



A range of clothing designed to stand out and be comfortable at all times.



Technical wear and PPE, the best available technology and comfort at the worker's disposal.



Specific stylish and refined workwear for the Ho.Re.Ca, medical and beauty sector.

Since 2002 Rossini has acquired Certified Quality Management

To be successful in a highly competitive market, corporate organisation is a core factor which requires a future pathway based on continual evolution.

Thanks to this continual improvement concept, Rossini is able to establish new objectives and pass the yearly audit by the certification body with flying colours.



4

RACK FEEDERS

manage the automated warehouse



Technology at the service of customers

The warehouse is highly automated and managed using radiofrequency systems; this allows us to optimise spaces and structures, monitor inventory, track batches and ultimately improve customer services.

Thanks to a fully automatic intensive warehouse with rack feeders and shuttles managed on a **material to man**bases, the company is able to handle 178 euro-pallet per hour, for a total of 28.000 packages per day.

This provides a higher productivity level enabling a faster execution of day-to-day routine tasks.



20.000

PALLET PLACES

To move the products

178

PALLETS MOVED

Every hour thanks to a highly technological warehouse

28.000

PACKAGES PER DAY

Handled per day

Rossini, a leading company since 1969

In the branch opened in 2009, Rossini has implemented innovative solutions in the logistics sector that integrate management systems with new robotic production technologies, improving order management times and productivity.

With a 20,000 m² site, Rossini is able to supply all businesses dealing with work wear: stores and distributors of accident prevention and promotional items in Italy and Europe.





20,000

M² OF SURFACE AREA

20,000

PALLETS SLOTS

250,000

M³ OF VOLUME

Products distribution in Italy and in the main European markets

Company

12,000

REFERENCES

2,000

ITEMS IN STOCK

1,500

M² OF SURFACE AREA

Software-controlled automatic cutting machine

Production

13,000

PRODUCTS PROCESSED DAILY

«Blowing» tables to lighten the advancement work

Automatic fabric feeder system for cutting

400

ORDERS PER DAY

Rossini product property

Icon legend

Rossini's clothing and accessories brands Rossini, Rossini Tech e Angiolina by Rossini, are made up of fabrics rich solutions, details and creative touches, giving the items a unique and distinctive look.

The product sheets in the catalogue are accompanied by some additional symbols to provide an overview of its properties.

Following is a practical legend about each symbol.



EXTRA FLEXIBLE SYSTEM

Outfits with exclusive elastic bands to ensure absolute freedom of movement.



REMOVABLE SLEEVES

Jackets with detachable sleeves and practical zips.



EASY COMFORT

This wear is characterised by special elastic bands, adjustable features and specific fabric inserts making it suitable for all operating conditions.



WINDPROOF

Items made of windproof materials, the fabric consistency and weave do not allow air to pass through.



MULTIPLE UTILITY POCKETS

Clothing fitted with practical pockets to comfortably stow tools, badges and smart phones.



WATERPROOF

Each material has a level of permeability and stitching, zips and buttons can affect waterproofing.



4 IN 1

Practical and interchangeable solutions, ideal for multiple wear settings.



WATER REPELLENT

Specific fabric with water repellent treatment, it does not guarantee total impermeability of the product and it is not long lasting.



HANDY LOOP

Practical ring to easily put your clothes away after wearing them.



DURABLE PRODUCT

Clothes created to last in time, thanks to high-performance fabrics and attention to detail.


Regular

Regular

Rossini regular fit clothing, the size range is created with an excess allowance to provide the right balance between freedom of movement and comfort while wearing them.

Big size

Also available in large sizes - up to 5XL.





RIP STOP FABRIC

Items with tear-resistant fabric inserts in areas most subject to wear and tear.



BREATHABLE

Breathable fabric able to keep the body dryer, increasing comfort and thermal insulation.



EXTRA PROTECTION

Clothes produced with special fabrics providing the best possible weather protection.



ROSSINI STRETCH QUALITY

The best stretch fabric to ensure maximum comfort.



HIGH VISIBILITY

High visibility wear, to protect workers in poor visibility conditions.



ROSSINI SOFTSHELL QUALITY

Softshell fabric provides the highest level of protection

from all weather conditions.



DUAL DENSITY

Shoes with dual density polyurethane outsoles to ensure excellent grip and abrasion resistance.



ROSSINI DENIM QUALITY

The jeans fabric with elastane for stylish clothing, ideal for everyday use.



TOE CAP

Shoes with composite toe cap or metal for an outstanding foot protection.



KNITTED FABRIC

Fabric with knitted effect for an urban and contemporary mood.



PIERCE RESISTANCE

Shoes with anti-piercing outsoles to ensure the highest level of safety.













UltraFlex by Rossini Tech is the all-season line in stretch canvas designed to provide freedom and comfort while working.



ROSSINI STRETCH QUALITY



MULTIPLE UTILITY POCKETS



EASY COMFORT



UltraFlex Trousers

(CODE A00228)



CATEGORY PRODUCT PLUS SIZES S - M - L - XL - XXL - XXXL ϵ 4XL - for O1 blue and 12 grey 1ST CATEGORY FOR MINIMUM RISKS only FIT **FABRIC TREATMENT** 40° × 0 2 × Regular CANVAS 98% Cotton Big size 2% Elastane Weight 270 g/m²

UltraFlex Jacket

CODE A10228



PRODUCT PLUS		SIZES	CATEGORY
		S - M - L - XL - XXL - XXXL 4XL - for 01 blue and 12 grey only	IST CATEGORY FOR MINIMUM RISKS
FIT	FABRIC	TREATMENT	
Regular	CANVAS	407 💢 🖸	
Big size	98% Cotton	_	
	2% Elastane		
	Weight 270 g/m²		

UltraFlex Bib

(CODE A50228)



PRODUCT PLUS)	SIZES S - M - L XL - XXL - XXXL	CATEGORY CE IST CATEGORY FOR MINIMUM RISKS
FIT	FABRIC	TREATMENT	
Regular	CANVAS 98% Cotton 2% Elastane Weight 270 g/m²	₩ Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q	

UltraFlex T-Shirt

CODE HH112

New




Half-sleeve T-shirt with sweatband in contrasting colour on the back of the neck, ribbed neckline with double fabric and contrasting colour on the inside, double stitching in contrasting colour at armholes and sleeve bottom, contrasting inserts



PRODUCT PLUS		SIZES
		S - M - L - XL XXL - XXXL - 4XL 4XL not available for 91 - warm grey
FIT Regular Big size	FABRIC 100% cotton Weight 160 g/m²	TREATMENT TREATMENT P

Fangio Trousers







Work trousers with adjustable elastic waistband, flap closure with zip and button on the belt,, double fabric reinforced belt loops.

> Two front patch pockets, one large left patch pocket closed with flap and velcro, two back patch pockets closed with flap and velcro, measuring tape holder and breast pocketclosed with velcro on the right side.







GY - GREY/BLACK



ZX - BLUE/BLACK

PRODUCT PLUS





SIZES

S - M - L XL - XXL - XXXL **(E**

1ST CATEGORY FOR MINIMUM RISKS

CATEGORY

FIT

Regular

FABRIC

60% Cotton drill 40% polyester Weight 250 g/m² **TREATMENT**








Fangio Jacket

CODE A10805



PRODUCT PLUS		SIZES S - M - L XL - XXL - XXXL	CATEGORY CE IST CATEGORY FOR MINIMUM RISKS
FIT Regular	FABRIC 60% Cotton drill 40% polyester Weight 250 g/m²	TREATMENT 40° & XX	

Fangio Vest

(CODE A20805)



PRODUCT PLUS		SIZES	CATEGORY
		S - M - L XL - XXL - XXXL	IST CATEGORY FOR MINIMUM RISKS
FIT	FABRIC	TREATMENT	
Regular	60% Cotton drill 40% polyester Weight 250 g/m²	40° & X X	











Thunder by Rossini Tech is the work trousers in stretch canvas, designed to ensure maximum resiliance and comfort while working.



ROSSINI STRETCH QUALITY



MULTIPLE UTILITY POCKETS



RIP STOP FABRIC DETAILS




Thunder trousers

(CODE A00328)





Double front pockets, two side pockets, one of which has a triple pocket with a rip stop insert and velcro badge holder, pen holder and tool holder insert, a double expandable pocket closed with velcro and tool holder, two back pockets with flaps and velcro closure.













91 - WARM GREY

PRODUCT PLUS







SIZES

01 - BLUE

S - M - L XL - XXL - XXXL CATEGORY

((

1ST CATEGORY FOR MINIMUM RISKS

FIT

Regular

FABRIC
CANVAS
98% Cotton

2% Elastane Weight 270 g/m² TREATMENT



. . .

Rip Stop Matrix trousers

(CODE A00803)



S - M - L XL - XXL - XXXL
FIT FABRIC TREATMENT Regular 35% Cotton 65% Polyester Weight 210 g/m²

Rip Stop Worky bermuda shorts

(CODE A00804)



PRODUCT PLUS		SIZES S - M - L XL - XXL - XXXL
FIT Regular	FABRIC 35% Cotton 65% Polyester Weight 210 g/m ²	TREATMENT 40° XX X

Cargo Soul Jeans

CODE A00147







01 - BLUE

PRODUCT PLUS)	SIZES From 42 to 62	CATEGORY CE IST CATEGORY FOR MINIMUM RISKS
FIT Regular	FABRIC 98% Cotton 2% Elastane 12 ounces	TREATMENT 40° × ~	









TPS

The TPS line by Rossini Tech is certified to provide the highest level of protection to all workers in the industrial sector.



EXTRA PROTECTION



HIGH **VISIBILITY**

TPS Trousers







Work trousers with elastic at the waist and flap closure with plastic zip and traditional button.



Two internal front pockets, a back patch pocket on the right with flap and velcro closure, two reflective stripes.

Various yellow stripes and jacquard label with pictogram sewn on the large pocket flap.



42 - YELLOW/BLUE

PRODUCT PLUS





FIT

Regular

FABRIC

High visibility yellow 75% Cotton, 24% Polyester, 1% conductive fiber Weight 270 g/m² Blue fabric 75% Cotton, 24% Polyester, 1% conductive fiber Weight 260 g/m²

SIZES

S - M - L XL - XXL - XXXL

TREATMENT







CATEGORY












EN ISO 11612:2015 A1 B1 C1 E2 F1







*The trousers can obtain this class only if combined with jacket A10151

TPS Jacket







PRODUCT PLUS





FIT

Regular

FABRIC

High visibility yellow 75% Cotton, 24% Polyester, 1% conductive fiber Weight 270 g/m² Blue fabric 75% Cotton, 24% Polyester, 1% conductive fiber Weight 260 g/m²

SIZES

S - M - L XL - XXL - XXXL

TREATMENT







CATEGORY












EN ISO 11611:2015 CLASS 1 A1



EN ISO 11612:2015 A1 B1 C1 E2 F1







TPS Overalls



Overalls featuring a central front closure with plastic zip covered by a flap, shoulders outlined with red reflective piping, elastic at the waist on the back.

Two lower front patch pockets closed with flap and velcro and inner side bellow, two patch chest pockets closed with flap and velcro, large side pocket on the right leg closed with flap and velcro, elastic at the bottom of the sleeve, two reflective stripes.

Various yellow bar tacks, jacquard label with pictogram sewn on the right chest pocket.



42 - YELLOW/BLUE

PRODUCT PLUS





FIT

Regular

FABRIC

High visibility yellow 75% Cotton, 24% Polyester, 1% conductive fiber Weight 270 g/m² Blue fabric 75% Cotton, 24% Polyester, 1% conductive fiber Weight 260 g/m²

SIZES

S - M - L XL - XXL - XXXL

TREATMENT







CATEGORY









EN ISO 11611:2015 CLASS 1 A1



EN ISO 11612:2015



CEI EN 61482 -1-2: 2008 CLASS 1 (4KA)



EN 13034:2009 TYPE 6



EN ISO 20471:2013+ A1:2016 CLASS 2

3ACTIVE Trousers

(CODE A00150)



PRODUCT PLUS



FIT

Regular

FABRIC

75% Cotton, 24% Polyester, 1% conductive fiber Weight 260 g/m²

A00160 (on demand) 75% Cotton, 24% Polyester, 1% conductive fiber Weight 370 g/m²

SIZES

S - M - L XL - XXL - XXXL

TREATMENT



CATEGORY





EN 13034:2009 TYPE 6







EN ISO 11611:2015 CLASSI A1



EN ISO 11612:2015 A1B1C1E2F1



3ACTIVE Jacket

CODE A10150





74 - SAILOR BLUE

PRODUCT PLUS



FIT

Regular

FABRIC

75% cotton, 24% polyester, 1% conductive fiber Weight 260 g/m²

A10160 (on demand) 75% cotton, 24% polyester, 1% conductive fiber Weight 370 g/m²

SIZES

S - M - L XL - XXL - XXXL

TREATMENT



CATEGORY





CEI EN 61482 -1-2: 2008 CLASS 1 (4KA)

EN ISO 13688:2013







EN ISO 11612:2015 A1B1C1E2F1



3ACTIVE jacket

CODE A20150)

PRODUCT **PLUS**



FIT

Regular

FABRIC

75% cotton, 24% polyester, 1% conductive fiber Weight 260 g/m²

A20160 (on demand) 75% cotton, 24% polyester, 1% conductive fiber Weight 370 g/m²

SIZES

S - M - L - XL - XXL - XXXL

TREATMENT



CATEGORY

C E 3RD CATEGORY

EN ISO 13688:2013



EN 1149-5:2008



EN ISO 11612:2015 A1B1C1E2F1



EN 13034:2009 TYPE 6



CEI EN 61482 -1-2: 2008 CLASS 1 (4KA)

Work jacket with zip central front closure covered by a flap closed with velcro.

> One breast pocket with flap and velcro closure, two lower patch expandable pockets closed with flap and velcro.

Jacquard label with stitched pictogram, sleeve bottom cuffs with elastic, various yellow tacks, back yoke.

COLOURS

74 - SAILOR BLUE

3ACTIVE shirt

CODE HHOO7

PRODUCT PLUS



FIT Regular **FABRIC** 79% cotton, 20% polyester, 1% conductive fiber Weight 150 g/m² SIZES S - M - L - XL - XXL - XXXL

TREATMENT



CATEGORY

C € 2ND CATEGORY

EN ISO 13688:2013





EN ISO 14116:2015



EN 13034:2009 TYPE 6



Work shirt with traditional covered buttons front closure

> Left chest patch pocket with flap and velcro closure, back voke.

Jacquard label with pictogram sewn on the right sleeve cuff, long sleeve with cuffs fastened with buttons, various yellow bar tacks.

COLOURS

3ACTIVE Overalls



PRODUCT PLUS



FIT

Regular

FABRIC

75% Cotton, 24% Polyester, 1% conductive fiber Weight 260 g/m²

A40160 (on demand) 75% Cotton, 24% Polyester, 1% conductive fiber Weight 370 g/m²

SIZES

M - L XL - XXL - XXXL

TREATMENT



CATEGORY






















Flammatex Trousers

CODE A00116



PRODUCT PLUS



FIT

Regular

FABRIC

Drill 3/1 100% fire-retardant cotton with treatment FR PROBAN® Weight 335 g/m²

SIZES

S - M - L XL - XXL - XXXL

TREATMENT



CATEGORY



C € 2ND CATEGORY

EN ISO 13688:2013



EN ISO 11611:2015 CLASS 1 A1



EN ISO 11612:2015 A1B1C1E3F1

Flammatex Jacket

CODE A10116



PRODUCT PLUS	•
FIT	Regular
FABRIC	Drill 3/1 100% fire-retardant cotton with treatment FR PROBAN® Weight 335 g/m²
SIZES	S - M - L - XL - XXL - XXXL
TREATMENT	₩ & @ P
CATEGORY	€ 2ND CATEGORY EN ISO 13688:2013
	EN ISO 11611:2015 CLASS 1 A1



Work jacket with front concealed snap buttons closure, back voke.

Two patch pockets on the chest closed with flaps and velcro, two lower welt pockets with slanted opening closed with flap and velcro and cuffs at the bottom of the sleeve with elastic.

Stitched jacquard label with pictogram and various red colour bar tacks.

COLOURS

51 - BOTTLE GREEN

Flammatex Jacket

EN ISO 11612:2015 A1B1C1E3F1

CODE A20116

PRODUCT PLUS



FIT Regular **FABRIC** Drill 3/1 100% fire-retardant cotton with treatment FR PROBAN® Weight 335 g/m² SIZES S - M - L - XL - XXL - XXXL

TREATMENT







CATEGORY



C E 2ND CATEGORY

EN ISO 13688:2013



EN ISO 11611:2015 CLASS 1 A1



buttons closure.

Work jacket with front concealed snap

One left breast patch pocket, two lower patch pockets with flaps and velcro closure with internal side bellow. cuffs at the bottom of the sleeve with elastic, back yoke.

Jacquard label with pictogram sewn on lower right pocket flap and various red colour bar tacks.

COLOURS

51 - BOTTLE GREEN

Flammatex Overalls

CODE A40116

PRODUCT **PLUS** FIT Regular FABRIC Drill 3/1 100% fire-retardant cotton with treatment FR PROBAN® Weight 335 g/m² SIZES S - M - L - XL - XXL - XXXL **TREATMENT** CATEGORY C E 2ND CATEGORY EN ISO 13688:2013

> EN ISO 11611:2015 CLASS 1 A1

EN ISO 11612:2015 A1B1C1E3F1



Overalls with central zip closure covered by flap.

Two breast patch pockets closed with flap and velcro, two patch pockets closed with flap and velcro with internal side bellow, elastic at the waist on the back, elastic at the cuffs, yoke at the back.

Jacquard label with pictogram sewn on lower right pocket flap and various red colour bar tacks

COLOURS
51 - BOTTLE GREEN

Flammatex Headgear for welder

CODE ROO3



Split leather jacket

SIZE

| 54

(E EN ISO 11611:2015



Split leather jacket with Korean collar, central velcro fastening, elastic at the wrists, air vents under the armpits.

Apron for welder



Leather and split leather apron, fabric laces for neck and waist closure.

Welder gaiters

CODE GH190

SIZE | 30 cm

((EN ISO 11611:2015



Welder sleeves

(CODE GH191)

SIZE | 60 cm

Leather and split leather sleeves



Welder sleeves

CODE GH192

 $\overline{}$

SIZE | 40 cm

(EN ISO 11611:2015

Leather and split leather sleeves



2ACTIVE Trousers

CODE A00114)

PRODUCT **PLUS** FIT Regular **FABRIC** Negastat Hydrofoil Acid proof and anti-static, non-shrink 65% polyester, 34% cotton, 1% conductive fiber Weight 245 g/m² SIZES S - M - L - XL - XXL **TREATMENT CATEGORY** C E 2ND CATEGORY



Work trousers with elastic at the waist and flap closure with zip and button.

Two back patch pockets closed with flap and velcro, two front pockets closed with velcro.

COLOURS

01 - BLUE 02 - WHITE (ON DEMAND)

2ACTIVE Jacket

EN ISO 13688:2013

EN 1149-5:2008

EN 13034:20054 A1:2009 TYPE 6

CODE A10114



Work jacket with central zip closure covered by flap with velcro.

Two breast pockets with contrasting outline closed with flap and velcro and two slanted welt pockets closed with flap and velcro.

Contrasting outline along the sleeves and elastic at the bottom of the sleeve.

COLOURS

01 - BLUE 02 - WHITE (ON DEMAND)

2ACTIVE man's Coat





PRODUCT PLUS



FIT

Regular

FABRIC

Negastat Hydrofoil Acid proof and anti-static nonshrink 65% polyester, 34% cotton, 1% conductive fiber Weight 245 g/m²

SIZES

S - M - L XL - XXL

TREATMENT



CATEGORY



C € 2ND CATEGORY

EN ISO 13688:2013



(4) EN 1149-5:2008



EN 13034:2005+ A1:2009 TYPE 6

2ACTIVE Bib


CODE A50114

PRODUCT **PLUS**



FIT	Regular
FABRIC	Negastat Hydrofoil Acid proof and anti-static non-shrink 65% polyester, 34% cotton, 1% conductive fiber
	Weight 245 g/m²
SIZES	S - M - L - XL - XXL

TREATMENT



CATEGORY

C E 2ND CATEGORY

EN ISO 13688:2013







CODE A40114

PRODUCT PLUS



FIT	Regular
FABRIC	Negastat Hydrofoil
	Acid proof
	and anti-static non-shrink
	65% polyester,
	34% cotton,
	1% conductive fiber
	Weight 245 g/m²
SIZES	S - M - L - XL - XXL
TREATMENT	@ & @ @ P

CATEGORY

C € 2ND CATEGORY

EN ISO 13688:2013







Work bib with braces and plastic buckles closures.

One large pocket at the chest with contrasting outline closed with flap and velcro, two internal front pockets closed with velcro.

Rear kidney protection fabric, flap closure and side opening with zip and snap button.

COLOURS

01 - BLUE 02 - WHITE (ON DEMAND)



Overalls with central zip closure covered by flap with velcro.

Two chest patch pockets closed with flap and velcro, two inside pockets closed with velcro.

Full back and elastic at the waist, elastic at the sleeve bottom.


COLOURS

01 - BLUE 02 - WHITE (ON DEMAND)



Unisex acid proof coat

CODE A60137



PRODUCT PLUS



FIT

Regular

FABRIC

Acid proof Drill 2/1 20/20 65% polyester 35% cotton Weight 200 g/m²

SIZES

XS - S - M - L XL - XXL - XXXL

TREATMENT



CATEGORY



EN ISO 13688:2013









FlashUp Hi-Vis Jacket

CODE HH626

New



High visibility softshell jacket with three-layer fabric and internal TPU membrane, fitted with Osram's LED guide lights to guarantee visibility in all weather conditions and even at long distances, retroreflective bands fitted diagonally.

Central zip closure,zip-off sleeves, two side pockets with zipper, elastic knit inner cuff, rounded back bottom with drawstring, removable hood fitted with zipper, with drawstring and velcro closure, high visibility tricot lined interior, internal horizontal zip at the bottom to facilitate customization on the back, internal pocket with velcro for guide lights power unit



21 - ORANGE/BLUE

42 - YELLOW/BLUE

PRODUCT PLUS







3000 mm WP / 300 mvp

FIT

Regular

FABRIC

OUTER 100% polyester

INNER

Lining 100% polyester

SIZES

S - M - L XL - XXL - XXXL

LED Light Included

TREATMENT



CATEGORY



EN ISO 13688:2013 EN ISO 20471:2013+A1:2016



Two-tones Trousers

CODE A00130



PRODUCT PLUS





FIT

Regular

FABRIC

HIGH VISIBILITY BASE 60% cotton, 40% non-shrink polyester, Weight 240 g/m² **BLUE GABARDINE INSERTS** 65% polyester, 35% cotton Weight 245 g/m²

SIZES

XS - S - M - L XL - XXL - XXXL

ORANGE / BOTTLE GREEN

TREATMENT







CATEGORY



YELLOW / BOTTLE GREEN

C E 2ND CATEGORY

21 - ORANGE/BLUE

42 - YELLOW/BLUE

EN ISO 13688:2013 EN ISO 20471:2013+A1:2016



Two-tones Jacket



COLOURS ON DEMAND

With a minimum order of 50 pieces it is possible to produce gabardine outfits in the following colours (depending on the availability of colours):











ORANGE /

ORANGE / COMO BLU ORANGE / BOTTLE GREEN

ROYAL BOX YFLLOW / YELLOW /

YFLLOW / PALE GREY

YELLOW / KELLY GREEN

YELLOW /

YELLOW / SPRUCE GREEN YFLLOW /

YELLOW / COMO BLU

YELLOW / BOTTLE GREEN



21 - ORANGE/BLUE 42 - YELLOW/BLUE

PRODUCT PLUS



FIT

Regular

FABRIC

HIGH VISIBILITY BASE 60% cotton, 40% non-shrink polyester, Weight 240 g/m² **BLUE GABARDINE INSERTS** 65% polyester, 35% cotton Weight 245 g/m²

SIZES

S - M - L XL - XXL - XXXL

TREATMENT



CATEGORY



C € 2ND CATEGORY

EN ISO 13688:2013 EN ISO 20471:2013+A1:2016



Two-tones Bib

CODE A50130



High visibility bib featuring elastic waistband with back kidney protector fabric braces with internal elastic band and plastic buckles, Zip fly closure.

One large breast pocket closed with a contrast colour flap and velcro, one back pocket closed with a contrast colour flap and a velcro on the right, two lower patch pockets, a tape measure pocket, one large pocket on the left leg closed with a contrast colour flap and a velcro.



Side opening on the right with button closure, double reflective band at the bottom of the leg.

COLOURS ON DEMAND

With a minimum order of 50 pieces it is possible to produce gabardine outfits in the following colours (depending on the availability of colours):



ORANGE /

ORANGE / BLACK ORANGE /

PALE GREY ORANGE /

ORANGE / SPRUCE GREEN ORANGE /

ORANGE / COMO BLU

> ORANGE / BOTTLE GREEN

YELLOW / ROYAL BOX YELLOW /

YELLOW / BLACK

YELLOW / PALE GREY

YELLOW / KELLY GREEN

YELLOW / SPRUCE GREEN YELLOW /

YELLOW /

COMO BLU

YELLOW / BOTTLE GREEN YELLOW / SAILOR BLU

21 - ORANGE/BLUE

PRODUCT PLUS





FIT

Regular

FABRIC

HIGH VISIBILITY BASE 60% cotton, 40% non-shrink polyester, Weight 240 g/m² **BLUE GABARDINE INSERTS** 65% polyester, 35% cotton Weight 245 g/m²

SIZES

S-M-L-XL-XXL

TREATMENT



CATEGORY



EN ISO 13688:2013

EN ISO 20471:2013+A1:2016



Two-tones Overalls



PRODUCT PLUS





FIT

Regular

FABRIC

HIGH VISIBILITY BASE 60% cotton, 40% non-shrink polyester, Weight 240 g/m² **BLUE GABARDINE INSERTS** 65% polyester, 35% cotton Weight 245 g/m²

SIZES

S - M - L XL - XXL - XXXL

TREATMENT



CATEGORY



C € 2ND CATEGORY

EN ISO 13688:2013 EN ISO 20471:2013+A1:2016



Jacket

CODE A10117

PRODUCT PLUS	
FIT	Regular
FABRIC	HIGH VISIBILITY 60% cotton, 40% non-shrink polyester, Weight 240 g/m²
SIZES	From 46 to 64
TREATMENT	
CATEGORY	2ND CATEGORY EN ISO 13688:2013 EN ISO 20471:2013+A1:2016 CLASS 3

50 WASHES



High visibility jacket with concealed buttons central closure.

Two breast patch pockets closed with flap and snap button, double reflective band, cuffs at the bottom sleeve closed with snap button.

COLOURS

09 - ORANGE 08 - YELLOW (ON DEMAND)

Trousers

CODE A00117

PRODUCT PLUS



FIT Regular FABRIC HIGH VISIBILITY 60% cotton, 40% non-shrink polyester, Weight 240 g/m² SIZES From 44 to 64 **TREATMENT**

CATEGORY

C E 2ND CATEGORY

EN ISO 13688:2013 EN ISO 20471:2013+A1:2016



50 WASHES



High visibility trousers featuring a flap closure with zip and button.

One back patch pocket on the right closed with a snap button, a large side pocket closed with flap and velcro and pen holder on the left leg, front welt pockets with slanted cut, one tape measure holder.

Double reflective band.

COLOURS

09 - ORANGE 08 - YELLOW (ON DEMAND)

Overalls

CODE A40117

PRODUCT PLUS



FIT	Regular
FABRIC	HIGH VISIBILITY 60% cotton, 40% non-shrink polyester, Weight 240 g/m²
SIZES	From 46 to 64

From 46 to 64

TREATMENT



CATEGORY

C E 2ND CATEGORY

EN ISO 13688:2013 EN ISO 20471:2013+A1:2016

CLASS 3

50 WASHES



High visibility overalls with central covered zip closure, full back and elastic waistband at the back.

Two chest pockets closed with a flap and snap button, one back patch pocket on the right closed with snap button, two front patch pockets, tape measure holder. Cuffs at the bottom of the sleeve closed with snap button, double reflective band.

COLOURS

09 - ORANGE 08 - YELLOW (ON DEMAND)



CODE A50117

PRODUCT PLUS



FIT Regular **FABRIC**

HIGH VISIBILITY 60% cotton, 40% non-shrink polyester, Weight 240 g/m²

SIZES From 44 to 64

TREATMENT

CATEGORY

C E 2ND CATEGORY

EN ISO 13688:2013 EN ISO 20471:2013+A1:2016



50 WASHES

High visibility bib with elastic waistband, rear kidney protector fabric and plastic buckles.

Side opening on the right closed with snap button, one back patch pocket on the right closed with snap button, two front patch pockets, tape measure holder.

> Double reflective band at the bottom of the leg.

COLOURS

09 - ORANGE 08 - YELLOW (ON DEMAND)



Winter padded jacket

CODE A1011799



CLASS 3
50 WASHES



High visibility padded jacket with concealed snap button central closure.

Two breast patch pockets closed with flap and snap button, double reflective band, cuffs at the bottom sleeve closed with snap button.

COLOURS

99 - ORANGE 98 - YELLOW (ON DEMAND)

Winter padded trousers

CODE A0011799

PRODUCT PLUS



FABRIC HIGH VISIBILITY 60% cotton,

40% non-shrink polyester, Weight 240 g/m² COTTON COMBED INNER FABRIC

100% cotton Weight 340 g/m²

SIZES From 44 to 64

TREATMENT 600 A X A

CATEGORY

C € 2ND CATEGORY

EN ISO 13688:2013 EN ISO 20471:2013+A1:2016

CLASS 2 50 WASHES

High visibility padded trousers with zip fly closure.

Back patch pocket on the right closed with snap button, tape measure holder, double reflective band, two internal front pockets.

COLOURS

99 - ORANGE 98 - YELLOW (ON DEMAND)

Seal Polo Shirt

CODE HH228



PRODUCT PLUS		SIZES	CATEGORY
		S - M - L XL - XXL - XXXL	EN ISO 13688:2013 EN ISO 20471:2013+A1:2016
FIT Regular	FABRIC 100% polyester Weight 170 g/m²	TREATMENT 407 A M	CLASS 2 20 WASHES

Ken Vest

CODE HH229

PRODUCT PLUS	
FIT	Regular
FABRIC	HIGH VISIBILITY 60% cotton 40% non-shrink polyester Weight 240 g/m²
SIZES	M - L - XL - XXL - XXXL
TREATMENT	
CATEGORY	EN ISO 13688:2013 EN ISO 20471:2013+A1:2016 CLASS 2 50 WASHES



High visibility vest with central zip closure, an expandable pocket closed with flap and velcro, plastic badge holder sewn on breast pocket, a patch pocket closed with velcro, two small pockets sewn on pocket, an expandable pocket closed with flap and velcro, reflective stripe around the waistline and two vertical ones at the front and back.

COLOURS

09 - ORANGE

Vest

CODE A10317

PRODUCT PLUS	
FIT	Regular
FABRIC	HIGH VISIBILITY 60% cotton 40% non–shrink polyester Weight 240 g/m²
SIZES	M - L - XL - XXL
TREATMENT	
CATEGORY	2ND CATEGORY EN ISO 13688:2013 EN ISO 20471:2013+A1:2016 CLASS 2 50 WASHES



High visibility vest with central velcro closure, V-shaped collar and double refractive band.

COLOURS

09 - ORANGE 08 - YELLOW (ON DEMAND)

Vest

CODE A10319

PRODUCT PLUS	
FIT	Regular
FABRIC	HIGH VISIBILITY 100% non-shrink polyester Weight 120 g/m²
SIZES	M - L - XL - XXL
TREATMENT	407 🔉 🖾 🗀



High visibility vest with central velcro closure, V-shaped collar and double refractive band.

COLOURS

09 - ORANGE 08 - YELLOW (ON DEMAND)

Promotional Vest

CODE A10519

PRODUCT PLUS	
FIT	Regular
FABRIC	HIGH VISIBILITY 100% non-shrink polyester Weight 120 g/m²
ONE	size
TREATMENT	₩ \$ 0 3 8
CATEGORY	EN ISO 13688:2013 EN ISO 20471:2013+A1:2016 CLASS 2 25 WASHES



High visibility vest with central velcro closure, V-shaped collar and double refractive band at the waistline.



COLOURS

08 - YELLOW 09 - ORANGE

Norberg Fleece

CODE HH139



PRODUCT PLUS



FIT

Regular

FABRIC

HIGH VISIBILITY BASE 100% polyester Weight 280 g/m² with 100% polyester blue variant Inside lining

SIZES

S - M - L XL - XXL - XXXL

TREATMENT



CATEGORY



C € 2ND CATEGORY

EN ISO 13688:2013 EN ISO 20471:2013+A1:2016



Lindos Parka

New



Padded parka with microfleece lined collar on the inside, concealed hood with drawstring inserted in the collar, central front zip closure with double comby slider, covered with zip cover with velcro and snap

A small patch pocket on the right chest closed with a waterproof zipper, another small patch pocket with a contrasting colour flap with reflective trim and velcro and another small pocket without flap next to it, a small patch pocket on the left chest closed with a flap with reflective trim and velcro for print or embroidery customization, removable pvc badge holder with button, a small welt pocket closed with velcro on the inside of the left chest.

Two large lower pockets covered with flap, drawstring at waist and bottom, double reflective bands fitted on the sleeves, waistline and vertically on the front and back yoke, wrists with elastic and velcro adjustable frog fastener.



21 - ORANGE/BLUE

42 - YELLOW/BLUE

PRODUCT PLUS



FIT

Regular

FABRIC

HIGH VISIBILITY 100% breathable polyester, heat-taped seams, quilted lining 100% polyester and wadding padding

SIZES

S - M - L XL - XXL - XXXL

TREATMENT



CATEGORY



C E 2ND CATEGORY

EN ISO 13688:2013

EN ISO 20471:2013+A1:2016



2ND CATEGORY CLASS 3 EN 14058:2017 BEING UPDATED





3 EN 343:2019



Padded parka with microfleece lined collar on the inside, concealed hood closed with drawstring and velcro inserted in the collar, central front zip closure with double comby slider, covered with zip cover with velcro and snap buttons.

> One small patch pocket on the right chest closed with flap and velcro, another small pocket closed with vertical waterproof zipper, removable PVC badge holder with button, one small patch pocket on the left chest closed with flap and velcro, another pocket for print or embroidery customization, inner small pocket closed with vertical zip, vertical reflective trim on the sides of the pockets, an inner pocket closed with vertical zip on the left side under the zip cover plus a small patch pocket fitted internally closed with velcro.

Two large lower pockets covered with flap, double reflective bands fitted to the sleeves and waistline, cuffs with elastic and velcro adjustable frog fastener, drawstring at the waist.





21 - ORANGE/BLUE

42 - YELLOW/BLUE

INNER JACKET

Front closure with central zip, two lower patch pockets with velcro, zip-off sleeves, knitted cuffs, inner patch pocket at the bottom left closed with velcro, a reflective stripe at the waist and two vertical stripes at the front and back.

PRODUCT PLUS



FIT

Regular

FABRIC

WATERPROOF JACKET: HIGH VISIBILITY 100% breathable polyester, heat-taped seams, 100% polyester lining

INNER JACKET: HIGH VISIBILITY 100% breathable polyester with detachable blue sleeves, 100% polyester quilted lining and wadding padding

SIZES

S - M - L XL - XXL - XXXL

TREATMENT



CATEGORY



EN ISO 13688:2013

EN ISO 20471:2013+A1:2016 2ND CATEGORY



EN 14058:2017 BEING UPDATED



3 1 EN 343:2019

Eddystone Pilot

New



Padded Pilot with microfleece lined collar on the inside, concealed hood closed with drawstring and velcro inserted in the collar, central front zip closure with double comby slider, covered with zip cover with velcro and snap buttons, zip off sleeves. One small patch pocket on the right chest closed with flap and velcro, an additional pocket closed with vertical waterproof zipper, removable PVC badge holder with button, a small patch pocket on the left chest closed with flap and velcro, another small pocket predisposed for print or embroidery customization, vertical reflective trim on the sides of the small pockets, a small patch pocket on the inside of the left chest closed with velcro.

> Two slanted lower pockets, elastic at the hips and double reflective bands on the sleeves and waistline, cuffs with elastic and velcro adjustable frog fastener.



21 - ORANGE/BLUE

42 - YELLOW/BLUE

PRODUCT PLUS





FIT

Regular Big size

FABRIC

HIGH VISIBILITY 100% breathable polyester, heat-taped seams, quilted lining 100% polyester and wadding padding

SIZES

S - M - L XL - XXL - XXXL

4XL - for 21 orange/blue

TREATMENT



CATEGORY



C E 2ND CATEGORY

EN ISO 13688:2013

EN ISO 20471:2013+A1:2016



2ND CATEGORY CLASS 3 EN 14058:2017 BEING UPDATED



Rain crew suite outfit

CODE HH309



PRODUCT PLUS		SIZES	CATEGORY
		S - M - L XL - XXL - XXXL	C € 2ND CATEGORY
		XL - XXL - XXXL	EN ISO 13688:2013
			EN ISO 20471:2013+A1:2016
FIT	FABRIC	TREATMENT	CLASS 3 FOR FULL SUIT OR JACKET ONLY CLASS 2 FOR TROUSERS
Regular	100% polyester Oxford PU	407 & 🔀	3 EN 343:2003 1 Al:2007
	Oxford PO	$\boxtimes \boxtimes$	25 WASHES











A sweater with exclusive "knitted effect" fabric and softshell inserts for an urban and contemporary look.



KNITTED FABRIC



EASY COMFORT



MULTIPLE UTILITY POCKETS



Skill Sweatshirt



PRODUCT PLUS)	SIZES XS - S - M - L XL - XXL - XXXL	CATEGORY CE IST CATEGORY FOR MINIMUM RISKS
FIT Regular	FABRIC 100% polyester Weight 280 g/m²	TREATMENT 40° & -	



Task

Fleece with a modern design, practical and comfortable for work and leisure.




EASY COMFORT




MULTIPLE UTILITY POCKETS

Task Fleece













Sniper

Sniper by Rossini Tech is a padded jacket, practical and robust to ensure the utmost comfort.



REMOVABLE SLEEVES



MULTIPLE UTILITY POCKETS



RIP STOP FABRIC DETAILS

Sniper Jacket



PRODUCT PLUS







FIT

Regular Big size

FABRIC

OUTER

100% polyester mini Rip stop coated with PVC

INNER

Lower part in lining Upper part in fleece Padding with wadding 100% polyester

SIZES

S - M - L

XL - XXL - XXXL 4XL - for 01 blue only

TREATMENT



CATEGORY



Master+ Jacket



PRODUCT PLUS







FIT

Regular Big size

FABRIC

OUTER 100% polyester mini Rip stop coated with PVC

INNER Lower part in lining Upper part in fleece Padding with wadding 100% polyester

SIZES

S - M - L XL - XXL - XXXL 4XL - for 01 blue only

TREATMENT



CATEGORY



Smarty Softshell Jacket





PRODUCT PLUS 6000 mm WP / 3000 mvp		SIZES S - M - L XL - XXL - XXXL - 4XL	CATEGORY C
FIT Regular Big size	FABRIC 95% polyester 5% spandex	TREATMENT 30 A D A D	

Newman Softshell Jacket


CODE HH634











FIT

Regular

FABRIC

OUTER 94% polyester 6% spandex

INNER Padding with wadding and lining 100% polyester

SIZES

S - M - L XL - XXL - XXXL

TREATMENT



Ⅲ 🌣 🔯



CATEGORY



Rusty Softshell Jacket

CODE HH651



PRODUCT PLUS 8000 mm WP / 800 mvp		SIZES S - M - L XL - XXL - XXXL - 4XL	CATEGORY (
FIT Regular Big size	FABRIC 85% polyester 15% cotton	TREATMENT 307 & XX XX XX XX XX XX XX XX XX X	

Zack Softshell Vest

CODE HH654



PRODUCT PLUS		SIZES S - M - L XL - XXL - XXXL	CATEGORY C
8000 mm WP / 2000	mvp	XL - XXL - XXXL	
FIT Regular	FABRIC 94% polyester	TREATMENT	
	6% spandex		

New Nyborg Softshell Jacket

New



PRODUCT PLUS





8000 mm WP / 2000 mvp







ZX - BLUE/BLACK



XG - ROYAL/BLACK

S - M - L

ZY - BLACK/GREY

XL - XXL - XXXL

CATEGORY

GY - GREY/BLACK



VI - GREEN/BLACK

FIT

Regular

FABRIC

94% polyester 6% spandex

TREATMENT









49 - RED/BLACK

Preston Softshell Vest



SIZES S - M - L XL - XXL - XXXL S - M - L XL - XXXL - XXXL FIT FABRIC Regular FABRIC 94% polyester 6% spandex TREATMENT 94% polyester 6% spandex

Shetland Softshell Jacket



PRODUCT PLUS 8000 mm WP / 2000 mvp		SIZES S - M - L XL - XXL	CATEGORY CE IST CATEGORY FOR MINIMUM RISKS
FIT Regular	FABRIC 94% polyester 6% spandex	TREATMENT 307 A A XX	

New Cruiser Jacket

CODE HH652



FIT

Regular Big size **FABRIC**

OUTER 100% nylon

INNER
100% micro fleece
in polyester
Sleeves lined with
polyester and padded
with wadding

SIZES

S - M - L


XL - XXL - XXXL

4XL - for 01 blue only

TREATMENT



CATEGORY



Karl Vest

CODE HH653



Padded vest with front zip closure, armpit and bottom outlined with elasticised bias tape, two lower welt pockets closed with a zip.



01 - BLUE 05 - BLACK

F	IT	

Regular

FABRIC

OUTER 100% polyester

INNER

Soft padding and lining 100% polyester

SIZES

S - M - L

XL - XXL - XXXL

TREATMENT



CATEGORY



Dusty Jacket



PRODUCT PLUS





FIT

Regular

FABRIC

OUTER 100% polyester mini Rip stop coated with PVC

INNER
Padded with wadding
and 100% polyester
lining

SIZES

S - M - L XL - XXL - XXXL

TREATMENT



CATEGORY



1ST CATEGORY

Dover Jacket



PRODUCT PLUS



FIT

Regular

FABRIC

OUTER

100% polyester mini Rip stop coated with PVC

INNER

Padding in wadding and lining 100% polyester

SIZES

S - M - L

XL - XXL - XXXL

TREATMENT



CATEGORY



IST CATEGORY FOR MINIMUM RISKS

Montana Jacket



PRODUCT PLUS





FIT

Regular

FABRIC

OUTER 100% Oxford polyester coated with polyurethane

INNER Lining 100% cotton Padding with 100% polyester wadding

SIZES

S - M - L XL - XXL

TREATMENT



CATEGORY



1ST CATEGORY FOR MINIMUM RISKS

Collins Jacket



PRODUCT PLUS



FIT

Regular

FABRIC

OUTER 100% polyester Mini Rip stop coated with PVC

INNER
padding in
wadding
and lining in
100% polyester

SIZES

S - M - L XL - XXL - XXXL

TREATMENT



CATEGORY



IST CATEGORY FOR MINIMUM RISKS

Bradford Vest





PRODUCT PLUS



FIT

Regular

FABRIC

OUTER 100% polyester Mini Rip stop coated with PVC

INNER Padding in wadding and lining in 100% polyester fleece

SIZES

S - M - L XL - XXL - XXXL

TREATMENT



CATEGORY



1ST CATEGORY FOR MINIMUM RISKS



Kansas Vest

CODE HH687



Padded vest with front zip closure covered by a flap closed with snap buttons, inner collar in fleece, front and back yoke in contrasting colour, elastic at the waist.

A pocket on the right chest closed with a vertical zip with expandable mobile phone holder closed by a flap with a reflective profile and velcro, a small expandable side pocket on the left chest closed by a flap with reflective outline and velcro, with badge holder with velcro closure, an internal small pocket with velcro closure on the left chest, two lower welt pockets with zip closure and wind-proof flap.



GY - GREY/BLACK

ZX - BLUE/BLACK

PRODUCT PLUS



FIT

Regular

FABRIC

OUTER 100% polyester Mini Rip stop coated with PVC

INNER Padding in w

Padding in wadding and lining in 100% polyester fleece

SIZES

S - M - L XL - XXL - XXXL

TREATMENT



CATEGORY



IST CATEGORY FOR MINIMUM RISKS

Newport set



FIT	FABRIC	SIZES	CATEGORY
Regular	100% polyurethane with support 100% polyester	S - M - L - XL - XXL	ST CATEGORY FOR MINIMUM RISKS
		TREATMENT	
		30° & 3 0° 2 1	








Rossini is the brand of workwear created with the utmost care, using the right materials and designed for those who wear them







Silverstone Trousers



PRODUCT PLUS		SIZES	CATEGORY
		S - M - L XL - XXL - XXXL	ST CATEGORY FOR MINIMUM RISKS
FIT	FABRIC	TREATMENT	
Regular	60% cotton 40% polyester Weight 245 g/m²	₩ <u> </u>	

Silverstone Jacket



PRODUCT PLUS		SIZES	CATEGORY
		S - M - L XL - XXL - XXXL	ST CATEGORY FOR MINIMUM RISKS
FIT	FABRIC	TREATMENT	
Regular	60% cotton 40% polyester Weight 245 g/m²	© <u>&</u> <u>~</u> ₽ <u>0</u>	

Silverstone Bib



PRODUCT PLUS		SIZES	CATEGORY
		S - M - L XL - XXL - XXXL	IST CATEGORY FOR MINIMUM RISKS
FIT Regular	FABRIC 60% cotton 40% polyester Weight 245 g/m²	TREATMENT	



PRODUCT PLUS		SIZES	CATEGORY
		S - M - L XL - XXL - XXXL	IST CATEGORY FOR MINIMUM RISKS
FIT	FABRIC	TREATMENT	
Regular	60% cotton 40% polyester Weight 245 g/m²	₩ <u> </u>	

SerioPlus + Trousers with reflective stripes

(CODE A00106)




PRODUCT PLUS		SIZES XS - S - M - L XL - XXL - XXXL - 4XL	CATEGORY CE IST CATEGORY FOR MINIMUM RISKS
FIT Regular Big size	FABRIC Drill 3/1 100% non-shrink cotton weight 280 g/m²	TREATMENT 40° & P O	

SerioPlus + Trousers

(CODE A00109)



Work trousers with adjustable elastic at the waist on the back, flap closure with zip and exposed button





PRODUCT PLUS





SIZES

XS -S - M - L - XL XXL - XXXL 4XL and 5XL - for 01 blue and 12 grey

TREATMENT







1ST CATEGORY FOR MINIMUM RISKS

CATEGORY

FIT

Regular Big size

FABRIC

Drill 3/1 100% non-shrink cotton Weight 280 g/m²

SerioPlus + Jacket



PRODUCT PLUS		SIZES S - M - L XL - XXL - XXXL	CATEGORY CE IST CATEGORY FOR MINIMUM RISKS
FIT	FABRIC	TREATMENT	
Regular	Drill 3/1 100% non-shrink cotton Weight 280 g/m²	© <u> </u>	

SerioPlus + Bib





PRODUCT PLUS		SIZES	CATEGORY
+		S - M - L XL - XXL - XXXL	IST CATEGORY FOR MINIMUM RISKS
FIT	FABRIC	TREATMENT	
Regular	Drill 3/1 100% non-shrink cotton Weight 280 g/m²	₩ <u> </u>	

SerioPlus + work coat



PRODUCT PLUS		SIZES S - M - L XL - XXL - XXXL	CATEGORY CE IST CATEGORY FOR MINIMUM RISKS
FIT Regular	FABRIC Drill 3/1	TREATMENT 60° & -	
	100% non-shrink cotton Weight 280 g/m²	@ <u>A</u>	

SerioPlus + Jacket



PRODUCT PLUS		SIZES S - M - L - XL XXL - XXXL 4XL - for O1 blue only	CATEGORY CE IST CATEGORY FOR MINIMUM RISKS
FIT	FABRIC	TREATMENT	
Regular Big size	Drill 3/1 100% non-shrink cotton Weight 280 g/m²	₩ <u> </u>	



CATEGORY PRODUCT PLUS SIZES S - M - L - XL ϵ XXL - XXXL 1ST CATEGORY FOR MINIMUM RISKS 4XL for 01 blue and 12 grey only FIT **FABRIC TREATMENT** Regular Drill 3/1 100% non-shrink Big size \bigcirc cotton Weight 280 g/m²

SerioTech Trousers

(CODE A00225)



FIT	FABRIC	SIZES	CATEGORY
Regular	Canvas 100% non-shrink cotton Weight 270 g/m² with variations in fabric 65% polyester 35% Cotton	TREATMENT OP OP	ST CATEGORY FOR MINIMUM RISKS

SerioTech Jacket



Work jacket with central covered zip closure, detachable sleeves with zip, cuff at the bottom of the sleeve closed with adjustable velcro, waist belt with elastic at the

> Two patch breast pockets, one on the right, with a pen holder and an expandable phone holder, a button hole to allow the phone headset to pass through, two patch pockets with a slanted opening, horizontal stripes on the front and back, a zip cover flap.

Under collar and part of the back and front belt in contrasting colour fabric, stitching with contrasting colour thread.



80 -BLUE/GREY

	1	т	
г	ı	- 1	

Regular

FABRIC

Canvas 100% non-shrink cotton Weight 270 g/m² with variations in fabric 65% polyester 35% Cotton

SIZES

S-M-L-XL-XXL



CATEGORY



1ST CATEGORY FOR MINIMUM RISKS

TREATMENT



SerioTech Bib

CODE A50225)



Work bib with front flap closure with concealed buttons, side opening closed with a zip, kidney protection fabric at the back.

A large patch expandable breast pocket with a pen and phone holder with flap and velcro closure, elasticated braces and plastic buckles, two front carter pockets, two back patch pockets with flap and velcro closure, one pocket and one tape measure pocket on the right leg, one large pocket on the left leg with flap and velcro closure.

Padding at the knees, double fabric reinforcement on all pockets and corresponding contrasting colour flaps, stitching with contrasting colour thread.



80 -BLUE/GREY

FIT

Regular

FABRIC

Canvas 100% non-shrink cotton peso 270 g/m² with variations in fabric 65% polyester 35% Cotton

SIZES

S-M-L-XL-XXL

CE

1ST CATEGORY FOR MINIMUM RISKS

CATEGORY

TREATMENT





Serio men's work coat

CODE A60101)

FIT Regular FABRIC Drill 3/1 100% non-shrink cotton Weight 280 g/m² for white colour Drill 2/1 100% non-shrink cotton Weight 210 g/m² for black colour SIZES From 44 to 64 **TREATMENT** C E 1ST CATEGORY FOR MINIMUM RISKS **CATEGORY**



Serio Trousers

(CODE A00101)

FIT	Regular
FABRIC	Drill 3/1 100% non-shrink cotton Weight 280 g/m²
SIZES	From 42 to 64
TREATMENT	₩ & Z P O
CATEGORY	C (IST CATEGORY FOR MINIMUM RISKS

Work trousers with flap zip closure

05 - BLACK

02 - WHITE

Two internal front pockets, one back patch pocket on the right with button closure, tape measure pocket on the right leg.



02 - WHITE

BremboPlus Multi-pocket trousers

CODE A00322



Work trousers with adjustable elastic at the waist, flap closure with zip and button

Two internal front pockets, one back patch pocket on the right with flap and velcro closure, one tape measure pocket on the right, one side large patch pocket on the left closed with flap and velcro.

Bar tacks in contrasting colour.



01 - BLUE

PRODUCT PLUS





SIZES

XS - S - M - L XL - XXL - XXXL 4XL - 5XL





CATEGORY

 ϵ

1ST CATEGORY FOR MINIMUM RISKS

FIT

Regular Big size FABRIC

Drill 3/1 100% non-shrink cotton Weight 260 g/m2



BremboPlus Trousers

CODE A00122

PRODUCT PLUS	
FIT	Regular Big size
FABRIC	Drill 3/1 100% non-shrink cotton Weight 260 g/m²
SIZES	XS - S - M - L XL - XXL - XXXL 4XL - 5XL - for 01 blue 4XL - for 04 green
TREATMENT	₩ & ZPO
CATEGORY	CE IST CATEGORY FOR MINIMUM RISKS



Work trousers with zipped flap closure and button on the belt, elastic at the waist, one back pocket on the right with flap and velcro, two front internal pockets, a tape measure holder, various bar tacks of contrasting colour.





BremboPlus Jacket

CODE A10122

PRODUCT **PLUS**





. 100	
FIT	Regular
FABRIC	Drill 3/1
	100% non-shrink cotton
	Weight 260 g/m ²
SIZES	S - M - L - XL - XXL - XXXL
TREATMENT	
CATEGORY	C 1ST CATEGORY FOR MINIMUM RISKS

covered buttons central closure, Two breast patch pockets closed with flap and velcro, one of which with pen holder, cuffs at the bottom of the sleeve closed with button. elastic sides at the waist, bar tacks in contrasting colour.

Work jacket with




01 - BLUE 04 - GREEN

BremboPlus Bib

CODE A50122

PRODUCT PLUS	
FIT	Regular
FABRIC	Drill 3/1 100% non-shrink cotton Weight 260 g/m²
SIZES	S - M - L - XL - XXL - XXXL
TREATMENT	₩ & Z P O
CATEGORY	C E 1ST CATEGORY FOR MINIMUM RISKS



Two large front patch pockets, one back patch pocket on the right closed with a button, elasticated waist, one tape measure holder on the right leg, contrasting colour bar tacks.



BremboPlus Jacket

CODE A20122

PRODUCT PLUS	
FIT	Regular
	Big size
FABRIC	Drill 3/1 100% non-shrink cotton Weight 260 g/m²
SIZES	S - M - L - XL - XXL - XXXL 4XL for 01 blue only
TREATMENT	₩ & ZPO
CATEGORY	C F IST CATEGORY FOR MINIMUM RISKS



Work jacket with covered buttons central closure, two patch pockets at the bottom and one small patch breast pocket on the left, contrasting colour bar tacks.



BremboPlus Men's work coat

CODE A60122

PRODUCT PLUS FIT Regular **FABRIC** Drill 3/1 100% non-shrink cotton Weight 260 g/m² S - M - L - XL - XXL - XXXL SIZES **TREATMENT C E** IST CATEGORY FOR MINIMUM RISKS **CATEGORY**

Work coat with covered buttons central closure, full back, a breast patch pocket on the left and two lower patch pockets, contrasting colour bar tacks.







01 - BLUE

BremboPlus Overalls

CODE A40122

PRODUCT





PL03	
FIT	Regular Big size
	Big Size
FABRIC	Drill 3/1
	100% non-shrink cotton
	Weight 260 g/m ²
SIZES	S - M - L - XL
	XXL - XXXL - 4XL
TREATMENT	₩ & ∂ P O
CATEGORY	CE 1ST CATEGORY FOR MINIMUM RISKS

Overalls with covered central zip closure, elastic at the waist on the back, full back.

Two breast pockets with flap and velcro closure, one of which with pen holder, two lower patch pockets, one tape measure pocket on the right leg, one back pocket on the right with button closure, elastic at the cuffs, contrasting colour bar tacks.



Poliserio Men's work coat



FIT	FABRIC	SIZES	CATEGORY
Regular	Poplin 65% polyester 35% non-shrink cotton Weight 145 g/m²	TREATMENT ADD A TO THE ATMENT P	ST CATEGORY FOR MINIMUM RISKS

Poliserio Women's work coat



FIT	FABRIC	SIZES	CATEGORY
Regular	Poplin 65% polyester 35% non-shrink cotton Weight 145 g/m²	From 42 to 60 Up to 58 only for 04 green TREATMENT 40°	ST CATEGORY FOR MINIMUM RISKS

Polibrembo Men's work coat



FIT	FABRIC	SIZES	CATEGORY
Regular	Poplin 65% polyester 35% non-shrink cotton Weight 145 g/m²	TREATMENT 40° & P &	ST CATEGORY FOR MINIMUM RISKS

Polibrembo Women's work coat



FIT	FABRIC	SIZES	CATEGORY
Regular	Poplin 65% polyester 35% non-shrink cotton Weight 145 g/m²	S - M - L - XL - XXL TREATMENT 40° & P &	ST CATEGORY FOR MINIMUM RISKS

Long sleeve shirt

CODE HH026

FIT	Regular
FABRIC	100% Oxford cotton Weight 130 g/m²
SIZES	S - M - L - XL - XXL - XXXL
TREATMENT	40° & P O
CATEGORY	C E IST CATEGORY FOR MINIMUM RISKS



button closure, long sleeve with cuffs closed with button.

Shirt with central

Two breast pockets closed with button.

COLOUR

06 - OXFORD

Long sleeve shirt

CODE HHOO2

FIT	Regular
FABRIC	Canvas 100% non-shrink cotton Weight 115 g/m²
SIZES	S - M - L - XL - XXL - XXXL
TREATMENT	40° & @ P O
CATEGORY	C E IST CATEGORY FOR MINIMUM RISKS



Two breast

pockets closed with button.

COLOUR

06 - ROYAL BLUE

Brembo Long sleeve shirt

CODE HHO20

FIT	Regular
FABRIC	100% Oxford cotton Weight 130 g/m²
SIZES	S - M - L - XL - XXL - XXXL
TREATMENT	407 & @ P 🔯
CATEGORY	C (IST CATEGORY FOR MINIMUM RISKS



Two breast pockets, one of which with a pen holder closed with flap and button.


COLOUR

06 - OXFORD

Brembo Short sleeve shirt

CODE HHO25

FIT	Regular
FABRIC	100% Oxford cotton Weight 130 g/m²
SIZES	S - M - L - XL - XXL
TREATMENT	₩ 200 × 200
CATEGORY	C 1ST CATEGORY FOR MINIMUM RISKS



Termoplus + Jacket

CODE A10108

FIT	Regular
FABRIC	100% cotton Weight 340 g/m² Internal brushed cotton
SIZES	S - M - L - XL - XXL - XXXL
TREATMENT	₩ & Z P O
CATEGORY	C E 1ST CATEGORY FOR MINIMUM RISKS



Work jacket with covered buttons front closure, shirt collar

Two patch breast pockets closed with flap and button, cuffs on the bottom sleeve closed with button, contrasting stitching in grey.

COLOUR

01 - BLUE

Termoplus + **Trousers**

(CODE A00108)

FIT	Regular
FABRIC	100% cotton Weight 340 g/m² Internal brushed cotton
SIZES	XS - S - M - L XL - XXL - XXXL
TREATMENT	₩ & Z P O
CATEGORY	CE IST CATEGORY FOR MINIMUM RISKS



Work trousers with elastic waistband at the back and flap closure with zip.

Two internal front pockets, one back pocket on the right closed with a button, a tape measure holder on the right leg, a pen holder and side pocket on the left closed with flap and velcro, grey stitching.



TermoPlus + Jacket

(CODE A20108)

FIT Regular

FABRIC 100% cotton
Weight 340 g/m²
Internal brushed cotton

SIZES S - M - L - XL - XXL - XXXL

TREATMENT 60° \(\times \) P \(\times \)

CATEGORY (\infty \times \) IST CATEGORY
FOR MINIMUM RISKS

Work jacket with concealed buttons front closure.

One small patch pocket on the left, two lower patch pockets, elasticated cuffs, contrasting grey stitching.



COLOUR

01 - BLUE

Work bib with button closure on the flap, side opening on the right closed with a button, crossed fabric braces with internal elastic and plastic buckles.

One large breast pocket with zip closure, two front patch pockets, one tape measure holder on the right leg, one back patch pocket on the right with button closure, contrasting grey stitching.

TermoPlus + Bib

CODE A50108)

Regular
100% cotton Weight 340 g/m² Internal brushed cotton
S - M - L XL - XXL - XXXL
₩ A P O
C ist category for minimum risks

TermoPlus + Overalls



Overalls with covered central zip closure, elasticated waistband at back.

Two small patch breast pockets with flap and button closure, two lower patch pockets, one back patch pocket on the right with button closure, one tape measure holder on the right leg, elasticated cuffs, contrasting grey stitching.



01 - BLUE

FIT

Regular

FABRIC

100% cotton Weight 340 g/m² Internal brushed cotton

SIZES

S - M - L XL - XXL - XXXL

TREATMENT



CATEGORY

 $C \in$

1ST CATEGORY FOR MINIMUM RISKS



FIT	FABRIC	SIZES	CATEGORY
Regular	Gabardine 65% polyester 35% Cotton Weight 245 g/m²	S - M - L XL - XXL - XXXL TREATMENT P	ST CATEGORY FOR MINIMUM RISKS



FIT	FABRIC	SIZES	CATEGORY
Regular	Gabardine 65% polyester 35% Cotton Weight 245 g/m²	S - M - L XL - XXL - XXXL TREATMENT	ST CATEGORY FOR MINIMUM RISKS
		® Ø. €. P 🖸	

Lomellina Overalls



FIT

Regular

Gabardine
65% polyester
35% Cotton
Weight 245 g/m²

TREATMENT

P ①

CATEGORY

C €

IST CATEGORY
FOR MINIMUM RISKS

Amsterdam Overalls

CODE A42807)

FIT	Regular	
FABRIC	Gabardine	
	65% polyester	
	35% Cotton	
	Weight 245 g/m²	
SIZES	S - M - L - XL - XXL	
TREATMENT	₩ Z P D	
CATEGORY	C FOR MINIMUM RISKS	



Overalls with central covered zip closure, orange inserts on shoulders, sleeves and chest outline, shirt collar with orange under-collar.

Two internal front pockets with velcro, two patch breast pockets with zip closure covered with a flap, elasticated waistband at the back, elastic at the cuffs.

COLOUR

47 - GREY/ORANGE

Nottingham Overalls

(CODE A43007)

FIT	Regular
FABRIC	Gabardine 65% polyester 35% Cotton Weight 245 g/m²
SIZES	S - M - L - XL - XXL
TREATMENT	₩ & Z P O
CATEGORY	C (IST CATEGORY FOR MINIMUM RISKS

Overalls with central covered zip closure, blue reflective outline inserted in the seam of the raglan sleeves, shirt collar.

A large patch pocket on the left leg with yellow side bellows closed with a flap and velcro, a small patch breast pocket on the left with yellow side bellows closed with flap and velcro, a mobile phone breast pocket on the right with yellow side bellows closed with flap and velcro, a pen holder breast pocket on the right, a pocket on the left sleeve closed with a zip, elastic at the waist on the back, elastic at the right.

COLOUR

48 - GREY/YELLOW



New York Overalls

CODE A46107





Overalls with central covered zip closure, raglan sleeves, Korean collar closed with two blue buttons.

Two front patch pockets, two small breast pockets with zip closure, one left sleeve small pocket with two compartments, two large expandable patch pockets on the legs with flaps and blue buttons closure, elastic at the waist on the back, elastic at the cuffs, stitching with contrasting colour thread.



FIT

Regular

FABRIC

Gabardine 65% polyester 35% Cotton Weight 245 g/m² SIZES

S - M - L XL - XXL - XXXL

TREATMENT



CATEGORY

CE


1ST CATEGORY FOR MINIMUM RISKS

Brest Overalls



FII	FABRIC	SIZES	CATEGORY	
Regular	Gabardine 65% polyester 35% Cotton Weight 245 g/m²	S - M - L XL - XXL	ST CATEGORY FOR MINIMUM RISKS	
		TREATMENT		
		66° & ~		
		P 🖸		

Londra Overalls



FIT	FABRIC	SIZES	CATEGORY
Regular	Gabardine 65% polyester 35% Cotton Weight 245 g/m²	TREATMENT OP OP	IST CATEGORY FOR MINIMUM RISKS

Ginevra Overalls

CODE A41807)

FIT	Regular
FABRIC	Gabardine 65% polyester 35% Cotton Weight 245 g/m²
SIZES	S - M - L - XL - XXL - XXXL
TREATMENT	₩ & @ P O
CATEGORY	C E IST CATEGORY FOR MINIMUM RISKS



Overalls with central covered zip closure, yellow colour front yoke and pockets outline, Korean collar with velcro closure.

Two front patch pockets, two small breast pockets with zip closure, elasticated waistband at the back.

COLOUR

20 - GREEN/YELLOW



Two front patch pockets, one welt breast pocket on the left with velcro closure, elasticated waistband at the back, elasticated cuffs.

Berlino Overalls

(CODE A42007)

FIT	Regular	
FABRIC	Gabardine 65% polyester 35% Cotton Weight 245 g/m²	
SIZES	S - M - L - XL - XXL	
TREATMENT	₩ & Z P O	
CATEGORY	C E IST CATEGORY FOR MINIMUM RISKS	



Sidney Overalls

CODE A42707

FIT	Regular
FABRIC	Gabardine 65% polyester 35% Cotton
	Weight 245 g/m²
SIZES	S - M - L - XL - XXL - XXXL
TREATMENT	₩ & Z P O
CATEGORY	ST CATEGORY FOR MINIMUM RISKS



Overalls with central covered zip closure, Korean collar, raglan sleeves, front and back yoke, pockets outline, flaps and upper part of the sleeve in red, yellow colour piping at the armhole, chest and on the back.

Two front patch pockets, two small patch breast pockets closed with flap and button, one back patch pocket, elasticated waistband at the back.

COLOUR

20 - GREY/RED

Overalls with a central covered zip closure, Korean collar closed with velcro, white colour piping on the chest.

Two front patch pockets, two small patch breast pockets with zip closure, elasticated waistband at the back.

Belgrado Overalls

(CODE A42401)

FIT	Regular
FABRIC	Drill 3/1 100% non-shrink cotton Weight 250 g/m²
SIZES	S - M - L - XL - XXL
TREATMENT	₩ & - P O
CATEGORY	C (IST CATEGORY FOR MINIMUM RISKS

COLOUR

07 - RED

Bruxelles Overalls

CODE A41307


FIT	Regular
FABRIC	Gabardine 65% polyester
	35% Cotton Weight 245 g/m²
SIZES	S - M - L - XL - XXL
TREATMENT	₩ & Z P O
CATEGORY	C E IST CATEGORY FOR MINIMUM RISKS

Overalls with central covered zip closure, contrasting stripes on shoulders, sleeves, pockets and flaps outline, collar, zip cover and legs.

Two front patch pockets, two patch breast pockets closed with flap and button, elasticated waistband at the back, elasticated cuffs.

COLOUR

30 - GREY/CELESTE



Two front patch pockets, two small patch breast pockets closed with flap and button, elasticated waistband at the back, elasticated cuffs

Bonn Overalls

CODE A41507

FIT	Regular
FABRIC	Gabardine 65% polyester 35% Cotton Weight 245 g/m²
SIZES	S - M - L - XL - XXL
TREATMENT	₩ & @ P O
CATEGORY	C



01 - BLUE









rossini.

Stiffer

Stiffer by Rossini is a workwear range comprising of trousers and bermuda shorts with an exclusive elastic waistband to ensure high levels of comfort in any context.



EXTRA FLEXIBLE SYSTEM



ROSSINI STRETCH QUALITY



MULTIPLE UTILITY POCKETS



Stiffer Trousers

(CODE A89800)



All-season work trousers, exclusive elastic waistband, reinforcement fabric on the crotch with triple stitching, flap closure with zip and button on the belt.



Reinforced loops and contrasting bar tacks.

One expandable side pocket closed with flap and velcro on the right, two back patch pockets closed with flap and velcro, one side multi-function pocket on the left, two inside front pockets, small front pocket in contrast, lateral insert for tools, pleats at the knee for the utmost comfort.









ZY - BLACK/GREY

PRODUCT PLUS









Regular

FABRIC

58% cotton 40% polyester 2% elastane Weight 260 g/m²

SIZES

XS - S - M - L XL - XXL - XXXL XS Not available for XA - Beige/black

TREATMENT



CATEGORY



1ST CATEGORY FOR MINIMUM RISKS

Stiffer Bermuda Shorts

(CODE A89700)





One expandable side pocket closed with flap and velcro on the right, two back patch pockets closed with flap and velcro, one multi-function side pocket on the left, two internal front pockets, contrasting front small pocket and side tool insert.



Reinforced loops and contrasting bar tacks.







GY - GREY/BLACK

ZX - BLUE/BLACK

ZY - BLACK/GREY

PRODUCT PLUS









FIT

Regular

FABRIC

58% cotton 40% polyester 2% elastane Weight 260 g/m²

SIZES

XS - S - M - L XL - XXL - XXXL

TREATMENT



CATEGORY



1ST CATEGORY FOR MINIMUM RISKS

Bahamas Trousers



PRODUCT PLUS		SIZES S - M - L XL - XXL - XXXL	CATEGORY CE IST CATEGORY FOR MINIMUM RISKS
FIT Regular	FABRIC 100% cotton Weight 240 g/m²	TREATMENT 407 & XX	

Bonnie Bermuda Shorts

(CODE A00902)



PRODUCT PLUS		SIZES S - M - L XL - XXL - XXXL	CATEGORY CE IST CATEGORY FOR MINIMUM RISKS
FIT Regular	FABRIC 100% cotton Weight 240 g/m²	TREATMENT 40° & XX	

New Santiago Trousers

CODE A85010



Work trousers with inside adjustable elastic at the waist, flap closure with zip and button on the belt.

Two expandable side pockets with central bellows closed with flap and velcro, two internal front pockets with red stitching, back patch pocket on the right closed with flap and velcro, one back pocket on the left closed with traditional button, various red bar tacks.



PRODUCT PLUS



SIZES

S - M - L XL - XXL - XXXL CATEGORY

 ϵ

1ST CATEGORY FOR MINIMUM RISKS

FIT

Regular

FABRIC

100% cotton canvas Weight 210 g/m² **TREATMENT**



 $\boxtimes \boxtimes$

California Bermuda Shorts

CODE A00701)



FIT Regular	FABRIC 100% cotton canvas Weight 210 g/m²	SIZES S - M - L XL - XXL	CATEGORY C E IST CATEGORY FOR MINIMUM RISKS
		TREATMENT 40° & P	

New Nebraska Winter Trousers



Two expandable side pockets with central bellows closed with flap and velcro, two internal front pockets with red stitching, back patch pocket on the right closed with flap



PRODUCT PLUS		SIZES	CATEGORY
		S - M - L XL - XXL - XXXL	ST CATEGORY FOR MINIMUM RISKS
FIT Regular	FABRIC 100% Twill cotton Weight 330 g/m²	TREATMENT 40° & - EX	

Serio Multi-pocket Trousers

(CODE A88001)

FIT	Regular		
FABRIC	100% cotton gabardine Weight 260 g/m²		
SIZES	From 42 to 62		
TREATMENT	407 & @ P		
CATEGORY	CE 1ST CATEGORY FOR MINIMUM RISKS		



Work trousers with zip fly closure and button on the belt.

Two expandable side patch pockets with side and central bellows closed with flap and velcro, two internal front pockets and two internal back pockets closed with flap and velcro.





Work trousers with inside adjustable elastic at the waist, zip fly closure with button on

Tallin Winter Trousers

(CODE A88800)

CATEGORY

PRODUCT PLUS	
FIT	Regular
FABRIC	OUTER: 100% cotton gabardine Weight 260 g/m² INNER: Lining 100% cotton Weight 160 g/m²
SIZES	XS - S - M - L - XL - XXL - XXXL
TREATMENT	40° & \(\overline{\ov

C € 1ST CATEGORY FOR MINIMUM RISKS Inner lining, two internal back welt pockets closed with flap and velcro, two internal front pockets, two expandable patch pockets with lateral and central bellows closed with flap and velcro.



COLOUR

01 - BLUE

Pop Jeans

(CODE A00148)

New





Work jeans in denim stone washed effect, flap closure with zip and metal button with copper effect finish.



Waist loops, two front pockets with metal studs and lining with logo, two back patch pockets, stitching in contrasting colour.



Leather effect patch, practical inner loop or storing after use, regular fit, tube leg.



01 - BLUE

F	ı	T

Regular

FABRIC

100% cotton 12 ounces

SIZES

From 42 to 62

CATEGORY

 ϵ

1ST CATEGORY FOR MINIMUM RISKS


TREATMENT



 $\boxtimes \boxtimes$







Penny Polo Shirt



Polo shirt with sweatband in contrasting Oxford fabric inside and under the collar, collar closed with three buttons and side slits at the bottom with contrasting colour insert.

01 - BLUE 02 - WHITE

FIT	FABRIC	SIZES	TREATMENT
Regular	100% cotton jersey Weight 160 g/m²	S - M - L XL - XXL - XXXL	40° & ~

Truck T-Shirt



FIT	FABRIC	SIZES	TREATMENT
Regular	100% cotton 98% cotton 2% viscose only for melange grey colour Weight 160 g/m²	S - M - L XL - XXL - XXXL	40° & ~

Lazy Men's T-shirt



FIT	FABRIC	SIZES	TREATMENT
Regular	100% cotton Weight 160 g/m²	S - M - L XL - XXL - XXXL	₩ P

01 - BLUE

06 - ROYAL BLUE

12 - GREY

Foxy Polo Shirt

CODE HH155



F	I	T

Regular

FABRIC

100% cotton piqué 85% cotton piqué 15% viscose for melange grey only Weight 225 g/m²

SIZES

S - M - L XL - XXL - XXXL

TREATMENT



Parrot Polo shirt



FIT	FABRIC	SIZES	TREATMENT
Regular	100% cotton piqué 85% cotton piqué 15% viscose for melange grey only Weight 200 g/m²	S - M - L XL - XXL - XXXL	₩ & - -

Top Lancelot Polo shirt





FIT	FABRIC	SIZES	TREATMENT
Regular	100% cotton piqué 98% cotton piqué 2% viscose for melange grey only Weight 200 g/m²	XS - S - M - L XL - XXL - XXXL XS - S - M - L XL - XXL for 39 - anthracite/ white only	₩ P

Italia Polo shirt

CODE HH146



Half sleeve polo shirt with sweatband on the back of the collar with tricolour outline closed with three buttons, ribbed armhole with tricolour outline, side slits at the bottom with tricolour insert.



B9- BLUE/TRICOLOUR

02 - WHITE/ TRICOLOUR

F	I	Т	

Regular

FABRIC

100% cotton piqué Weight 200 g/m²

SIZES

S - M - L

XL - XXL

XS - for B9 blue/ tricolour only

TREATMENT





Lancelot Long sleeve Polo shirt

CODE HH125



F	ı	Т

Regular

FABRIC

100% cotton piqué 98% cotton piqué 2% viscose for melange grey only Weight 200 g/m²

SIZES

S - M - L XL - XXL XXXL - for O1 blue only

TREATMENT



Lancelot Polo shirt

CODE HH124



FIT	FABRIC	SIZES	TREATMENT
Regular	100% cotton piqué 98% cotton piqué 2% viscose for melange grey only Weight 200 g/m²	S - M - L XL - XXL	(40) (A) (C) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A

Take Time Women's Polo shirt



FIT	FABRIC	SIZES	TREATMENT
Regular	100% cotton piqué 85% cotton pique, 15% viscose for melange grey only Weight 200 g/m²	S - M - L XL - XXL	₩



SIZES

XS - S - M - L

XL - XXL - XXXL

TREATMENT

₩ & <u></u>

Half sleeve

polo shirt with contrasting colour sweatband on the

back of the collar closed with two buttons, ribbed armhole, side slits at the bottom in contrasting colour.

FIT

Regular

FABRIC

2% viscose

100% cotton piqué

98% cotton piqué

for melange grey only Weight 195 g/m²







T-shirt



Half sleeve T-Shirt with sweatband on the back of the collar,double top stitching on the collar and shoulders.

FIT

Regular

FABRIC

100% cotton 90% cotton 10% viscose for melange grey only Weight 150 g/m² for coloured items Weight 145 g/m² for white items

SIZES

XS - S - M - L XL - XXL - XXXL TREATMENT









Take Time Women's T-shirt



FIT	FABRIC	SIZES	TREATMENT
Regular	100% cotton Weight 150 g/m²	S - M - L XL - XXL	₩ P

Take Time Children's T-shirt

CODE HH152



FIT	FABRIC	SIZES	TREATMENT
Regular	100% cotton Weight 150 g/m²	4 - 6 - 8 10- 12	₩ P

V-neck T-Shirt

CODE HH116

FIT	Regular
FABRIC	100% cotton 90% cotton 10% viscose for melange grey colour only Weight 150 g/m² for coloured items Weight 145 g/m² for white items
SIZES	M - L - XL - XXL
TREATMENT	407 & AP





T-shirt

CODE HH161

FIT	Regular
FABRIC	100% cotton Weight 130 g/m²
SIZES	S - M - L - XL - XXL
TREATMENT	40° & \(\begin{align*} \text{A0°} \\ \t









Cruz Jacket

CODE HH627



Lined jacket with central zip closure, one internal breast pocket on the right closed with velcro, two lower pockets closed with zip, cuffs closed with snap button, reinforcing seams on the elbows.



01 - BLUE

F	I	Т	

Regular

FABRIC

OUTER 100% nylon INNER Lining 100% polyester

SIZES

S - M - L XL - XXL

TREATMENT



Lenny Men's K-Way

CODE HH631



FIT	FABRIC	SIZES	TREATMENT
Regular	OUTER 100% nylon INNER Jersey Lining 95% cotton 5% elastane Sleeves lining 100% Polyester	S - M - L XL - XXL XXL not available for 07 - red	

Essen Women's K-Way





FIT	FABRIC	SIZES	TREATMENT
Regular	OUTER 100% nylon INNER Jersey Lining 95% cotton 5% elastane Sleeves lining 100% Polyester	S - M - L - XL	

Two-tone cap

CODE HO42

FABRIC 80% polyester 20% cotton

SIZES One size

TREATMENT



Two-tone cap with adjustable metal closure at the back, six aeration holes embroidered with contrasting colour thread, made up of five panels, reinforced front panel with contrasting colour outline.



Cap

CODE HO41

FABRIC 100% cotton

SIZES One size

TREATMENT



07 - RED

08 - YELLOW

06 - ROYAL BLUE

Florida Vest



FIT	FABRIC	SIZES	TREATMENT
Regular	OUTER 65% polyester 35% Cotton Weight 210 g/m² INNER Internal lining up to the middle of the back 100% polyester mesh	S - M - L XL - XXL	₩








Hamilton Sweatshirt



FIT	FABRIC	SIZES	CATEGORY
Regular	80% cotton 20% polyester Weight 310 g/m²	S - M - L XL - XXL - XXXL TREATMENT	IST CATEGORY FOR MINIMUM RISKS

Canberra Sweatshirt



FIT	FABRIC	SIZES	CATEGORY
Regular Big size	80% cotton 20% polyester Weight 290 g/m²	S - M - L - XL - XXL - XXXL 4XL - for 01 blue and 12 grey S - M - L - XL - XXL - XXXL for 05 black and 06 royal blue	ST CATEGORY FOR MINIMUM RISKS
		TREATMENT 30° & X	

Quebec Sweatshirt



FIT	FABRIC	SIZES	CATEGORY
Regular	70% cotton 30% polyester Weight 310 g/m²	S - M - L XL - XXL - XXXL TREATMENT 30° & X	ST CATEGORY FOR MINIMUM RISKS

New Narvik Sweatshirt



FIT	FABRIC	SIZES	CATEGORY
Regular	70% cotton 30% polyester Weight 310 g/m²	S - M - L XL - XXL	IST CATEGORY FOR MINIMUM RISKS
		TREATMENT W X X	

Narvik Sweatshirt

CODE HH103

FIT	Regular	
FABRIC	70% cotton 30% polyester	
	Weight 310 g/m²	
SIZES	S - M - L - XL - XXL	
TREATMENT		
CATEGORY	C (1ST CATEGORY FOR MINIMUM RISKS	



Sweatshirt with central closure in burnished brass, sweatband inside the collar and back embroidery under the collar.

Elastic knit cuffs, collar and waistband with coloured inserts, two lower welt pockets.

COLOUR

01 - BLUE

Phoenix Sweatshirt

CODE HH186

FIT	Regular	
FABRIC	70% cotton 30% polyester Weight 310 g/m²	
SIZES	S - M - L - XL - XXL	
TREATMENT	30 X X A 30	
CATEGORY	C E 1ST CATEGORY FOR MINIMUM RISKS	



Sweatshirt with central zip closure, internal sweatband inside the collar, contrasting raglan sleeves with white colour piping.

Elastic knit cuffs, collar and waistband, two lower welt pockets, tricolour shield on the right sleeve.

COLOUR

BT - BLUE/RED

Cardiff Sweatshirt





FIT Regular	FABRIC 70% cotton 30% polyester Weight 310 g/m²	SIZES S - M - L XL - XXL	CATEGORY CE IST CATEGORY FOR MINIMUM RISKS
		TREATMENT	

Aspen Sweatshirt



FIT	FABRIC	SIZES	CATEGORY
Regular	70% cotton 30% polyester Weight 310 g/m²	S - M - L XL - XXL TREATMENT	IST CATEGORY FOR MINIMUM RISKS







07 - RED



Perth Sweatshirt



Sweatshirt
with high
collar closed
with short zip,
sweatband
inside the collar
and elastic
knit cuffs and
waistband.

FIT

Regular Big size FABRIC

80% cotton 20% polyester Weight 290 g/m² SIZES

S - M - L - XL - XXL - XXXL XS - for O2 white only 4XL - for O1 blue only and 12 grey

TREATMENT



CATEGORY

 ϵ

1ST CATEGORY FOR MINIMUM RISKS







Grabby Sweatshirt



Sweatshirt with high collar with zip closure (in metal for white colour only), sweatband inside the collar in contrasting orange colour (in matching colour for white items), elastic knit cuffs and waistband.

FIT

Regular

FABRIC

100% cotton Weight 280 g/m² with fleece lining SIZES

S - M - L XL - XXL - XXXL

TREATMENT


CATEGORY

 ϵ


1ST CATEGORY FOR MINIMUM RISKS

ROSSINI - SWEATSHIRTS AND FLEECE











09 - ORANGE 12 - GREY



Sweatshirt with internal sweatband on the collar in contrasting orange colour (in matching colour for white items), elastic knit cuffs and waistband.

FIT	FABRIC	SIZES	CATEGORY
Regular	100% cotton Weight 280 g/m² with fleece lining	S - M - L XL - XXL - XXXL	IST CATEGORY FOR MINIMUM RISKS
		TREATMENT	







Polo Collar Sweatshirt

CODE HH107

FIT	Regular
FABRIC	100% cotton Weight 280 g/m²
SIZES	S - M - L - XL - XXL
TREATMENT	
CATEGORY	CE 1ST CATEGORY FOR MINIMUM RISKS



01 - BLUE

COLOUR

Sweatshirt with polo collar closed with three

Ottawa Food Sweatshirt

CODE HH183

FIT	Regular
FABRIC	80% cotton 20% polyester Weight 290 g/m²
SIZES	XS - S - M - L - XL - XXL
TREATMENT	307 & X Z Z X
CATEGORY	C E IST CATEGORY FOR MINIMUM RISKS





V-neck Sweater

CODE HHO50

FIT	Regular
FABRIC	Yarn 50% pure new wool 50% acrylic title 2/28
SIZES	S - M - L - XL - XXL
TREATMENT	



Plain colour sweater knitted on a flat knitting machine, gauge 12, stitched with linking machine, cuffs with reinforcing elastic at the bottom.

COLOUR

01 - BLUE

Plain colour sweater knitted on a flat knitting machine,

Sweater with zip

CODE HHO53

FIT	Regular
FABRIC	Yarn 50% pure new wool 50% acrylic title 2/28
SIZES	S - M - L - XL - XXL
TREATMENT	



Long zip fleece



FIT Regular	FABRIC 100% polyester Weight 280 g/m²	SIZES S - M - L - XL - XXL XXXL - for O1 blue only	CATEGORY CE IST CATEGORY FOR MINIMUM RISKS
		TREATMENT	





01 - BLUE 04 - GREEN



12 - MELANGE GREY

Short zip fleece



High collar fleece with short zip, elasticated cuffs and drawstring at the waist.

FIT

Regular

FABRIC

100% polyester Weight 280 g/m² SIZES

S - M - L - XL - XXL XXXL - for O1 blue only and

12 grey

TREATMENT

CATEGORY

 ϵ

1ST CATEGORY FOR MINIMUM RISKS







Island Jacket



FIT

Regular

FABRIC

OUTER 100% nylon

INNER
Padding with
wadding and lining
100% polyester

SIZES

S - M - L XL - XXL - XXXL

TREATMENT

CATEGORY

 ϵ



Denver Jacket



Padded jacket with central zip closure covered by a flap closed with velcro, hood with drawstring closure inserted in the collar closed with velcro (fleece inside of the collar), reflective outline on the shoulders.

One internal patch breast pocket with velcro closure on the right, one breast expandable patch breast pocket with side bellow closed with flap and velcro, foldaway plastic badge holder on the breast pocket, two lower expandable patch pockets with side bellow closed with flap and velcro and side hand warmer.

Detachable sleeves, cuffs at the bottom of the sleeve with adjustable elastic with velcro, reflective piping at the flaps of the breast pocket and on the back, drawstring closure at the waist.



01 - BLUE

05 - BLACK

PRODUCT PLUS



FIT

Regular

FABRIC

OUTER

100% polyester mini rip-stop coated with PVC

INNER

Lower part in lining Upper part in fleece Padding with 100% polyester wadding

SIZES

S - M - L XL - XXL - XXXL XXXL not available for O5 - black

TREATMENT



CATEGORY





PRODUCT PLUS



FIT

Regular Big size

FABRIC

OUTER 65% polyester 35% Cotton

INNER
Padding with
wadding and lining
100% polyester

SIZES

S - M - L - XL - XXL - XXXL 4XL - for 01 blue, ZX blue/ black, GY grey/black

TREATMENT



CATEGORY



Morgan Vest



Padded vest with front zip closure, internal cold and wind proof armhole elastic band, reflective piping on the front and back yoke

Cell phone holder closed with a flap and velcro on the right chest, a welt breast pocket next to the cell phone holder closed with a vertical zip, an internal pocket on the left closed with velcro, rounded back bottom.







VI - GREEN/BLAC



OF - BLACK/GREEN



01 - BLUE



ZX - BLUE/BLACK

FIT

Regular Big size FABRIC

OUTER 65% polyester 35% Cotton

INNER
Padding with
wadding and lining
100% polyester

SIZES

S - M - L - XL - XXL - XXXL 4XL - for 01 blue, ZX blue/ black, GY grey/black

TREATMENT



CATEGORY



Dixon Vest

CODE HH213

FIT	Regular
FABRIC	OUTER 100% polyester coated with PVC
	INNER Padding with wadding and lining 100% polyester
SIZES	S - M - L - XL - XXL - XXXL
TREATMENT	
CATEGORY	C E 1ST CATEGORY FOR MINIMUM RISKS



Padded vest with front zip closure, front and back reflective piping.

One patch breast pocket on the right with flap and velcro closure, two lower welt pockets closed with a zip, two lower slanted welt pockets closed with a snap button, two lower welt pockets closed with a zip, one internal left pocket closed with velcro.

Rounded bottom, zigzag stitching in colour inserts.

COLOUR

Nelson Vest

CODE HH214

FIT	Regular
FABRIC	OUTER 100% polyester coated with PVC
	INNER Padding with wadding and lining 100% polyester
SIZES	S - M - L - XL - XXL - XXXL
TREATMENT	
CATEGORY	C E 1ST CATEGORY FOR MINIMUM RISKS

Padded vest with twocolour front zip closure, one welt breast pocket on the right closed with a vertical zip, two welt pockets closed with a two-colour zip, one internal lower patch pocket on the left.





Perlis Vest



FIT	FABRIC	SIZES	CATEGORY
Regular	OUTER 100% nylon taslon mini rip-stop	S - M - L XL - XXL	IST CATEGORY FOR MINIMUM RISKS
	INNER Fleece lining 100% polyester	TREATMENT	

Simple Parka

CODE HH210



Padded Parka with zip closure covered with a flap closed with concealed snap buttons, detachable padded hood with blue flannel lining and white checks and adjustable drawstring.

> One expandable breast pocket on the right with velcro closure, one right side breast pocket with vertical zip closure, one front expandable breast pocket with flap closure and hidden snap buttons, one internal patch small pocket, two expandable pockets closed with flap and concealed snap buttons, one removable PVC badge holder.

> > Sleeve bottom with internal cuff in jersey, air vents under the armpits, elastic at the waist.



FIT

Regular

FABRIC

OUTER

100% polyester coated

with PVC

heat-taped seams

INNER

Fixed padding

Blue flannel lining with

white checks

SIZES

S - M - L

XL - XXL

TREATMENT





CATEGORY

 ϵ

Superstar Parka



Padded Parka with a zip fly closure closed with concealed snap buttons, hood inside the collar closed with a zip, air vents under the armpits.

> One expandable patch breast pocket on the right with velcro closure, one removable PVC badge holder, one right side small pocket with vertical zip closure, one front expandable patch small pocket with flap and concealed snap buttons closure, two expandable patch pockets with flap and concealed snap buttons closure, waist tightening drawstring.

INNER JACKET

Snap button closure, quilted and padded with blue flannel lining with white checks, detachable sleeves, velvet collar, cuffs in Jersey, two patch pockets with velcro closure and expandable breast pocket on the right with velcro closure, bottom slits with snap buttons.



01 - BLUE

PRODUCT PLUS





FIT

Regular

FABRIC

OUTER

100% polyester coated with PVC Heat-taped seams Nylon lining

INNER

100% polyester Quilted with blue flannel lining and white checks

SIZES

S - M - L XL - XXL

TREATMENT



CATEGORY



Nylon Pilot

CODE HH262



01 - BLUE

F	ı	T

Regular

FABRIC

OUTER 100% polyester coated with PVC

heat-taped seams

INNER
padded with wadding
and lined in blue
flannel with white
checks

SIZES

S - M - L XL - XXL

TREATMENT



CATEGORY

 ϵ

Cotton Polyester Pilot



01 - BLUE

F	ı	т

Regular

FABRIC

OUTER 65% polyester 35% Cotton

INNER
Padded with wadding
and lined in blue
flannel with white
checks

SIZES

S - M - L XL - XXL

TREATMENT



CATEGORY

(E

Multi-pocket quilted vest

CODE HH296

FIT	Regular
FABRIC	OUTER 65% polyester 35% Cotton
	INNER Padded with wadding and lined in blue flannel with white checks
SIZES	S - M - L - XL - XXL
TREATMENT	
CATEGORY	(f IST CATEGORY



Padded vest with central zip covered with a flap and snap buttons, padded Korean collar.

Two welt pockets with zip closure, two expandable pockets with flaps and velcro closure and hand warmers on the sides, three small breast patch pockets with flaps and velcro closure, cold and wind proof elastic inside the armholes.

COLOUR

01 - BLUE

Ortisei Vest

CODE HH299

FIT	Regular
FABRIC	OUTER 100% nylon
	INNER 100% polyester fleece with rhombus stitching
SIZES	XS - S - M - L - XL - XXL
TREATMENT	
CATEGORY	C E IST CATEGORY FOR MINIMUM RISKS



Padded vest with central zip closure in burnished brass.

One internal patch breast pocket on the right, two lower internal patch pockets, two side slits at the bottom closed with a bronzed snap button.

COLOUR

02 - WHITE

Techno hat

CODE HO66

FABRIC	OUTER 100% nylon
	INNER 100% fleece
SIZE	One size
TREATMENT	₩ \ \



A padded hat with a back strap clip closure and vent holes at the nape of the neck and a visor and ear covers fully lined with fleece.



Beanie hat

CODE HO52

FABRIC	100% Acrylic double layer Weight 70 g/m²
SIZE	One size
TREATMENT	30° Z Z X X



Double layer with lapel.



Jacket and trousers set - Polyester



FIT	FABRIC	SIZES	CATEGORY
Regular	100% polyester coated with PVC	S - M - L XL - XXL TREATMENT XX XX	IST CATEGORY FOR MINIMUM RISKS

Polyester Coat

CODE HH302

FIT	Regular
FABRIC	100% cotted polyester in PVC
SIZES	M - L - XL - XXL S for O8 yellow only
TREATMENT	
CATEGORY	C E 1ST CATEGORY FOR MINIMUM RISKS



Coat with snap button closure, fixed hood with drawstring, ventilated back yoke and raglan sleeves.

Two patch pockets with flaps, air vents under the armpits, internal elastic at the cuffs.

COLOURS



08 - YELLOW



Supplied in a polyester bag with zip.

PVC Apron

CODE HO20

FIT	Regular
FABRIC	100% polyester with PVC
SIZE	70x110 cm
TREATMENT	
CATEGORY	C E 1ST CATEGORY FOR MINIMUM RISKS





Food industry

A range of specific clothing and accessories designed for the food industry to provide the best possible support to the worker in any context.

Massaua apron

CODE H213

FABRIC Drill 3/1

100% non-shrink cotton Weight 280 g/m²

SIZE 70 x 85 cm

COLOURS (available)

01 - BLUE

04 -GREEN

06 - ROYAL BLUE

03 - KAKI

COLOURS (on demand)

With a minimum order of 200 pieces: code 213XH9999901

05 - BLACK 07 - RED

09 - ORANGE

12 - GREY

13 - BURGUNDY



Forage hat

CODE RO11

FABRIC Drill 3/1

100% non-shrink cotton

Weight 250 g/m²

SIZE One size



Cotton headpiece with cotton band.

COLOUR WHITE

Forage hat

CODE RO10

FABRIC Drill 3/1

100% non-shrink cotton Weight 250 g/m² 100% polyester mesh Weight 40 g/m²

SIZE One size



Mesh headpiece with cotton band.

ROSSINI - FOOD INDUSTRY

Drill apron

CODE R109

FABRIC	Drill 3/1 100% non-shrink cotton Weight 205 g/m²
SIZE	70 x 85 cm



Cotton apron with similar fabric laces at the neck and waist, lcm hemline.

COLOUR WHITE

Massaua apron

CODE R110

FABRIC	Drill 3/1	
	100% non-shrink cotton	
	Weight 260 g/m²	
SIZE	70 x 85 cm	



Cotton apron with similar fabric laces at the neck and waist, lcm hemline.

COLOUR WHITE

Canvas apron

CODE R111

Canvas	
100% non-shrink cotton	
Weight 150 g/m²	
70 x 85 cm	

Canvas apron with similar fabric laces at the neck and waist, 1cm hemline.

COLOUR

Apron

CODE R143

FABRIC	Drill 3/1
	100% cotton
	Weight 250 g/m²
SIZE	70 x 85 cm



Cotton apron with laces at the neck and waist 2.5 cm high in the same type of fabric.

COLOUR WHITE

Sleeve

CODE R121

FABRIC	100% non-shrink cotton Weight 190 g/m²
SIZE	Total length 40 cm



Cotton sleeves with elastic at the ends.

COLOUR BLUE

Waist apron

CODE R101 (WHITE)

CODE R103 (BLUE)

FABRIC	Massaua 100% non-shrink cotton Weight 250 g/m² (white) weight 280 g/m² (blue)
SIZE	70 x 50 cm



COLOUR



Chef's Hat

CODE RO20

FABRIC	Canvas 100% non-shrink
	cotton
	Weight 190 g/m²
SIZE	58 cm



Top part pleated and stitched, total height 43 cm, double band fabric, height 24 cm.

> COLOUR WHITE

Kitchen towel

CODE R100

FABRIC	100% yarn-dyed cotton
SIZE	50 x 70 cm
PACKAGING	Minimum order 6 pieces, 2 per colour: white with orange line, white with blue line and white with green line.



Chef scarf

CODE R140

FABRIC	Poplin 100% non-shrink cotton Weight 140 g/m²
SIZE	Length 90 cm



A triangular-shaped cotton poplin scarf with an overlapping

Cap

CODE RO51

FADDIC	D.: III. 2/4
FABRIC	Drill 3/1
	100% non-shrink cotton
	Weight 280 g/m²
	100% polyester mesh
	Weight 40 g/m²
SIZE	One size



Woman's cap

CODE ROO2

FABRIC	Poplin 100% non-shrink cotton Weight 140 g/m²
SIZE	One size



Cotton headpiece with cotton front panel and elastic at the nape of the neck.

COLOUR

Woman's cap

CODE ROO1

FABRIC Gabardine

100% non-shrink cotton Weight 205 g/m² 100% polyester mesh Weight 40 g/m²

SIZE One size



Mesh headpiece with cotton front panel and elastic at the nape of the neck.

> COLOUR WHITE







Feel Good Jeans

(CODE A00146)





PRODUCT PLUS		SIZES	CATEGORY
		From 42 to 62	ST CATEGORY FOR MINIMUM RISKS
FIT	FABRIC	TREATMENT	
Regular	98% Cotton 2% Elastane 13 ounces	40° × ~ × ×	



Jazz Denim Shirt

CODE HHO11

New



Stone washed denim shirt with central snap button closure, two small chest pockets closed with flaps and snap button and personalized metal studs, cotton sweatband at the collar.

> Sleeves with double snap fastened cuffs and snap button on the sleeve, front and back yoke, contrasting stitching, slightly tailored fit.



01 - BLUE

PRODUCT PLUS





SIZES

XS - S - M - L XL - XXL - XXXL

CATEGORY



1ST CATEGORY FOR MINIMUM RISKS

Regular

FABRIC

100% cotton 6 ounces

TREATMENT



H	ı	ı	







Rockford low footwear

(CODE SSRC608)

PRODUCT PLUS







UPPER

Water-repellent nubuck effect leather Black colour

SIZES

From 38 to 47

CATEGORY





Low footwear in black nubuk effect, with black and acid green inner lining, padded tongue, composite toecap, non-metallic plate, with anatomical insole, perforated, anti-shock heel. removable, breathable and anti-static.



Dual density polyurethane outsole.

Rockford high footwear

CODE PPRC607

PRODUCT PLUS







UPPER

Water-repellent nubuck effect leather Black colour

SIZES

From 38 to 47

CATEGORY

C € EN 20345 S3 SRC



High footwear in black nubuk effect, with black and acid green inner lining, padded tongue, composite toecap, non-metallic plate, with anatomical insole, perforated, anti-shock heel, removable, breathable and anti-static.

Dual density polyurethane outsole.

Oregon high footwear

CODE PPRC606)











UPPER

Water-repellent nubuck effect leather Brown colour

SIZES

From 39 to 47

CATEGORY



Toledo high footwear

(CODE PPRC663)

PRODUCT
PLUS

UPPER

Suede leather
Blue colour

SIZES

From 38 to 47

CATEGORY

EN 20345 SIP SRC



High footwear in blue suede leather, with nylon inserts and contrasting stitching, grey and black lining, padded tongue, composite toe cap, non-metallic plate, with anatomical insole, perforated, anti-shock heel, removable, breathable and anti-static.

Dual density polyurethane outsole.

Toledo low footwear

CODE SSRC631

PRODUCT PLUS







UPPER Suede leather Blue colour

SIZES From 38 to 47

CATEGORY

CE EN 20345 SIP SRC



Low footwear in blue suede leather, with nylon inserts and contrasting stitching, grey and black lining, padded tongue, composite toe cap, non-metallic plate, anatomical insole, perforated, with anti-shock heel, removable, breathable and anti-static.

Dual density polyurethane outsole.

Toronto low footwear

CODE SSVL418

PRODUCT PLUS UPPER Suede leather Grey colour SIZES From 36 to 47 **CATEGORY** CE EN 20345 SIP SRC



METAL FREE FOOTWEAR

Low footwear in grey suede, with grey inner lining, padded tongue, composite toe cap, non-metallic plate, breathable and anti-static removable

Dual density polyurethane


Dallas low footwear

CODE SSRC304

PRODUCT PLUS UPPER Perforated suede leather Blue/grey colour SIZES From 36 to 47 **CATEGORY** CE EN 20345 SIP SRC



Low footwear in blue and grey perforated suede leather, with grey inner lining, padded tongue, composite toe cap non-metallic plate, anti-static breathable removable insole.



Brandon low footwear

(CODE SSRC170)

PRODUCT PLUS UPPER Water-repellent nubuck effect leather Black colour SIZES From 36 to 47 **CATEGORY €** EN 20345 S3 SRC



Yuma low footwear

CODE SSVL419

PRODUCT PLUS







UPPER

Water-repellent nubuck effect leather Black colour

SIZES

From 36 to 47

CATEGORY

C € EN 20345 S3 SRC



METAL FREE FOOTWEAR

Low footwear in black nubuck effect with yellow inserts, yellow lining, padded tongue, composite toe cap, non-metallic plate, breathable and antistatic removable insole.

Dual density polyurethane outsole.

Baltimora low footwear

(CODE SSVL300)

PRODUCT PLUS	
UPPER	Perforated suede leather Blue colour
SIZES	From 36 to 47
CATEGORY	€ EN 20345 SI SRC



Low footwear in blue perforated suede leather, with grey stitching, grey inner lining, padded tongue, composite toe cap without plate, breathable and antistatic removable insole

Dual density polyurethane outsole.


Isere low footwear

(CODE SSVL200)

PRODUCT PLUS	
UPPER	Perforated suede leather Grey colour
SIZES	From 36 to 47
CATEGORY	(€ EN 20345 SIP SRC



Low footwear in grey perforated suede leather, with orange stitching, orange inner lining, padded tongue, composite toe cap, steel plate, breathable and anti-static removable insole.



Petra low footwear

CODE SSRC163)

PRODUCT PLUS	
UPPER	Perforated suede leather Blue colour
SIZES	From 36 to 47
CATEGORY	C E EN 20345 SIP SRC



Low footwear in blue perforated suede leather, with steel toe cap and plate, grey stitching and reflective inserts, breathable and antistatic removable insole, grey lining, padded tongue.

Dual density polyurethane

Volga high footwear

(CODE PPVL425)

PRODUCT PLUS







UPPER

Water-repellent nubuck effect leather Black colour

SIZES

From 37 to 47

CATEGORY

(€ EN 20345 S3 SRC



METAL FREE FOOTWEAR

High footwear in black nubuck effect with contrasting colour stitching, black inner lining, padded tongue, composite toe cap, non-metallic plate, breathable and anti-static removable insole, quick release fasteners.



Volga low footwear

CODE SSVL225

PRODUCT PLUS







UPPER

Water-repellent nubuck effect leather Black colour

SIZES

From 37 to 47

CATEGORY

C € EN 20345 S3 SRC



METAL FREE FOOTWEAR

Low footwear in black nubuck effect with contrasting colour stitching, black inner lining, padded tongue, composite toe cap, non-metallic plate, breathable and antistatic removable insole.

Dual density polyurethane outsole.

Panama high footwear

(CODE PPVL100)

PRODUCT PLUS UPPER Grain leather Black colour SIZES From 38 to 47 **CATEGORY**

C EN 20345 S3 SRC



High footwear in black grain leather, with orange inner lining, padded tongue, orange stitching, composite toe cap and steel plate, ankle padding, breathable and antistatic removable insole, quick release fasteners.



Dual density polyurethane outsole.

Panama low footwear

(CODE SSVL400)





Low footwear in black grain leather, with orange inner lining, padded tongue, orange stitching, composite toe cap and steel plate, ankle padding, breathable and anti-static removable insole.



Dual density polyurethane outsole.

Harvey high footwear

(CODE PPRC160)

PRODUCT PLUS UPPER Grain leather Black colour SIZES From 36 to 47 **CATEGORY**

C EN 20345 S3 SRC



High footwear in black grain leather, two-colour grey and red inner lining, padded tongue, grey stitching and reflective inserts, steel toe cap and nonmetallic plate, ankle padding, breathable and anti-static removable insole. quick release fastener.

Dual density polyurethane outsole.

Harvey low footwear

CODE SSRC174

PRODUCT PLUS









UPPER

Grain leather Black colour

SIZES

From 36 to 47

CATEGORY

€ EN 20345 S3 SRC



Low footwear in black grain leather, twocolour grey and red inner lining, padded tongue, grey stitching and reflective inserts, steel toe cap and non-metallic plate, ankle padding, breathable and anti-static removable insole.



Dual density polyurethane outsole.

Tarim high footwear

CODE PPFL151

PRODUCT PLUS



UPPER Grain leather Black colour

SIZES

From 38 to 47

CATEGORY

C € EN 20345-S3 SRC



High footwear in black grain leather, breathable fabric lining, leather tongue with soft padding, quick release fasteners, steel toe cap and plate, ankle padding, removable anti-static, anti-fungal, breathable, anti-bacterial, hand washable insole.

Nitrile rubber outsole, anti-abrasion and heat resistant.

Trivor high footwear with metatarsus

CODE PPFL171

PRODUCT PLUS



UPPER Grain leather
Black colour

SIZES From 38 to 47

CATEGORY

C E N 20345-S3 SRC



High footwear in black grain leather, breathable fabric lining, leather tongue with soft padding, quick release fasteners, steel toe cap and plate, ankle padding, removable anti-static, antifungal, anti-bacterial, breathable hand washable insole rigid metatarsal protection system.

Nitrile rubber outsole, anti-abrasion and heat resistant.

Food Industry Footwear

(CODE SSCM300)

UPPER	Water-repellent microtech White colour
SIZES	From 35 to 47
CATEGORY	(€ EN 20345-S2 SRC



Food industry footwear with white water-repellent microtech upper, internal lining in breathable material, padded girth, comfortable antibacterial insole, steel toe cap, anti-slip single density polyurethane outsole and breathable anti-static removable insole.

Stelvio food industry footwear

CODE SSVL114

UPPER	Water-repellent microfiber White colour
SIZES	From 36 to 47
CATEGORY	C € EN 20345-52 SRC



Food industry footwear with white water-repellent microfiber upper, inner lining, padded girth, composite toe cap, breathable anti-static removable insole, single density anti-slip polyurethane outsole.

Food industry boot

CODE TTIO70

PRODUCT PLUS	•
MATERIAL	PVC rubber White colour
SIZES	From 37 to 47
CATEGORY	C € EN 20345-\$4 \$RC



White PVC rubber boot, with grey heavy-duty, antislip, anti-casein outsole, with excellent resistance to petrol, solvents and oils, steel toe cap.

Knee PVC safety

CODE TTI401

PRODUCT PLUS	
MATERIAL	PVC Green colour
SIZES	From 38 to 47
CATEGORY	(€ EN 20345-S5 SRC



Green PVC boot, with black heavyduty outsole, steel toecap and plate.

Knee PVC safety

CODE TTI400

PRODUCT PLUS	
MATERIAL	PVC Yellow colour
SIZES	From 38 to 47
CATEGORY	C € EN 20345-55 SRC



Yellow PVC boot, with black heavyduty outsole, steel toecap and plate.

Minorca Clog

CODE SSEX115

SIZES

PRODUCT PLUS UPPER Fibertex White colour From 35 to 48

CATEGORY € EN 20345-SB SRC



Clog with padded instep girth, elasticated strap with snap button closure, removable anti-static insole, composite toe cap and single density polyurethane outsole.

Lanzarote Clog

CODE SSEX116

PRODUCT



PLUS UPPER Fibertex Black colour SIZES From 35 to 48 **CATEGORY €** EN 20345-SB SRC



Clog with padded instep girth, elasticated strap with snap button closure, removable anti-static insole, composite toe cap and single density polyurethane outsole.

Women/men's clog with strap

(CODE SSZ0007 (WOMEN)

CODE SSZOOO8 (MEN)

UPPER	Breathable perforated leather White colour
SIZES	WOMEN From 35 to 40 MEN From 41 to 46
CATEGORY	(€ EN 20347 SRA



Clog in perforated, breathable white leather, comfortable padding at the instep girth, anti-slip and anti-static polyurethane outsole with heel energy absorption, leather insole and anatomical structure, retractable strap from the instep to the heel.

Women/men's clog

(CODE SSZOOO5 (WOMEN)

CODE SSZ0006 (MEN)

UPPER	Breathable perforated leather White colour
SIZES	WOMEN From 35 to 40 MEN From 41 to 46
CATEGORY	(€ EN 20347 SRA




Clog in perforated, breathable white leather, comfortable padding at the instep girth, anti-slip and anti-static polyurethane outsole with heel energy absorption, leather insole and anatomical structure.





Anti-fall

A complete range of anti-fall and head protection solutions designed with the utmost consideration for ergonomics, for easy and intuitive use and to guarantee flexible, precise and rapid adjustment for maximum freedom while using it.





Titan Harness (1-point)

CODE NO83



Harness with one back anchorage point, made of long-lasting polyester fabric, back D-ring in galvanised steel and fully sliding for greater comfort, sub-pelvic strap for additional comfort and safety, coupled buckles on chest and legs, 45 mm polyamide chest strap with quick opening metal buckle. Weight 500 g.

USE

Scaffolding, crane bridges, not suitable for descents and ascents where it is advisable to use a harness with an anchorage point at the sternum, to be used with guided devices, retractable, snap hooks and webbing of your choice.

SIZE

One fully adjustable size

CATEGORY

(

Titan harness (2-points)

CODE NO84



Harness with 2 points anchorage points, on the back and on sternum, made of long-lasting polyester fabric, back D-ring in galvanised steel and fully sliding for greater comfort, subpelvic strap for additional comfort and safety, coupled buckles on chest and legs, 45 mm polyamide chest strap with quick opening metal buckle. Weight 600 g

USE

Work on slanted roofs, scaffolding, climbing and descending on vertical structures and towers, for risks of falling more than 50 cm, to be used with retractable devices, snap hooks, guided devices and webbing of your choice.

SIZE

One fully adjustable size

CATEGORY

EN 361

Titan harness (2-points+belt)

CODE NO85



Harness with 2 points anchorage points on the back and sternum, made of long-lasting polyester fabric, back D-ring in galvanised steel and fully sliding for greater comfort, subpelvic strap for additional comfort and safety, coupled buckles on chest and legs, 45 mm polyamide chest strap with quick opening metal buckle. Weight: 1 Kg

USE

Work at height with risk of falling during ascent and descent with the option to position yourself while working, for risks of falling less than 50 cm to be used with a positioning lanyard, for risks of falling more than 50 cm to be used with retractable hooks, snap hooks, guided devices and webbing of your choice.

SIZE

One fully adjustable size

CATEGORY

C E



Belt Win 1

CODE NOO8



Work positioning belt with two lateral anchoring points, made of 100% polyamide material, blue colour, anatomical padded backrest with hooks for tools, two lateral rings. Weight 650 g.

USE

Line men, pole mounters on aerial work platform for risks of falling less than 50 cm to be used with obligatory positioning lanyards.

SIZE

One size with adjustable buckles

CATEGORY

(E

Titan™ Mobile platform kit

CODE NO78



Kit including a polyester harness with 1 back anchorage point, a lanyard 1 m long, 1 CS20 snap hook 1/4 turn steel opening 17 mm, 1 steel automatic snap hook opening 55 mm, 1 carry bag.

USE

Buildings, use on mobile platforms.

SIZE

One fully adjustable size

CATEGORY

C E N 341

Titan Scaffolding Kit™

CODE NO79



Kit including a polyester harness with 1 back anchorage point, 1 Titan™ energy absorbing lanyard 2 m long, 1 CS20 galvanised steel snap hook, opening 18 mm, 1 aluminium alloy scaffolding hook, opening 63 mm, 1 carry bag.

USE

Buildings, used on scaffolding.

SIZE

One fully adjustable size

CATEGORY

EN 361







Titan roofing kit

CODE NO17



Kit including 2 point harness with attachment on the back and the sternum (by loops) and guided type fall arrest equipment with 10 m of rope (diameter 12 mm) and 30 cm connection.

USE

Work on slanted roofs and walls. To be used with snap hooks and webbing of your choice.

SIZE

One size with adjustable buckles

CATEGORY

C **E** EN 361 / EN 353 -2

Temporary lifeline

CODE NO98



Temporary life line with excellent value for money, maximum length 20 m, certified to be used by 2 operators, ratchet with tenser and 2 connectors at the ends, packed into a practical bag.

USE

It is fixed to permanent anchorage or with temporary anchoring straps.

CATEGORY

(E



Falcon retractable device (10 meters)

CODE NO96



Galvanized steel cable 4.8 mm in diameter, with composite plastic casing, virtually indestructible, highly resistant to impacts and the hardest and most demanding tasks, the rounded shape increases its durability. The quick-activation locking mechanism limits the fall to a few centimetres enabling a quick stop. A clearly visible fall indicator shows when the device needs to be removed.

USE

Travelling cranes, industries, cranes, roofs, scaffolding, silos and façades. To be used with back anchorage point harnesses, snaphooks, choice of webbing and steel cable CODE NO97

CATEGORY

C E

Aviabloc

CODE NO77



Retractable fall-arrest device with a 48 mm polyester strap, 2.5 m long, with 2 MLOO galvanised steel screw snap hooks opening 18 mm, with integrated energy absorber.

USE

Building and construction, generic industry.

CATEGORY

 ϵ

Snap hook automatic Twist-lock CS20

CODE NO62



Automatic snap hook in galvanised steel, opening diameter 17 mm.

USE

With a choice of lanyards.

CATEGORY

CE

EN 362

Snap lock CS20

CODE NO61



Oval steel snap hook with ring closure, opening diameter 17 mm.

USE

Suitable for all anchorage and fall arrest systems except for positioning.

CATEGORY

CE

EN 362



Fpl 1200/1S lanyard.

CODE NO11



Work positioning lanyard, 100% polyamide rope 12 mm in diameter, adjustable length 2 m, equipped with a Twist-lock snap hook in light alloy CML 120S, it is important to use only snap hooks with automatic locking and not a ring nut.

USE

With belt and harness, connecting the positioning rope between the two rings of the belt limits the fall below 50 cm.

CATEGORY

(€

Fpl 1200/1S lanyard Eko

CODE NO07



Positioning lanyard 12 mm in diameter, 100% polyamide, adjustable, maximum length 1.80 m.

USE

With belt and harness, connecting the positioning rope between the two rings of the belt limits the fall below 50 cm. To be purchased together with a snap hook NO62.

CATEGORY

C E N 358

Titan lanyard



(CODE NO93 (1.5 m)

(CODE NO94 (2 m)



Polyamide lanyard 12 mm in diameter, available in lengths between 1 and 2 m, end loops with plastic protective element.

USE

To be used with harnesses and snap hooks of your choice.

CATEGORY

 ϵ



Steel cable

CODE NO97



6.3 mm anchor cable in galvanised steel with plastic protective casing, high breaking load >15 KN, large opening for anchoring to girders and beams, length 1 m.

USE

To be used also for Falcon horizontal application, with snap hooks of your choice.

CATEGORY

CE

Anchorage strap

CODE NO72



Strap width 20 mm, length of the webbing folded on itself 80 cm.

USE

Used to create anchor points on box-type structures, scaffolding pipes, beams.

FABRIC

Webbing strap 100% Polyamide CATEGORY

(E_{N 705}

Titan lanyard

CODE NO95



Lanyard with energy absorber with 2 snap hooks and ring nut, length 1.5 m.

USE

To be used with harnesses of your choice.

CATEGORY

CE

EN 355 / EN 36

Hard hat Pheos E 9770/120





Suitable for electrician activities, the hard hat does not have any openings. It is equipped with attachment for visor, ear muffs and lamp systems. Provides protection at extremely low temperatures (-30° C). MM = Resistance to molten metal (splashes). Certified in compliance with EN 50365 (1000 V AC). Internal fabric suspension system with 6 anchor points, wide sweatband for extra stability. Adjustment: size 51-61 cm.

CATEGORY

C E N 397

Scaffolding hard hat Pheos B-S-WR 9772-031

CODE R440



Suitable for construction work, the hard hat has 3 closable ventilation openings. It is equipped with attachment for visor, ear muffs and lamp systems. Smaller visor for increased upward visibility. Provides protection at extremely low temperatures (-30°C). MM = Resistance to molten metal (splashes). Suspension with adjustable ratchet strap, internal fabric suspension system with 6 anchor points, wide sweatband for extra stability. Adjustment: size 52-61 cm.

CATEGORY

C €

Chinstrap 9790-021

CODE R261



Chinstrap in synthetic fabric with 4 anchor points, with adjustable chin guard and quick release fastener.

Chinstrap 9790-005

CODE R260



Chinstrap in synthetic leather with 2 metal straps, adjustable length per hard hat.

hard hat



100% polyethylene hard hat, weight 350 g including 6 anchor points suspension with nape adjustment, equipped for ear muffs attachment, 440 V electrical insulation.

COLOURS



02 - WHITE







08 - YELLOW

CODE HO60

CATEGORY

C E

Chinstrap with 2 anchor points and chin cup



Economical polyester chin strap with 2 anchor points and plastic hooks, with chin cup, adjustable length.

CODE SO64

Chinstrap with 2 anchor points "Comfort"





Economical polyester chin strap with 2 anchor points and plastic hooks, adjustable length.

Respiratory tract

Respiratory protective devices reduce the amount of airborne pollutants reaching the respiratory tract by filtering out the polluted environment or providing breathing air from an alternative source.

It is essential to choose the correct device according to


It is essential to choose the correct device according to the operating environment.



3M™ Aura series™ 9300+Confort

Comfort and maximum seal

3M™ Aura™ 9300+ respirators are characterised by maximum comfort: the innovative and distinctive features of this range reduce respiratory resistance and guarantee an excellent seal. Foldable polypropylene face filter, single packaging for better hygiene. Constant tension elastic bands, which reduces the pressure on the head, aluminium nose piece with polyurethane foam seal. suitable for water-based powdersand mist.



3M™ Aura™ 9310+/FFP1

CODE R600



USE

Cement industry, glass, construction, textile, ceramic, mining, foundries, engineering.

PACKAGE

of 20 pieces.

CATEGORY

CE

EN 149:2001+ A1:2009 FFP1

USE

Maximum use level up to 4 times the TLV.

3M™ Aura™ 9312+ with valve /FFP1

CODE R601



USE

Cement industry, glass, construction, textile, ceramic, mining, foundries, engineering.

PACKAGE

of 10 pieces.

CATEGORY

EN 149:2001+ A1:2009 FFP1 NR D

USE

Maximum level of use up to 4 times the TLV.

3M™ Aura™ 9320+ FFP2

CODE R602



USE

Cement, glass, building, textile, ceramic, mining, foundry industries, engineering, metal fumes, pharmaceutics.

PACKAGE

of 20 pieces.

CATEGORY

EN 149:2001+ A1:2009 FFP2
NR D

USE

Maximum level of use up to 12 times the TLV.

3M™ Aura™ 9322+ with valve /FFP2

CODE R603



USE

Metal production, pharmaceutical, foundry, chemical, building, agriculture, shipyard, ceramic industries and production of powdered additives.

PACKAGE

of 10 pieces.

CATEGORY

EN 149:2001+ A1:2009 FFP2

USE

Maximum level of use up to 12 times the TLV.

3M™ Aura™ 9332+ with valve /FFP3

CODE R604



USE

Welding, pharmaceutical, chemical, foundry, engineering, ship yard and building industries.

PACKAGE

of 10 pieces.

CATEGORY

 ϵ

EN 149:2001+ A1:2009 FFP3


USE

Maximum use level up to 50 times the TLV.



3M™ 8000 Classic series

Facial, shell-shaped filter with double elastics, nose clip, internal collapse resistant structure. The exhalation valve on the 3M™ 8812 and 8822 respirators reduces heat and moisture inside the face mask and ensures high comfort, making the respirator suitable for hot and humid working environments, with a longer product life, it protects against water-based powders and mists.



3M™ 8710/FFP1

CODE R605



USE

Cement, glass, building, textile, ceramic, mining, foundry and engineering industries

PACKAGE

of 20 pieces.

CATEGORY

 ϵ

EN 149:2001+ A1:2009 FFP1

USE

Maximum use level up to 4 times the TLV.

3M™ 8810/FFP2

CODE R606



USE

Cement, glass, building, textile, ceramic, mining, foundry, engineering industries, metal fumes and pharmaceutics.

PACKAGE

of 20 pieces.

CATEGORY

 ϵ

EN 149:2001+ A1:2009 FFP2 NR D

USE

Maximum use level up to 12 times the TLV.

27

3M™ 8812 with valve/FFP1

CODE R607



USE

Cement industry, glass, construction, textile, ceramic, mining, foundries, engineering.

PACKAGE

of 10 pieces.

CATEGORY

C EEN 149:2001+ A1:2009 FFP1
NR D

USE

Maximum level of use up to 4 times the TLV.

3M™ 8822 with valve/FFP2

CODE R608



USE

Cement, glass, building, textile, ceramic, mining, foundry, engineering industries, metal fumes and pharmaceutics.

PACKAGE

of 10 pieces.

CATEGORY

C EEN 149:2001+ A1:2009 FFP2
NR D

USE

Maximum level of use up to 12 times the TLV.

3M™ 8832 with valve FFP 3 NR D

CODE R758



1151

Cement, glass, building, textile, ceramic, mining, foundry, engineering industries, metal fumes and pharmaceutics.

PACKAGE

of 10 pieces.

CATEGORY

EN149:2001 + A1:2009 FFP3 NR D

USE

Maximum level of use up to 50 times the TLV.



3M™ 9000 series with active carbon

The 9000 Series with active carbon has a polypropylene shell-shaped filtering face filter with an active carbon layer which retains unpleasant and annoying odours produced by organic vapours, two self-adjusting elastic bands, aluminium nose piece with polyurethane sealing foam. The exhalation valve in the 3M™ 8822 respirators reduces heat and moisture inside the face and ensures high comfort, making the respirator suitable for hot and humid working environments, with a longer product life. It is suitable for water-based powders and mists with a maximum level of use of up to 4 times the TLV and unpleasant odours present in low concentrations (lower than the TLV).

3M™ 9913 /FFP1





USE

Laboratories, brush painting, engineering, services such as public cleansing, chemicals and pharmaceuticals.

PACKAGE

of 20 pieces.

CATEGORY

 ϵ

EN 149:2001+ A1:2009 FFP1

USE

Maximum level of use up to 4 times the TLV.

3M™ 9914 with valve/FFP1

CODE R613



USE

Laboratories, brush painting, engineering, services such as public cleansing, chemicals and pharmaceuticals.

PACKAGE

of 10 pieces.

CATEGORY

 ϵ

EN 149:2001+ A1:2009 FFP1

USE

Maximum level of use up to 4 times the TLV.

3M™ 9925 with valve for welding fumes and ozone /FFP2

CODE R611

Shell-shaped polypropylene face filter with an active carbon layer protecting from the ozone produced during MIG TIG and arc welding operations, two cotton fibre elastics adjustable in four points, aluminium nose clip with PVC foam seal, the exhalation valve reduces heat and humidity inside the face mask and ensures greater comfort making the respirator suitable for hot and humid work environments with longer product life, protects from powders, mists and metal fumes with maximum use level of up to 12 times the TLV.



USE

Specifically suitable for welding, foundries, steelworks, battery production, shipyards.

PACKAGE

of 10 pieces.

CATEGORY

 ϵ

EN 149:2001 + A1:2009 FFP2

USE

Maximum use level up to 12 times the TLV.



3M[™] 4000 series half mask respirators

Face mask, mono-block structure requiring no maintenance or spare parts, with a soft face mask in thermoplastic elastomer, two adjustable elastic bands in four points, two large built-in active carbon filters covered with a low respiratory resistance polypropylene dust filter, an exhalation valve in silicone rubber and a polyisoprene inhalation valve.

3M™ 4251 for organic vapours and powders /FFA1P2 R DMaintenance-free

CODE R619

It protects from organic vapours up to 10 times the TLV or 1000 PPM, water-based powders and mists with maximum level of use up to 10 times the TLV.



USE

Spray painting, paint production, paints, resins, tanneries, inks and dyes, in agriculture (pesticide treatments).

PACKAGE

of 10 pieces.

CATEGORY

CE

EN 405:2001 + A1:2009 FFA1 P2 RD

USE

Maximum level of use up to 10 times the TLV.

3M™ 4255 for organic vapours and dust /FFA2P3 R DMaintenance-free

CODE R760

It protects from organic vapours up to 10 times the TLV or 5000 PPM, and up to 30 times the TLV from powders.



USE

Spray painting, paint production, paints, resins, tanneries, inks and dyes, in agriculture (pesticide treatments).

PACKAGE

of 10 pieces.

CATEGORY

 ϵ

EN 405:2001 + A1:2009 FFA2

USE

Maximum level of use up to 10 times the TLV.



3M™ 6000 series Half Mask

CODE R630



Simple and convenient

Hypoallergenic half mask with central exhalation valve, polyester/cotton elasticated strap polysoprene inhalation valve, exhalation valve and silicone rubber gasket, the respirator is used with a wide range of 3M™ filters, with bayonet connection of the series 2000 (for dust) and series 6000 (for gases and vapours), the series 6000 filters can be combined with series 5000 dust filters using an R653/3M 501 ring nut.

SIZE:

CATEGORY

Large

C E N 140:1998

3M™ 6000 series Full face mask

(CODE R680



Thermoplastic elastomer mask with wide field of view polycarbonate screen, resistant to scratches and impacts, soft face in hypoallergenic material, 4 elastic suspensions easy to put on and take off, two filters structure to reduce respiratory resistance, the respirator is used with a wide range of 3M™ filters with bayonet connection of the series 2000 (for dust) and 6000 (for gases and vapours) ensuring an optimal balance for the face; series 6000 filters can be combined with series 5000 powdersfilters by using an R653/3M 501 ring nut.

SIZE: Medium

CATEGORY

C €

EN 136:1998 (CLASS 1)

3M™ 2125/FFP2

CODE R640



USE

Metal industries, cement factories, foundries, steelworks, welding. PACKAGE

of 80 pieces.

CATEGORY

(€

EN 143:2000

USE

Up to 10 times the TLV by using half masks and up to 16 times the TLV by using fullface masks

CODE R641

3M™ 2135/FFP3



USE

Pharmaceutical industries, foundries, building industry, welding, metal industry, automotive industries, civil protection.

PACKAGE

of 80 pieces.

CATEGORY

C EEN 143:2000

USE

Up to 30 times the TLV by using half masks and up to 200 times the TLV by using fullface masks



3M™ 5000 series Filters

Extremely light polypropylene filters, they guarantee protection against water-based powders and mists. These filters can be combined with series 6000 filters by using an R653/3M 501 ring nut.

3M™ 5911 /FFP1



USE

Automotive industries, painting operations, production of inks, dyes, resins, chemical industry.

PACKAGE

of 120 pieces.

CATEGORY

C EEN 143:2000

USE

Maximum use level up to 4 times the TLV.

CODE R650

3M™ 5925 /FFP2



USE

Automotive industries, painting operations, production of inks, dyes, resins, chemical industry, pharmaceutical, pickling operations.

PACKAGE

of 80 pieces.

CATEGORY

CE

USE

CODE R651

Up to 10 times the TLV by using half masks and up to 16 times the TLV by using fullface masks

3M™ 5935 /FFP3





USE

Automotive industries, painting operations, production of inks, dyes, resins, chemical industry, pharmaceutical, pickling operations.

PACKAGE

of 80 pieces.

CATEGORY

 ϵ

EN 143:2000

CODE R652

USE

Up to 30 times the TLV by using half masks and up to 200 times the TLV by using fullface masks



3M™ 6000 series Filters

3M™ 6051 /A1

CODE R635

 $3M^{TM}$ Bayonet connection filter to be used with $3M^{TM}$ half masks and full face masks, it protects from organic vapours (boiling point above 65°C) with a limit of 1000 PPM.



USE

Spray paints and use of solvents (mek, toluene), painting operations, production of inks, dyes, resins, chemical industry.

PACKAGE

of 8 pieces.

CATEGORY

CE

N 14387:200

3M™ 6055 /A2

CODE R636

3M™ Bayonet connection filter to be used with 3M™ half masks and full face masks, it protects from organic vapours (boiling point above 65°C) with a limit of 5000 PPM.



USE

Spray paints and use of solvents (mek, toluene),

PACKAGE

of 8 pieces.

CATEGORY

 ϵ

EN 14387:2008

3M™ 501 ring nut

CODE R653



of 20 pieces.

COLOURS WHITE PROTECTION AGAINST DUST BROWN PROTECTION FROM ORGANIC VAPOURS GREY PROTECTION FROM INORGANIC VAPOURS YELLOW PROTECTION AGAINST ACIDIC GASES GREEN PROTECTION AGAINST AMMONIA AND ITS DERIVATIVES





3M™ 6057 /ABE1

CODE R637

3M™ Bayonet connection filter to be used with 3M™ half masks and full face masks, it protects against organic and inorganic vapours, acid gases, with a limit of 1000 PPM.



USE

Use of chlorine, bleach, hydrochloric acid, sulphur dioxide and many other solvents.

PACKAGE

of 8 pieces.

CATEGORY

 ϵ

EN 14387:2008

3M™ 6059 /ABEK1

CODE R638

3M™ Bayonet connection filter to be used with 3M™ half masks and full face masks, it protects against organic and inorganic vapours, acid gases, ammonia and its derivatives with a limit of 1000 PPM.



USE

Use of chlorine, bleach, hydrochloric acid, sulphur dioxide, ammonia and methylamine.

PACKAGE

of 8 pieces.

CATEGORY

 ϵ

EN 14387:2008

3M™ 6099 /ABEK2HgP3

CODE R681

3M™ filter with bayonet connection to be used exclusively with 3M™ full face filters, it protects against organic and inorganic vapours, acidic gases, ammonia and its derivatives, harmful and toxic powders with a maximum level of protection with a limit of 5000 PPM.



USE

Use of chlorine, bleach, hydrogen chloride, sulphur dioxide, hydrogen sulphide, ammonia, methylamine and dust.

PACKAGE

of 4 pieces.

CATEGORY

(€

EN 14007-000



Mono-filter full face mask



Universal size, adjustable six-point quick release trim and synthetic rubber outer seal. Panoramic, oronasal screen with two inhalation valves to avoid fogging. Threaded filter connection in compliance with EN148-1 to be used with all devices equipped with a male connection.

CODE R309

CATEGORY



EN 136

Mask filter / A2B2E2K2P3



Mask filter / P3



Mask filter / A2P3



CODE R338

PROTECTION FROM

Organic vapours, inorganic gases, gases, acids, ammonia, dust, fumes and mists. CATEGORY

CE

EN 148-1/EN 14387

CODE R333

PROTECTION FROM

High-efficiency dustproof elements.

CATEGORY

C €EN 148-1/EN 143

CODE R334

PROTECTION FROM

Organic vapours, dust, fumes and mists.

CATEGORY

CE

EN 148-1/EN 14387



Respirator / FFP1 NR D

CODE R660

For dust, fumes and mists.

Shell-shaped face mask made of PP non-woven fabric with reinforced plastic nose piece, soft rubber foam seal and synthetic rubber elastics.



USE

Cement industry, glass, construction, textile, ceramic, mining, foundries and engineering.

PACKAGE

of 20 pieces per carton / 240 pieces per box

CATEGORY

EN 149:2001 + A1:2009

USE

Maximum use level up to 4 times the TLV.

Respirator / FFP1 NR D with valve

CODE R661

For dust, fumes and mists.

Shell-shaped face mask made of PP non-woven fabric with reinforced plastic nose piece, soft rubber foam seal and synthetic rubber elastics and exhalation valve.



USE

Cement, glass, construction and textile industries, ceramics, mining, foundries and engineering.

PACKAGE

of 15 pieces per carton/ 180 pieces per box

CATEGORY

C EEN 149:2001 + A1:2009

USE

Maximum use level up to 4 times the TLV.

Respirator / FFP2 NR D

CODE R662

For dust, fumes and mists.

Shell-shaped face mask made of PP non-woven fabric with reinforced plastic nose piece, soft rubber foam seal and synthetic rubber elastics.



USE

Cement, glass, building, textile, ceramic, mining, foundry, engineering industries, metal fumes and pharmaceutics.

PACKAGE

of 20 pieces per carton/ 240 pieces per box

CATEGORY

C €EN 149:2001 + A1:2009

USE

Maximum use level up to 10 times the TLV.



Respirator / FFP2 NR D with valve

CODE R663

For dust, fumes and mists.

Shell-shaped face mask made of PP non-woven fabric with reinforced plastic nose piece, soft rubber foam seal and synthetic rubber elastics and exhalation valve.



USE

Cement, glass, construction and textile industries, ceramics, mining, foundries and engineering.

PACKAGE

of 15 pieces per carton/ 180 pieces per box

CATEGORY

C EEN 149:2001 + A1:2009

USE

Maximum use level up to 10 times the TLV.

Respirator / FFP3 NR D with valve

CODE R664

For dust, fumes and mists.

Shell-shaped face mask made of PP non-woven fabric with reinforced plastic nose piece, soft rubber foam seal and synthetic rubber elastics and exhalation valve.



USE

Welding, pharmaceutical, chemical, construction, foundry, shipyard and works involving asbestos.

PACKAGE

of 10 pieces per carton/ 120 pieces per box

CATEGORY

C EEN 149:2001 + A1:2009

USE

Maximum use level up to 30 times the TLV.

Respirator / FFP2 NR D with valve

CODE R665

For dust, fumes, mists and unpleasant odours

Shell-shaped face mask made of PP non-woven fabric with reinforced plastic nose piece, soft rubber foam seal and synthetic rubber elastics and a layer of activated carbon which allows to contain unpleasant and annoying odours produced by organic vapours.



USE

Laboratories, brush painting, engineering, services such as public cleansing, chemicals and pharmaceuticals.

PACKAGE

of 10 pieces per carton/ 120 pieces per box

CATEGORY

EN 149:2001 + A1:2009


USE

Maximum use level up to 10 times the TLV



Hearing

Noise is present in many working environments and for protection purposes choosing the correct hearing-protective device is fundamental based on the degree of attenuation required: for octave bands, with H, M, L methods - they express respectively the average attenuation at high, medium and low frequencies - with SNR method - the average attenuation of the protector over the entire frequency spectrum.





3M™ E-A-R™ CLASSIC™

CODE R200



Disposable earplugs made of expanded polymer, offer excellent protection and comfort throughout the working day.

FREQUE	NCIES ATTENUATION		PACKAGE	CATEGORY
HIGH	B/W 2.000 AND 8.000 HZ	30 DB	of 250 pairs	CE
MEDIUM	B/W 250 AND 2.000 HZ	24 DB		
LOW	B/W 65 AND 250 HZ	22 DB		EN 352:-2
S.N.R.	LOGARITHMIC AVERAGE	28 DB		

Refill 3M™ E-A-R™ CLASSIC™

CODE R2401



Transparent plastic bottle containing disposable earplugs made of expanded polymer, comfortable for prolonged use.

FREQUE	NCIES ATTENUATION		PACKAGE	CATEGORY
HIGH	B/W 2.000 AND 8.000 HZ	30 DB	of 500 pairs	C€
MEDIUM	B/W 250 AND 2.000 HZ	24 DB		EN 352:-2
LOW	B/W 65 AND 250 HZ	22 DB		2.1.002.12
S.N.R.	LOGARITHMIC AVERAGE	28 DB		
		ı		l

Dispenser 3M™ E-A-R™ ONE-TOUCH™

CODE R500



Impact-resistant structure made of polypropylene and abs, consisting of base, support plate, refill holder and funnel with waste-saving adjustment.

THE DISPENSER IS PROVIDED WITHOUT REFILL, WHICH MUST BE ORDERED SEPARATELY.

3M™ 1100 /A1

CODE R690



Disposable ear plugs made of soft, hypoallergenic and dirt-repellent polyurethane foam, the conical shape has been designed to shape itself to individual ear canals.

FREQUE	NCIES ATTENUATION		PACKAGE	CATEGORY
HIGH	B/W 2.000 AND 8.000 HZ	37 DB	of 200 pairs	C€
MEDIUM	B/W 250 AND 2.000 HZ	34 DB		EN 352:-2
LOW	B/W 65 AND 250 HZ	31 DB		214 002. 2
S.N.R.	LOGARITHMIC AVERAGE	37 DB		



3M™ E-A-R™ CAPS™

CODE R206



Banded ear plug suitable for noisy environments, lightweight, rests comfortably on the neck when unused, the round capsules fit comfortably in the opening of the ear canal and can be purchased separately.

FREQUE	NCIES ATTENUATION		PACKAGE	CATEGORY
HIGH	B/W 2.000 AND 8.000 HZ	27 DB	of 40 pieces.	C€
MEDIUM	B/W 250 AND 2.000 HZ	19 DB		EN 352:-2
LOW	B/W 65 AND 250 HZ	17 DB		214 002. 2
S.N.R.	LOGARITHMIC AVERAGE	23 DB		

Refill 3M™ E-A-R™ CAPS™

CODE R242



Soft polyurethane round capsules.

FREQUENCIES ATTENUATION			PACKAGE	CATEGORY
HIGH	B/W 2.000 AND 8.000 HZ	27 DB	of 10 pairs per	C€
MEDIUM	B/W 250 AND 2.000 HZ	19 DB	box	EN 352:-2
LOW	B/W 65 AND 250 HZ	17 DB		214 002. 2
S.N.R.	LOGARITHMIC AVERAGE	23 DB		

3M™ E-A-R™ ULTRAFIT™ 20

CODE R339



Easy to insert and reusable silicone insert for noise levels up to 93 dB, it provides extra protection. If worn in the right working environment, you can still hear conversations while protecting your hearing.

FREQUENCIES ATTENUATION	PACKAGE	CATEGORY
HIGH B/W 2.000 AND 8.000 HZ 25 DB MEDIUM B/W 250 AND 2.000 HZ 17 DB LOW B/W 65 AND 250 HZ 10 DB S.N.R. LOGARITHMIC AVERAGE 20 DB	of 50 pieces.	C € EN 352:-2

3M™ E-A-R™ ULTRAFIT™

CODE R203



Reusable, preformed, universal earplugs consisting of three curved, soft and ultra-thin flanges, easy to insert, excellent degree of attenuation, supplied with lanyard.

FREQUENCIES ATTENUATION			PACKAGE	CATEGORY
HIGH	B/W 2.000 AND 8.000 HZ	33 DB	of 50 pieces.	C€
MEDIUM	B/W 250 AND 2.000 HZ	28 DB		EN 352:-2
LOW	B/W 65 AND 250 HZ	25 DB		EN 002. 2
S.N.R.	LOGARITHMIC AVERAGE	32 DB		



PELTOR™ OPTIME™ I / H510A

CODE SCO5



Ear muff head band, multi-purpose protection to be used in different sectors, soft and comfortable pads for prolonged use, excellent attenuation performance, weight 180 g.

FREQUENCIES ATTENUATION

HIGH	B/W 2.000 AND 8.000 HZ	32 DB
MEDIUM	B/W 250 AND 2.000 HZ	25 DB
LOW	B/W 65 AND 250 HZ	15 DB
S.N.R.	LOGARITHMIC AVERAGE	27 DB

CATEGORY

C EEN 352:-1

PELTOR™ OPTIME™ I / H510B

CODE SCO6



Ear muff neckband, specially designed to be used with shields or with hard hats, large and soft pad ensuring maximum comfort even in prolonged use, weight 165 g.

FREQUENCIES ATTENUATION

HIGH	B/W 2.000 AND 8.000 HZ	30 DB
MEDIUM	B/W 250 AND 2.000 HZ	24 DB
LOW	B/W 65 AND 250 HZ	15 DB
S.N.R.	LOGARITHMIC AVERAGE	26 DB

CATEGORY

C EEN 352:-1

PELTOR™ OPTIME™ I / H510P3E

CODE SCO7



Usable with grooved hard hats, adjustable in different positions, pad ensuring maximum comfort even in prolonged use, weight 205 g. Peltor P3E fittings – code SVO4 – supplied in the package.

FREQUENCIES ATTENUATION

 HIGH
 B/W 2.000 AND 8.000 HZ
 32 DB

 MEDIUM
 B/W 250 AND 2.000 HZ
 23 DB

 LOW
 B/W 65 AND 250 HZ
 15 DB

 S.N.R.
 LOGARITHMIC AVERAGE
 26 DB

CATEGORY





PELTOR™ OPTIME™ II / H520A

CODE SCO8



Ear muff head band, specially designed for very noisy environments, maximum attenuation even at low frequencies, the large pads are padded with a unique combination of liquid and foam providing an excellent seal and maximum comfort even for prolonged use, weight 210 g.

FREQUENCIES ATTENUATION

 HIGH
 B/W 2.000 AND 8.000 HZ
 34 DB

 MEDIUM
 B/W 250 AND 2.000 HZ
 29 DB

 LOW
 B/W 65 AND 250 HZ
 20 DB

 S.N.R.
 LOGARITHMIC AVERAGE
 31 DB

CATEGORY

C €EN 352:-1

PELTOR™ OPTIME™ III / H540A

CODE SC10



Ear muff head band, for extremely noisy environments, double shell technology, minimises resonance inside the cup, providing maximum attenuation at high frequencies, the large and comfortable pads, padded with soft plastic material, ensure the best adherence to the head and minimum pressure, weight 285 g.

FREQUENCIES ATTENUATION

 HIGH
 B/W 2.000 AND 8.000 HZ
 40 DB

 MEDIUM
 B/W 250 AND 2.000 HZ
 32 DB

 LOW
 B/W 65 AND 250 HZ
 23 DB

 S.N.R.
 LOGARITHMIC AVERAGE
 35 DB

CATEGORY

C E EN 352:-1

Eyes and face

Eyes and face protection devices comply with European standards, which stipulate that eye protectors must provide protection against various types of impact, optical radiation, splashes and dust, electric arcs, molten metals and incandescent particles.





Peltor V4F Face shield visor

CODE SV01



Very wide visor to prevent side impacts, as well as not bumping into the headphones. Extreme resistance to impact and scratches at any temperature between -40°C and+130°C. Angled towards the chin to reduce the risk of getting hit.

MATERIAL

Polycarbonate clear face shield 1 mm thick. Weight 110g To be used only with hard hat and special Peltor P3E connections – Peltor P3E connections code SVO4 not included in the package.

CATEGORY

CE

CODE SV04

Peltor P3E grooved fittings



Fittings for Peltor visors to various brands of protective elements.

3M™ Tuffmaster shell H8



Impact protection and high temperature resistance, temporal adjustment and inclination of the visor, inner band of the helmet with sweatband, hard hat with precision ratchet suspension adjustment at the back

With no visor.

CODE R190

CATEGORY

 ϵ

EN 166

WP96 Face shield visor



Transparent polycarbonate visor **usable only with hard hat R190.** Resistant to medium energy impacts (B), liquid splashes, molten metals and incandescent solids. Optical class 1.

CODE R191

CATEGORY

C E

3M™ Visitor



full face model, wide view, side and eyebrow protectors, low energy (F) impact resistant clear lenses, it can be worn over prescription glasses.

FRAME

in polycarbonate

CODE R222

(€

Acetate Goggles 9305-514

CODE R364



Soft PVC frame to avoid annoying compression, adjustable rubber elastic, clear acetate lens with internal anti-fog treatment.

FRAME

Made of soft PVC Impact class F

USE

Chemical industries, with acids, against powders and splashes

CATEGORY

EN 166 / EN 167 EN 168 / EN 170

Goggles 9302/245

CODE R287



Clear polycarbonate lens with Supravision Excellence treatment, anti-fog inside and anti-scratch outside, adjustable elastic band, easy lens replacement thanks to the click-in system and wide field of view and possibility to be used with prescription glasses, anatomical nose piece and soft rubber face profile.

FRAME

In rubber Optical class 1 Weight 80 g

USE

Chemical, engineering, steel and manufacturing industries.

CATEGORY

C E N 166

Goggles 9301/613

CODE R253



Clear polycarbonate lens with high mechanical resistance, with Supravision Excellence treatment on the inside to prevent fogging and scratching on the outside, gas-tight, UV 400 protection, adjustable elastic band, without ventilation to be used even in the presence of gases, vapours and fumes.

FRAME

Made of PVC Optical class 1. Weight 130 g.

USE

Chemical and oil industry, fire brigade, forestry, hospital, agricultural.

CATEGORY

C E EN 166 / EN 16 EN 168 / EN 17

Polycarbonate Goggles 9301/105

CODE R252



Clear polycarbonate lens with Supravision Excellence treatment, anti-scratch on the outside and anti-fog on the inside, in compliance with the average mechanical resistance requirements (class B 120 M/S), suitable to be worn over corrective glasses, UV 400 protection, adjustable elastic band.

FRAME

Made of soft PVC anti-allergic Class B 120 M/S

IISE

Mechanical industry, foundries.

CATEGORY



EN 166 EN 168 / EN 170



Acetate Goggles 9301714

CODE R264



Clear acetate lens with anti-fog treatment inside and anti-UV, adjustable elastic harness, frame in soft anti-allergic PVC, special internal ventilation through protected grooves on the frame.

FRAME

Made of soft antiallergic PVC

USE

Chemical, oil, hospital, agricultural and electronic industries.

CATEGORY

EN 166 / EN 167 EN 168 / EN 170

Glasses 9175-260

CODE R359



Full eye protection thanks to the frame with special fasteners located on the inside of the lens, outlined in soft elastomer to provide better adherence to the face without pressure, adjustable temple pads in inclination and extension, colourless single lens UV 2–1.2 filter, with Uvex Supravision Excellence treatment, UV 400 protection.

FRAME

Outlined in soft elastomer Optical class 1.

USE

Mechanical, steel and other industries.

CATEGORY

 ϵ

EN 166 / EN 170 3 LIQUIDS AND SPLASHES 4 DUSTS

Skyguard Glasses 9161005

CODE R257



Wide field of vision thanks to the extremely scratch and chemical resistant clear panoramic lens, the upper part of the frame is opaque to prevent direct light infiltration, Duo-Flex temple pads and their length adjustment in 3 positions with automatic stop, integrated side ventilation system, suitable to be worn over any corrective glasses.

USE

Various industries, excellent for hospitals, also suitable for visitors.

CATEGORY



EN 166

I-VO Glasses 9160-265

CODE R358



Clear single lens with Supravision Excellence treatment in scratch-resistant polycarbonate on the outside and anti-fog on the inside, excellent side protection and cushioned eyebrow protection, UV 400 protection, polycarbonate and rubber Quattroflex temple pads, soft, flexible and adjustable in length and inclination, indirect ventilation, wide field of vision.

FRAME

Front in polycarbonate Weight 30 g Impact class F Optical class 1.

USE

Mechanical, steel and other industries.

CATEGORY





Futura Glasses 9180/125

CODE R251



Clear polycarbonate lenses with UVEX Supravision Plus treatment (anti-fog, anti-scratch, anti-UV 400, anti-static), perfect adaptation to the face thanks to the integrated micro metric inclination system, adjustable Duo-Flex temple pads length in 4 positions with automatic stop, super-light with wide field of view.

USE

Chemical, mechanical and steel industries.

CATEGORY

CE

Pheos Glasses 9192-225

CODE R387



Supravision Excellence anti-scratch on the outside and anti-fog on the inside, clear polycarbonate lens, UV 400 protection, duo-spheric for a wide field of vision, temples pads with soft anti-slip end, excellent ventilation, modern and innovative design, inclination of the lens at the top for better eyebrow protection.

FRAME

Weight 30 g Optical class 1. Impact class F CATEGORY

 ϵ

EN 166 / EN 170

X-Fit Glasses 9199-265





Classic protective glasses with good eye protection, very light, only 23 grams, innovative design of the temple pads with zip closure, metal free, Uvex Supravision Excellence treatment technology, the lenses are anti-fog inside (for at least 16 seconds), while outside offers extreme resistance to abrasion and chemicals, the anti-fog properties are permanent even after several washings, the lenses are also easy to clean and less prone to dirt thanks to the non-stick nanotechnology).

CATEGORY



2ND CATEGORY EN 166/EN 170



Glasses 5x9

CODE R557



Clear, scratch-resistant and anti-fog polycarbonate lens, integrated side guards, soft temple pads with patented Softpad technology adjustable in length and inclination.

FRAME

High resistance polycarbonate Weight 35 g CATEGORY

C €EN 166 / EN 170

Scratch-resistant welding flap

CODE R708



Accessory for glasses R557

5 green shade filters for welding protection and other related work.

FRAME

High resistance Weight 20 g

Welding glasses

CODE R707



Green iR5 lenses in polycarbonate with interchangeable anti-scratch treatment, dual lens with tilting ventilated side protections, central screw for quick lens replacement.

FRAME

Ultralight in nylon Interchangeable lenses available Weight 36 g **CATEGORY**

CE

EN 166 / EN 169 / EN 175

Scratch-resistant glasses

CODE R702



Frame made of hypo-allergenic material, side protections incorporated, length and inclination adjustment of the temple pads.

FRAME

Scratch-resistant polycarbonate single lens Weight 30 g CATEGORY

 ϵ

EN 166 / EN 170

Over glasses

CODE R703



Sterilizable uncoated (UC) version, air ventilation system in the side guards, integrated side and eyebrow guards, which can be worn over standard prescription glasses.

FRAME

Single lens made of polycarbonate Weight 43 g CATEGORY

 ϵ

EN 166 / EN 170



Goggles made of polycarbonate

CODE R704



Clear anti-fog polycarbonate lens, which can be placed over prescription glasses, direct ventilation system, adjustable elastic band in fabric.

FRAME

PVC trasparent Optical class 1. Impact B Peso 73 g

USE

Range of use 3 and 4 for powdersprotection and splashes of liquids

CATEGORY

CE

Goggles with indirect ventilation

CODE R705



Clear, scratch-resistant and anti-fogging lens, fully adjustable broad elastic band, UV protection, panoramic view, best fit over prescription glasses, with indirect ventilation

FRAME

Optical class 1. Impact B Peso 84 g

USF

Range of use 3, 4 and 9 for protection against large dust particles, liquid splashes and projections of molten, solid and hot metals

CATEGORY

C E

Goggles

CODE R706



Clear, scratch-resistant and anti-fogging lens, which can be placed over all prescription glasses thanks to its spherical lens, indirect ventilation and panoramic view.

FRAME

TPR Structure Optical class 1. Impact B Peso 88 g

USE

Range of use 3 and 4 for protection against large dust particles, liquid splashes

CATEGORY

CE

Glasses 6x1

CODE R560



Clear anti-scratch anti-fog lens, distortion-free field of vision, adjustable length and inclination of the temple pads, indirect ventilation system, internal rubber, available RX insert for corrective lenses, temple pads can be removed and replaced with an elastic band – already included in the package –.

FRAME

Polycarbonate
Optical class 1.

USE

Range of use 3 and 4 for protection from drops and splashes as well as large powders particles

CATEGORY





Half head gear for anti electric arc face shield

CODE R710



Ergonomic half head gear made of hypoallergenic material, interchangeable sponge sweatband, upper band for height adjustment of the head gear, adjustable head circumference by rack (from 53 to 61 cm), 90° foldable with clutches, 5 attachment points for the face shield, EN166 certified with symbols for use 3, 8 and 9 for protection from liquid splashes, electric arc and molten metal projections, resistant to impacts and extreme temperatures. No metal parts exposed for protection against electric arc.

CATEGORY

 ϵ

EN 166 / EN 175

Half head gear with face shield



Frontal band made of interchangeable sponge sweatband, upper band to adjust the height of the head gear, adjustment of head circumference by elastic band, polycarbonate screen 1 mm thick foldable by 90°, can be worn over protective glasses and respirators, chin guard made of replaceable polycarbonate, ENI66 certified at point 3 for protection from splashes of liquids, resistant to impacts.

CODE R714

CATEGORY



EN 166 / EN 17

Face Shield (thickness 2 mm)



For half head gear R710

Neutral polycarbonate face shield 395x240x2 mm, injected screen, protection against UV radiation, drops and splashes, mechanical impacts, molten metals and incandescent solids, electric arc from short circuit, surface scratches (marking K), EN166 certified with symbols for range of use 8 and 9 for electric arc protection and molten metal projections, resistant to impacts and extreme temperatures. Used with R710.

CODE R712

CATEGORY



EN 166 / EN 170



Half head gear for face shield



Ergonomic half head gear made of hypoallergenic material, interchangeable sponge sweatband, upper band for height adjustment of the head gear, adjustable head circumference by rack (from 53 to 61 cm), 90° foldable with clutches, 5 attachment points for the face shield, EN166 certified with symbols for use range 3, for protection from liquid splashes, resistant to impacts and extreme temperatures.

CODE R709

CATEGORY

 ϵ EN 166

Face Shield (thickness 1 mm)



For half head gear R709

Polycarbonate 395x200x1 mm neutral face shield, protection against drops and splashes and mechanical impacts. Used with R709.

CODE R711

CATEGORY

 ϵ

EN 166

Steel mesh face shield for brush cutters




Steel mesh face shield 380x195 mm, protection against mechanical impacts during brush cutting activities. Used with R709.

CODE R713

Hands

Personal protective gloves provide the utmost protection of the hand or part of the hand from a wide range of hazards such as mechanical, chemical, thermal and low temperatures, radiation, cutting and welding.



NBR glove covered with canvas sleeve

(CODE GGU030)





Nitrile coated glove, jersey cotton lining, safety sleeve.

USE

Heavy engineering, waste collection, carpentry, urban cleaning, building materials.

SIZES

9- 10

PACKAGE

of 12 pairs per bag 120 pairs per box

CATEGORY

C E 2ND CATEGORY

EN 388:2016 4221 DP

NBR glove aerated back canvas sleeve

CODE GGU031



3/4 nitrile coated glove, jersey cotton lining, safety sleeve.

USE

Heavy engineering, waste collection, carpentry, urban cleaning, building materials.

SIZES

9- 10

PACKAGE

of 12 pairs per bag 120 pairs per box

CATEGORY

C E 2ND CATEGORY

EN 388:2016

4221 DP

NBR glove aerated back with knit cuff

(CODE GGU032)



3/4 nitrile coated glove with knitted cuff, jersey cotton lining.

Heavy engineering, waste collection, carpentry, urban cleaning, building materials.

SIZES

8 - 9 - 10

PACKAGE

of 12 pairs per bag 120 pairs per box

CATEGORY

€ 2ND CATEGORY





Nylon and synthetic fiber glove with pu palm

CODE GGU023



13 gauge continuous string knit glove, palm polyurethane coated, elasticated wrist and aerated back, cut-resistant, abrasion-resistant, excellent dexterity.

USE

Automotive and building industries, general operators, handling of bars and metal sheets.

SIZES

9 - 10 - 11

PACKAGE

of 12 pairs per bag 120 pairs per box

CATEGORY

C E 2ND CATEGORY



EN 388:2016 4443 C

Nylon and synthetic fiber glove with nitrile palm

CODE GGU028



13 gauge continuous string knit glove, palm nitrile coated, elasticated wrist and aerated back, excellent dexterity.

USE

Automotive and building industries, general operators, handling of bars and metal sheets.

SIZES

8 - 9 - 10 - 11

PACKAGE

of 12 pairs per bag 60 pairs per box

CATEGORY

C 2ND CATEGORY

EN 388:2016 4244B

Nylon/nitrile foam dotted glove

CODE GGU024



Nylon continuous string knit glove with nitrile coating on palm and fingers, palm dotted, sensitive, seamless.

USE

Precision mechanics, electronics, fine fittings, taps and fittings, textiles, cables, etc.

7 - 8 - 9 - 10

PACKAGE

of 12 pairs per bag 120 pairs per box

CATEGORY

C € 2ND CATEGORY



Nylon/nitrile satin glove

CODE GGU025



Glove made of nylon continuous string knit with nitrile coating on palm and fingers, sensitive, seamless, aerated back, satin palm for an excellent grip.

ı	ı	ς	F

Precision mechanics, electronics, fine fittings, taps and fittings, textiles, cables, etc.

SIZES

7 - 8 - 9 10- 11

PACKAGE

of 12 pairs per bag 120 pairs per box

CATEGORY

C E 2ND CATEGORY

EN 388:2016

4121X

Nylon glove white/nitrile royal

CODE GGU022



Seamless white nylon glove, light royal nitrile coating providing unparalleled grip under various operating conditions, lightweight and ergonomic, very flexible fabric for easier handling, aerated back to better ventilate the hand.

USE

Ideal for assembly in general.

SIZES

7 - 8 - 9 10- 11

PACKAGE

of 12 pairs per bag 120 pairs per box

CATEGORY

€ 2ND CATEGORY

EN 388:2016

Gloves nylon/ polyurethane

(CODE GGUO16 (WHITE)

(CODE GGUO17 (BLACK))

CODE GGU018 (GREY)

Seamless nylon glove, light polyurethane coating providing unparalleled grip under various operating conditions, lightweight and ergonomic, very flexible fabric for easier handling, aerated back to better ventilate the hand.



Ideal for assembly in general

SIZES

6 - 7 - 8 9- 10

PACKAGE

of 12 pairs per bag 120 pairs per box

CATEGORY

C € 2ND CATEGORY

EN 388:2016

1131X





Disposable latex glove

CODE GGU504



Disposable glove in high quality natural latex, ambidextrous, light and elastic, internal treatment with a small amount of anti-sweat powder.

USE

Cosmetic laboratories, assembly of small parts, small cleaning, precision electronics.

SIZES

S - M - L

PACKAGE

10 boxes of 100 pieces per box

CATEGORY

C E 3RD CATEGORY



Disposable nitrile glove

CODE GGU502



Disposable nitrile glove, ambidextrous, non-sterile, powder-free.

USE

Protects the user only from minor risks such as: surface mechanical action, small cleaning, precision electronics, cosmetic and pharmaceutical laboratories.

SIZES

S - M - L - XL

PACKAGE

10 boxes of 100 pieces per box

CATEGORY

C E 3RD CATEGORY



Disposable LTX+PLUS glove

CODE GGU503



Disposable glove made of thick blue natural rubber latex with high resistance, nonsterile and without lubricating powder. Ambidextrous with border, matt finish on the inside and micro-rough finish on the outside, with increased thickness and length.

USE

Multipurpose, longlasting, hand-protecting disposable product and/ or handled product, AQL <1.5 controlled quality (due to the absence of holes), chemical and pharmaceutical industry, beauty and hygiene laboratories for the general public, mechanical processing in workshops and body workshops, suitable for food contact.

SIZES

S - M - L XL - XXL

PACKAGE

10 boxes of 50 pieces per box

CATEGORY

C E 3RD CATEGORY







Grain cowhide leather glove

CODE GGU202



Glove with palm and back in grain leather with elastic wristband inside, shirred wrist, it provides comfortable softness and great dexterity, good resistance to abrasion and tearing.

USE

Handling of tools, wooden, cardboard and plastic crates, storage and agricultural work.

SIZES

8 - 9 - 10 - 11

PACKAGE

of 10 pairs per bag 100 pairs per box

CATEGORY

C E 2ND CATEGORY

EN 388:2016

Grain cowhide leather winter glove

(CODE GU204B)



Glove with palm and back in grain leather with elastic wristband inside, shirred wrist, lined with flannel, it provides comfortable softness and great dexterity, good resistance to abrasion and tearing.

USE

Handling of tools, wooden, cardboard and plastic crates, storage and agricultural work.

SIZE

10

PACKAGE

of 10 pairs per bag 100 pairs per box

CATEGORY

C E 2ND CATEGORY

EN 388:2016

Grain cowhide leather glove

CODE GU205B



Glove with palm, thumb and fingernail guard in grain leather, canvas back with inner elastic, 7 cm safety sleeve in rubberised canvas.

USE

Handling of tools, wooden, cardboard and plastic crates, storage and agricultural work.

SIZE

10

PACKAGE

of 10 pairs per bag 100 pairs per box

CATEGORY

C € 2ND CATEGORY

EN 388:2016

Grain cowhide leather glove with split leather back

CODE GGU206



Glove with grain leather palm, split leather back, shirred wrist, inner elastic wristband, driver model, it provides comfortable softness and great dexterity, good resistance to abrasion and tearing.

USE

Handling of tools, wooden, cardboard and plastic crates, storage and agricultural work.

SIZES

8 - 9 - 10 - 11

PACKAGE

of 10 pairs per bag 100 pairs per box

CATEGORY





32X



Split leather and jeans glove

CODE GU102



Glove with split leather palm, inner fleece lining, jeans back with an internal elastic band, 7 cm rigid canvas safety sleeve, resistant to cutting, abrasion and tearing.

Suitable for handling crates, cartons, storage, loading and unloading operations, general maintenance.

SIZE

of 10 pairs per bag 60 pairs per box

PACKAGE

PACKAGE

PACKAGE

PACKAGE

CATEGORY

€ 2ND CATEGORY

EN 388:2016

Simple split leather glove

CODE GU103



Glove entirely in split leather, safety sleeve 7 cm, resistant to cutting, abrasion and tearing.

USE

Manual welding of metals, cutting and related work, foundry work, handling of metal products.

SIZE

of 10 pairs per bag 60 pairs per box

CATEGORY

C E 2ND CATEGORY

EN 388:2016

Reinforced split leather glove

CODE GU104



Glove entirely in split leather, reinforced palm, 7 cm safety sleeve, resistant to cutting, abrasion and tearing.

USE

Manual welding of metals, cutting and related work, foundry work, handling of metal products.

SIZE

of 10 pairs
per bag
60 pairs
per box

CATEGORY

€ 2ND CATEGORY

EN 388: 2016

Split leather glove with fleece lining

CODE GU109



Glove made entirely of split leather, with internal fleece lining, total length 35 cm, resistant to cutting, abrasion and tearing.

USE

Manual welding of metals, cutting and related work, foundry work, handling of metal products.

SIZE

of 10 pairs per bag 60 pairs per box

CATEGORY

C € 2ND CATEGORY





Split leather double palm glove

CODE GU091



Glove made entirely of split leather, double layer palm and fingers, 7 cm sleeve, resistant to cutting, abrasion and tearing.

> SIZE 10

USE
Manual welding of
metals, cutting and
related work, foundry
work, handling of
metal products.

PACKAGE
of 10 pairs
per bag
60 pairs
per box

C E 2ND CATEGORY

Plain split leather glove

CODE GU105



Glove made entirely in split leather, with a 15 cm safety sleeve, resistant to cutting, abrasion and tearing.

USE
Manual welding of
metals, cutting and
related work, foundry
work, handling of
metal products.

10

SIZE

PACKAGE of 10 pairs per bag 60 pairs per box

CATEGORY € 2ND CATEGORY

EN 388: 2016

Reinforced split leather glove

CODE GU106



Glove entirely in split leather, reinforced palm, 15 cm safety sleeve, resistant to cutting, abrasion and tearing.

Manual welding of metals, cutting and related work, foundry work, handling of metal products.

USE

SIZE

PACKAGE of 10 pairs per bag 60 pairs per box

CATEGORY

C = 2ND CATEGORY

EN 388: 2016

Heat resistant glove

CODE GU315

Glove with five fingers in aramid fiber, with internal lining in knitted cotton.



USE Steel industry, forging and calendering operations, extrusion of plastic and rubber materials, baking and glass food industry, vulcanization processes, tyre production and thermosetting plastic moulding.

SIZE	TOTAL
10	LENGT
	48 cm



CATEGORY

Heat resistant glove

CODE GU313



Glove with five fingers in aramid fiber, with internal lining in knitted cotton.

10

USE

Steel industry, forging and calendering operations, extrusion of plastic and rubber materials, baking and glass food industry, vulcanization processes, tyre production and thermosetting plastic moulding.

SIZE TOTAL LENGTH

28 cm

CATEGORY





EN 407:2004

Heat resistant glove

CODE GU314



Glove with five fingers in aramid fiber, with internal lining in knitted cotton.

USE

Steel industry, forging and calendering operations, extrusion of plastic and rubber materials, baking and glass food industry, vulcanization processes, tyre production and thermosetting plastic moulding.

SIZE

10

TOTAL LENGTH

38 cm

CATEGORY





EN 407:2004

ActivArmr Hycron Glove 27-805

CODE GGU935



Glove entirely coated with nitrile, inner lining in cotton jersey, safety sleeve, excellent resistance to sharp and abrasive materials, Sanitized Actifresh treatment, length 245-265 mm.

USE

Heavy engineering industry, urban waste collection and disposal, building materials, concrete blocks, concrete, transport, carpentry.

SIZES

9- 10

of 12 pairs
per bag
144 pairs
per box

PACKAGE

CATEGORY

C E 2ND CATEGORY

EN 388

ActivArmr Hycron Glove 27-607

(CODE. GGU932)



% nitrile coated glove, inner lining in cotton jersey, safety sleeve, excellent resistance to sharp and abrasive materials, Sanitized Actifresh treatment, length 250–260 mm.

USE

Heavy engineering industry, urban waste collection and disposal, building materials, concrete blocks, concrete, transport, carpentry.

SIZES

9- 10

TOTAL LENGTH

25 - 26 cm

PACKAGE

of 12 pairs per bag 144 pairs per box

CATEGORY

C E 2ND CATEGORY

EN 388:2016

ActivArmr Hycron Glove 27-600

CODE GGU928



% nitrile coated glove with knitted wrist, inner lining in cotton jersey, excellent resistance to sharp and abrasive materials, Sanitized Actifresh treatment, length 246-272 mm.

USE

Heavy engineering industry, urban waste collection and disposal, building materials, concrete blocks, concrete, transport, carpentry.

SIZES

8 - 9 - 10

PACKAGE

of 12 pairs per bag 144 pairs per box

CATEGORY

C € 2ND CATEGORY

EN 388:2016



ActivArmr Hycron Glove 27-602

CODE GGU933



Glove entirely coated in nitrile, with knitted wrist, inner lining in cotton jersey, excellent resistance to sharp and abrasive materials, Sanitized Actifresh treatment, length 246–260 mm.

USE
Heavy engineering
industry, urban
waste collection and
disposal, building
materials, concrete,

transport, carpentry.

SIZES	PACKA
9- 10	of 12 pai
	per bag
	144 pairs
	per box

CATEGORY			
CE	2ND CATEGORY		
E B	1 388		
4221B			

ActivArmr Hylite Glove 47-400

(CODE GGU700)



Cut and sewn glove, cotton interlock lining, nitrile coating, knitted wrist, length 270 mm

USE
Assembly and
inspection of small
components and
engine parts, general
handling, waste
collection, handling of
sheet metal and light
metal parts, shipping
and receiving of
goods, moulding.

SIZES	PACKAGE
7 - 8 - 9 - 10	of 12 pairs
	per bag
	per bag 144 pairs
	per box

CATEGORY			
CE	2ND CATEGORY		
	1 388		

Nitrotough Glove N230Y

CODE GGU110



Continuous string knit glove, thickness 13 needles, cotton interlock lining, nitrile coating, knitted wrist, length 260 mm.

Assembly and finishing, general maintenance operations for plants and factories, handling and manufacturing of light metal parts, metallurgical industry, quality control.

USE

SIZES PACKAGI
7 - 8 - 9 - 10 of 12 pairs
per bag
144 pairs
per box

PACKAGE

of 12 pairs
per bag
144 pairs
per box

CATEGORY

2ND CATEGORY

4111

Hynit Glove 32-105

(CODE GGU938)



Glove with nitrile coating, inner lining in polyester cotton, excellent fit, repellent to grease and dirt, sensitive and breathable, resistant to abrasion, length 215-235 mm.

11	c	

Mechanical industry, suitable for assembly and handling of small parts, transport, carpentry, textiles, warehouses and maintenance.

SIZES

7 - 7M - 8 9- 10

PACKAGE

of 12 pairs per bag 144 pairs per box

CATEGORY

C € 2ND CATEGORY

EN 388

Hynit Glove 32-815





Glove with nitrile palm aerated back, inner lining in polyester cotton, excellent fit, repellent to grease and dirt, sensitive and breathable, resistant to abrasion, length 245 mm

USE

Mechanical industry, suitable for assembly and handling of small parts, transport, carpentry, textiles, warehouses and maintenance.

SIZES

7 - 7M - 8 9- 10

PACKAGE

of 12 pairs per bag 144 pairs per box

CATEGORY

€ 2ND CATEGORY

EN 388

Hyflex Glove 11-800

CODE GGU926



Nylon continuous string knit glove with nitrile foam on palm and fingers, ultra-thin, sensitive, breathable, repellent, seamless, length 200-265 mm.

USE

Precision mechanics, electronics, fine fittings, taps and fittings, textiles, cables, etc.

SIZES

7 - 8 - 9 - 10

PACKAGE

of 12 pairs per bag 144 pairs per box

CATEGORY

C E 2ND CATEGORY



Hyflex Glove70-215

CODE GGU703



Continuous string knit glove, thickness 13 needles, Kevlar lining, Neptune coating, knitted wrist, length 220–280 mm. (according to size)

USE

Assembly and finishing, automotive body assembly, machine tool operation, handling of metal sheets and building materials, moulding.

SIZES

7 - 9 - 10

PACKAGE

12 pairs per bag 144 pairs per box

CATEGORY

2ND CATEGORY

1444XB

EN 407

ActivArmr Glove 42-474

CODE GGU970



Glove for special use, heat-resistant, lining made of non-woven fabric soaked in nitrile, heat-resistant (max. 250°C) and wear-resistant, length 330 mm.

USE

Oven painting, food baking, extraction of products from moulds (rubber, glass, ceramic, metal, thermoplastic resins), handling of foundry pieces, extraction of sterilised products in autoclaves,

SIZES 9- 10

of 6 pairs per bag 72 pairs per box

PACKAGE

CATEGORY

CE 3RD CATEGORY

EN 38

EN 407

Hyflex Sleeve 70-114

CODE GU711



Continuous string knit sleeve, thickness 24 needles, continuous string knit lining 100% Kevlar, length 356 mm, opening on the thumb for additional protection of the wrist area.

USE

Assembly and finishing, assembly of household appliances, automotive body assembly, glass repairs, handling of metal sheets and building materials, moulding.

PACKAGE

of 12 pieces per bag of 144 pieces per box

CATEGORY

C E 2ND CATEGORY

EN 388

EN 407

Hyflex Sleeve 70-118

CODE GU712



Continuous string knit sleeve, thickness 24 needles, continuous string knit lining 100% Kevlar, length 457 mm, opening on the thumb for additional protection of the wrist area.

USE

Assembly and finishing, assembly of household appliances, automotive body assembly, glass repairs, handling of metal sheets and building materials, moulding.

PACKAGE

of 12 pieces per bag of 144 pieces per box

CATEGORY

2ND CATEGORY

EN 388

Alphatec Glove 87-900

CODE GGU989



Glove in natural latex with Neoprene compound for handling chemicals, thickness 0.68 mm, lining in pure soft brushed cotton, "Sanitized Actifresh" treatment, external rhomboidal relief finish, with excellent wet and dry grip, double protection, length 323. mm.

USE

chemical industry, electronics, manufacture of batteries and accumulators, handling of agricultural chemicals.

SIZE

7- 8 9 - 10 - 11

PACKAGE

12 pairs per bag 144 pairs per box

CATEGORY

3RD CATEGORY

EN 374

EN421

Alphatec Glove 87-190

CODE GGU509



Glove in natural latex for minor hazards, thickness +/- 0,35 mm, inside lining, fish-scale finish for greater grip, length 290 mm.

USE

General cleaning and washing.

SIZES

7- 8 9- 10

PACKAGE

of 12 pairs per bag 144 pairs per box

CATEGORY



EN 388

EN 374

Alphatec Glove 87-370

CODE GGU801



Glove in natural rubber latex, 100% cotton flock lining, rough finish, rolled wrist, thickness 0,67 mm, length 325 mm.

USE

Handling of chemicals, detergents and cleaning products, general cleaning operations.

SIZES

6M - 7M 8M - 9M

PACKAGE

of 12 pairs per bag 144 pairs per box

CATEGORY









Alphatec Glove 37-520

CODE GGU112



Nitrile glove, 100% cotton fleece lining, thickness 0,35 mm, length 345 mm.

	_	_
·	-	_

Assembly, processing of fish products, printing sector.

SIZES

6M - 7M 8M - 9M

10M

PACKAGE

12 pairs per bag 144 pairs per box

CATEGORY

SRD CATEGORY





Alphatec Solvex Glove 37-185

CODE GGU371



Nitrile glove, flock-free cotton lining, sandblasted finish, long wrist, thickness 0.56 mm, length 455 mm.

USE

Chemical products for agriculture, chemical preparation and processing, metallurgical industry, printing industry, oil and gasoline refining.

SIZES

7 - 8 - 9 10- 11

PACKAGE

1 pair per bag 12 pairs per box

CATEGORY

C SRD CATEGORY



Alphatec Glove 39-124

(CODE GGU705)



Nitrile glove, cotton interlock lining, rough finish, long wrist, length 350 mm.

USE

Chemical products for agriculture, chemical preparation and processing, degreasing, maintenance, metallurgical industry, handling assembly components, filling tanks.

SIZES

7-8 9- 10

PACKAGE

12 pairs per bag 72 pairs per box

CATEGORY

SRD CATEGORY







CODE GGU916

Alphatec Solvex Glove 37-675

Nitrile glove for handling chemicals, fully lined, thickness 0.38 mm, excellent combination of mechanical and chemical resistance, reliable safety against the most commonly used solvents, oils, greases, aliphatic hydrocarbons, acids, Sanitized Actifresh treatment, length 330 mm.



USE

Chemical industry and oil refining, degreasing operation of the aeronautical and automotive industry, metalworking, manufacture of batteries and electronic components.

SIZES

6 - 7 - 8 9 - 10 - 11

PACKAGE

12 pairs per bag 144 pairs per box

CATEGORY

C SRD CATEGORY





Alphatec Glove 29-500

CODE GGU978



Neoprene glove for handling chemicals, fleece-lined, soft and elastic even at low temperatures, "Sanitized Actifresh" treatment, thickness 0.75 mm. length 300 mm

USE

For broad spectrum chemical protection, agriculture and refineries, cleaning and maintenance.

SIZES

7 - 8 - 9 10- 11

PACKAGE

12 pairs per bag 144 pairs per box

PACKAGE

CATEGORY

CODE GGU706

Alphatec Glove 09-022



Neoprene glove, lining in jersey cotton, smooth finish, long wrist, length 350 mm. Not to be used in operations with temperatures above 250°C.

USE

Handling of chemical products (in particular solvents and caustic substances), degreasing, metallurgical and petrochemical industry, galvanizing, refining oils and gasoline.

SIZE

10

6 pairs per bag 72 pairs per box

CATEGORY

rs and category en 388 sirs 3232C

32XXXX EN 511

111 EN 374
AJKLPT

Hyflex Sleeve 72-290

CODE GU710 (500mm)



Continuous string knit sleeve, thickness 10 needles, Dyneema lining, fiberglass, polypropylene, knitted sleeve. length 500 mm.

USE

Deboning, meat cutting, fish filleting, fish processing, fruit and vegetable processing, ready meals production.

PACKAGE

of 1 piece per bag of 12 pieces. per box

CATEGORY

2ND CATEGORY
EN 388
3X4XD

Touch N Tuff Glove 92-500

(CODE GGU942)



Disposable nitrile glove for chemicals handling, ultra-thin thickness 0.12 mm, ambidextrous, anti-sweat powder treatment, rolled wrist, exceptional abrasion resistance, length 240 mm

USE

Light mechanical industry, electronics, laboratories, pharmaceuticals, approved for food and medical use.

SIZES

7- 8 9- 10

PACKAGE

of 10 boxes 100 pieces per box

CATEGORY





Hyflex Glove 11-917

CODE GGU131



Continuous string knitted glove, thickness 13 needles, nylon lining, rough nitrile coating, knitted wrist, length 220–260 mm.

USE

Assembly of household appliances, general maintenance operations for plants and factories, handling and manufacturing of light metal parts, metallurgical industry, quality control.

SIZES

7- 8 9- 10

PACKAGE

12 pairs per bag 144 pairs per box

CATEGORY

2ND CATEGORY
EN 388

Hyflex Glove 72-285

(CODE GGU704)



Continuous string knit glove, thickness 13 needles, Dyneema lining, fiberglass, polypropylene, knitted cuff, length 250-330 mm.

USE

Deboning, meat cutting, fish filleting, fish processing, fruit and vegetable processing, ready meals production.

SIZE

6 - 7 - 8 9- 10

PACKAGE

of 6 pieces. per bag of 12 pieces. per box

CATEGORY

2ND CATEGORY
EN 388
IX4XB

Aluminized

A wide range of aluminized workwear for workers operating in extreme conditions, with high temperatures and open flames.



Aluminized Aramid Fiber Suit

CODE FF100



Central closure with velcro and snap buttons covered externally in aluminized aramid, Korean collar, stitching with Kevlar thread.

PROTECTION

Protection for approaching heat sources, from brief contact with flames and for the following types of heat: convective (B1: 7 seconds), radiant (C4: 131 seconds), molten aluminium spray (D3: 360 g), molten iron spray (E2: 190 drops), welding activities and related processes with equivalent risks.

USE	SIZE	FABRIC	CATEGORY
Foundries, furnaces, welding or cutting jobs.	XL	Aluminized aramid fiber (thickness 1.1 mm)	EN ISO 11611:2015 CLASS 2 A1 EN ISO 11612:2015 A1 B1 C4 D3 E2 F2

Aluminized Aramid Fiber Jacket

CODE FF102



Central closure with velcro and snap buttons covered externally in aluminized aramid, Korean collar, stitching with Kevlar thread.

PROTECTION

Protection for approaching heat sources, from brief contact with flames and for the following types of heat: convective (B1: 7 seconds), radiant (C4: 131 seconds), molten aluminium spray (D3: 360 g), molten iron spray (E2: 190 drops), welding activities and related processes with equivalent risks.

USE	SIZE	FABRIC	CATEGORY
Foundries, furnaces, welding or cutting jobs.	XL	Aluminized aramid fiber (thickness 1.1 mm)	EN ISO 11611:2015 CLASS 2 A1 EN ISO 11612:2015 A1 B1 C4 D3 E2 F2

Aluminized Aramid Fiber Trousers

CODE FF103



Front opening with a snap button covered externally with aluminized aramid, side opening at the bottom closed with velcro for a better fit, stitching with Kevlar thread.

PROTECTION

Protection for approaching heat sources, from brief contact with flames and for the following types of heat: convective (B1: 7 seconds), radiant (C4: 131 seconds), molten aluminium spray (D3: 360 g), molten iron spray (E2: 190 drops), welding activities and related processes with equivalent risks.

USE	SIZE	FABRIC	CATEGORY
Foundries, furnaces, welding or cutting jobs.	XL	Aluminized aramid fiber (thickness 1.1 mm)	EN ISO 11611:2015 CLASS 2 AI EN ISO 11612:2015 AI BI C4 D3 E2 F2

Aluminized Aramid Fiber Apron

CODE FR105



Leather laces closure.

PROTECTION

Protection for approaching heat sources, from brief contact with flames and for the following types of heat: convective (B1: 7 seconds), radiant (C4: 131 seconds), molten aluminium spray (D3: 360 g), molten iron spray (E2: 190 drops), welding activities and related processes with equivalent risks.

and related processes with equivalent risks.			
USE	SIZE	FABRIC	CATEGORY
Foundries, furnaces, welding or cutting jobs.	90 X 60 cm	Aluminized aramid fiber (thickness 1.1 mm)	EN ISO 11611:2015 CLASS 2 A1 EN ISO 11612:2015 A1 B1 C4 D3 E2 F2

Aluminized Aramid Fiber Glove 38 cm

CODE FR107



Palm and back in 1.1 mm thick aluminized aramid fiber, lined in 0.7 mm fireproof non-woven fabric, sleeve in aluminized aramid fabric lined in fireproof non-woven fabric, stitching with Kevlar thread.

PROTECTION AGAINST MECHANICAL HAZARDS

Abrasion, cutting, tearing and drilling.

PROTECTION AGAINST THERMAL HAZARDS

Fire behaviour, contact heat, convective heat, radiant heat, small splashes of molten metal.

USE	SIZE	CATEGORY
Industry in general, handling of hot	10	C€
components, handling of objects with		EN 388/ EN 407
sharp, rough, abrasive edges as well as		
welding and cutting activities.		1442X 42244X

Aluminized Aramid Fiber Hood

CODE FR101



Hood with neutral face shield in polycarbonate with anti-scratch treatment and ratchet adjustable cap, stitching with Kevlar thread.

PROTECTION

Protection for approaching heat sources, from brief contact with flames and for the following types of heat: convective (B1: 7 seconds), radiant (C4: 131 seconds), molten aluminium spray (D3: 360 g), molten iron spray (E2: 190 drops), welding activities and related processes with equivalent risks.

USE	SIZE	FABRIC	CATEGORY
Foundries, furnaces, welding or cutting jobs.	One size	Aluminized aramid fiber (thickness 1.1 mm)	EN ISO 11611:2015 CLASS 2 A1 EN ISO 11612:2015 A1 B1 C4 D3 E2 F2

Aluminized Aramid Fiber footwear

CODE FR108



Side velcro closure, stitching with Kevlar thread, height 30 cm.

PROTECTION

Protection for approaching heat sources, from brief contact with flames and for the following types of heat: convective (B1: 7 seconds), radiant (C4: 131 seconds), molten aluminium spray (D3: 360 g), molten iron spray (E2: 190 drops), welding activities and related processes with equivalent risks.

USE	SIZE	FABRIC	CATEGORY
Foundries, furnaces, welding or cutting jobs.	One size	Aluminized aramid fiber (thickness 1.1 mm)	EN ISO 11611:2015 CLASS 2 A1 EN ISO 11612:2015 A1 B1 C4 D3 E2 F2

Aluminized Aramid Fiber gaiters

CODE FR104



Side closure with velcro and under shoe fastening strap in aramid fiber, stitching with Kevlar thread, height 30 cm.

PROTECTION

Protection for approaching heat sources, from brief contact with flames and for the following types of heat: convective (B1: 7 seconds), radiant (C4: 131 seconds), molten aluminium spray (D3: 360 g), molten iron spray (E2: 190 drops), welding activities ar

and related processes with equivalent risks.			
USE	SIZE	FABRIC	CATEGORY
Foundries, furnaces, welding or cutting jobs.	One size	Aluminized aramid fiber (thickness 1.1 mm)	EN ISO 11611:2015 CLASS 2 A1 EN ISO 11612:2015 A1 A2 B1 C4 D3 E2 F2

Non-woven fabric

Coveralls, coats, jackets and trousers, designed to be used in different sectors such as: construction, medical clothing, agriculture and industry.



DUPONT™ TYCHEM® C Coveralls

CODE RR404

USE	Hermetically sealed against particles, dangerous ultrafine powders, acids, inorganic bases and water-based salt solution; resistant to splashes and liquids.
FABRIC	Dupont™ Tychem® "C" with polymeric coating
SIZES	M - L - XL - XXL
PACKAGE	of 5 pieces per size
CATEGORY	C € 3RD CATEGORY





Hood with elastic around the face and chin strap with adhesive flap, central covered zip closure with double adhesive flap, elastic at the wrists and at the waist, reinforced and sealed seams, elastic at the bottom of the leg.

DUPONT™ TYVEK® CLASSIC XPERT Coveralls

CODE RR402

USE	Against sprays, aerosols and chemical splashes, an excellent particle barrier, antistatic and repellent.
FABRIC	100% polyethylene Weight 41 g/m²
SIZES	M - L - XL - XXL
PACKAGE	of 25 pieces per size
CATEGORY	C € 3RD CATEGORY STORY STOR





Hood with elastic around the face, central covered zip closure with flap, elastic at the wrists and at the waist, external reinforced seams, elastic at the bottom of the leg.



Overtech Elkhart Coveralls

CODE RR800

USE

Protection against aerosols, liquids and low pressure splashes, airborne solid particles and a variety of chemical uses.

FABRIC

SMS 100% polypropylene

Weight 50 g/m²

SIZES

M - L - XL - XXL

CATEGORY



C SRD CATEGORY



EN ISO 13982-1/04 A1:2010 TYPE 5



EN13034/05 A1:2009 TYPE 6



S EN1073-2/02



<u>4</u> EN1149-5/08



Protective clothing made of special SMS fabric material, with no particle release, with anti-static treatment, with elastic hood, front zip closure with flap and adhesive strip to ensure tightness against liquids, elasticated wrists and ankles, back elastic at the waist for an excellent fit to the body.



Overtech Maine Coveralls

CODE RR810

USE

Protection against liquid aerosols or splashes, airborne solid particles, microorganisms.

FABRIC

Laminated Weight 65 g/m²

SIZES

M - L - XL - XXL

CATEGORY





EN13034/05 A1:2009 TYPE 6-B



EN1073-2/02



(<u>/</u>) EN1149-5/08



EN14126/3





TYVEK® Practik Jacket

USE	Work-wear to be used only in all sectors where generic protection is required in the absence of harmful toxic products or dust.
FABRIC	100% micro perforated polyetylene 41 g/m²
SIZES	M - L - XL - XXL
PACKAGE	of 50 pieces per size
CATEGORY	C E IST CATEGORY FOR MINIMUM RISKS



TYVEK® Practik Trousers

USE	Work-wear to be used only in all sectors where generic protection is required in the absence of harmful toxic products or dust.
FABRIC	100% micro perforated polyetylene 41 g/m²
SIZES	M - L - XL - XXL
PACKAGE	of 50 pieces per size
CATEGORY	C E 1ST CATEGORY FOR MINIMUM RISKS



CODE RR430

Elastic at the waist, elastic at the bottom of the leg.

TYVEK® Practik Coat

USE	Work-wear to be used only in all sectors where generic protection is required in the absence of harmful toxic products or dust.
FABRIC	100% micro perforated polyetylene 41 g/m²
SIZES	M - L - XL - XXL
PACKAGE	of 50 pieces per size
CATEGORY	C E 1ST CATEGORY FOR MINIMUM RISKS




CODE RR426

Snap button closure, 1 breast pocket, elastic at the cuffs, 1 pocket.

TYVEK® Practik 1622E Coveralls

CODE RR401

USE	Work-wear to be used only in all sectors where generic protection is required in the absence of harmful toxic products or dust.
FABRIC	100% micro perforated polyetylene 41 g/m²
SIZES	M - L - XL - XXL
PACKAGE	of 25 pieces per size
CATEGORY	C E 1ST CATEGORY FOR MINIMUM RISKS



Polypropylene Coveralls

CODE RR400


USE	Work-wear to be used only in all sectors where generic protection is required in the absence of harmful toxic products or dust.
FABRIC	100% polypropylene Weight 40 g/m²
SIZES	M - L - XL - XXL
PACKAGE	of 25 pieces per size
CATEGORY	CE IST CATEGORY FOR MINIMUM RISKS

Hood, central zip closure, elastic at the cuffs, elastic at the waist, elastic at the bottom of the leg.



Personal safety

First aid kits have all the necessary items for an efficient, tidy and complete first aid dressing, so that all minor problems can be quickly solved on-site.



First aid cabinet

USE For companies and production units with 3 or more workers (groups A and B), as per Ministerial Decree 388 dated 15/07/2003 and Legislative Decree 81 dated 09/04/2008.

DIMENSIONS 460x300x140 mm

CONTENTS

- 1 copy of Min. Decree 388 dated 15.07.03
- 5 pairs of sterile gloves
- 1 safety mask with eve protector visor
- 3 bottles of sterile saline solution 500 ml EC
- 2 disinfectant bottles 500 ml iodine povidone 10% iodine PMC
- 10 packets sterile gauze pads 10x10 cm
- 2 packets sterile gauze pads 18x40 cm
- 2 sterile cloths 40x60 cm DIN 13152-BR
- · 2 pairs of sterile tweezers
- 1 pack of cotton wool
- · 1 pack of net elastic bandage
- 2 Plastosan 10 assorted plasters
- 2 reels adhesive plaster m 5x2,5 cm
- 1 pair of bandage-cutting scissors • 3 haemostatic laces (tourniquets)
- · 2 disposable instant ice packs
- · 2 bags for medical waste
- 1 digital clinical thermometer CE
- 1 Personal sphygmomanometer with phonendoscope
- · 1 multilingual first aid instruction booklet



Metal cabinet painted with white epoxy powder, 3 compartments and 2 internal shelves with lock and key.

CODE COO2

First aid cabinet

For companies and production units with 3 or more workers USE (groups A and B), as per Ministerial Decree 388 dated 15/07/2003 and Legislative Decree 81 dated 09/04/2008. supplemented with products of recognised utility.

DIMENSIONS 483x402x202 mm

CONTENTS

- 1 copy of Min. Decree 388 dated 15.07.03
- 5 pairs of sterile gloves
- · 1 safety mask with eye protector visor
- 3 bottles of sterile saline solution 500 ml EC
- · 2 disinfectant bottles 500 ml iodine povidone 10% iodine
- 10 packets sterile gauze pads 10x10 cm
- 2 packets sterile gauze pads 18x40 cm
- 2 sterile cloths 40x60 cm DIN 13152-BR
- · 2 pairs of sterile tweezers
- · 2 pack of cotton wool
- 1 pack of net elastic bandage
- 2 Plastosan 20 assorted plasters
- 1 pair of bandage-cutting scissors
- 2 reels adhesive plaster m 5x2,5 cm
- 3 haemostatic laces (tourniquets)
- 2 disposable instant ice packs
- 2 bags for medical waste
- 1 digital clinical thermometer CE
- 1 Personal sphygmomanometer with phonendoscope
- 4 gauze bandages 350x10 cm
- 1 PIC 3 case with: 3 sachets of liquid soap, 3 sachets of PMC disinfectant wipes,
 - 2 sachets of ammonia wipes
- 1 Disclean disp.100 wipes DIS050
- 1 gold/silver isothermal blanket 160x210 cm
- 1 triangular non-woven sling/cloth 96x96x136 cm
- 2 prepared 3,5 g sterile gel for burns
- 2 elastic bandage m 4x6 cm DIN 61634
- 1 sterile pad bandage 8x10 cm DIN 13151 M
- · 1 multilingual first aid instruction booklet



3 compartments and 2 internal shelves with lock with key. Carbon steel cabinet, painted with epoxy powder, oven-baked at 180°, rounded edges, 2 steel shelves, door with three accessory holders, removable bottle holder base, lock with key.

First aid case

USE For companies or production units with less than 3 workers (group C) branch offices and service vehicles, as per Ministerial Decree 388 dated 15/07/2003 and Legislative Decree 81 dated 09/04/2008.

DIMENSIONS 250x190x90 mm

CONTENTS

- 1 copy of Min. Decree 388 dated 15.07.03
- 2 pairs of sterile gloves
- 1 disinfectant bottle 125 ml iodine povidone 10% iodine PMC
- 1 sterile saline solution 250 ml EC
- 1 packet sterile gauze pads 18x40 cm
- 3 packets sterile gauze pads 10x10 cm
- 1 pair of sterile tweezers
- 1 pack of cotton wool
- 1 Plastosan 10 assorted plasters
- 1 reel adhesive plaster m 5x2,5 cm
- 1 gauze bandage 350x10 cm
- · 1 pair of bandage-cutting scissors
- 1 haemostatic lace (tourniquet)
- 1 disposable instant ice packs
- 1 bag for medical waste 25x35 cm
- 1 multilingual first aid instruction booklet

CODE COOS



Orange plastic case, with wall mounting bracket, 2 rotating clips closure and handle for transport.

First aid case

USE For companies or production units with 3 or more workers (groups A and B) with contents as per Ministerial Decree 388 dated 15/07/2003 and Legislative Decree 81 dated 09/04/2008.

DIMENSIONS 395x270x135 mm

CONTENTS

- 1 copy of Min. Decree 388 dated 15.07.03
- 5 pairs of sterile gloves
- 1 safety mask with eye protector visor
- · 3 bottles of sterile saline solution 500 ml EC
- 2 disinfectant bottles 500 ml iodine povidone 10% iodine PMC
- 10 packets sterile gauze pads 10x10 cm
- 2 packets sterile gauze pads 18x40 cm
- 2 sterile cloths 40x60 cm DIN 13152-BR
- 2 pairs of sterile tweezers
- 1 pack of cotton wool
- 1 pack of net elastic bandage
- 2 Plastosan 10 assorted plasters
- 2 reels adhesive plaster m 5x2,5 cm
- 1 pair of bandage-cutting scissors
- 3 haemostatic laces (tourniquets)
- 2 instant ice packs
- 2 bags for medical waste Minigrip
- 1 digital clinical thermometer CE
- 1 Personal sphygmomanometer with phonendoscope
- 1 multilingual first aid instruction booklet

CODE COO6



Orange plastic case, with wall mounting bracket and 2 rotating clips closure, handle for transport.

First aid case

CODE CO11

USE For companies and production units with 3 or more workers (groups A and B), with contents as per Ministerial Decree 388 dated 15/07/2003 and Legislative Decree 81 dated 09/04/2008.supplemented with products of recognised utility.

DIMENSIONS 443x338x147 mm

CONTENTS

- 1 copy of Min. decree 388 dated 15.07.03
- 5 pairs of sterile gloves
- 1 safety mask with eye protector visor
- 3 sterile saline solution 500 ml EC
- 2 disinfectant bottles 500 ml iodine povidone 10% iodine PMC
- 10 packets sterile gauze pads 10x10 cm
- 2 packets sterile gauze pads 18x40 cm
- 2 sterile cloths 40x60 cm DIN 13152-BR
- 1 pack of cotton wool
- 2 pairs of sterile tweezers
- 1 pack of net elastic bandage
- 2 reels adhesive plaster m 5x2,5 cm
- 2 Plastosan 20 assorted plasters
- 1 pair of bandage-cutting scissors
- 3 haemostatic laces (tourniquets)
- · 2 instant ice packs
- 2 bags for medical waste
- 1 digital clinical thermometer CE
- 1 Personal sphygmomanometer with phonendoscope
- 2 gauze bandage rolls m3,5x10cm
- 1 PIC 3 case with: 3 liquid soaps,
- 3 disinfectant wipes, 2 ammonia wipes
- 1 gold/silver isothermal blanket 160x210 cm
 1 triangular non-woven sling/cloth 96x96x136 cm
- 1 hand sanitizer bottle Esosan Gel 100 ml
- I nand sanitizer bottle Esosan G
 2 elastic bandage m 4x6 cm
- 1 sterile pad bandage 8x10 cm DIN 13151
- 1 multilingual first aid instruction booklet



ABS case composed of two equal parts each with separators to provide better storage of the products, hermetic seal with neoprene gasket, bracket for wall mounting, 2 rotating clips and transport handle.

Refill pack

USE For companies and production units with less than 3 workers (group C) without aneroid sphygmomanometer

CONTENTS

Refill for **CODE COO5** for its content please visit our website.



CODE CO15

Refill pack

USE For companies and production units with 3 or more workers with aneroid sphygmomanometer (groups A and B).

CONTENTS

Refill for **CODE**. **COO6** for its content please visit our website.



CODE CO16

Refill pack

USE For companies and production units with 3 or more workers without aneroid sphygmomanometer (groups A and B).

CONTENTS

Refill for **CODE**. **COO6** for its content please

visit our website.



CODE CO17





The Angiolina collection by Rossini, which was created under the banner of elegance and finesse, is dedicated to all professionals in the Ho.Re.Ca. sector.

Distinctive solutions that skilfully combine the fabric quality with an innovative and practical fit, with extreme attention to detail.

Chef's jacket **Anton**

(CODE MG0801)

FABRIC	96% Cotton, 4% spandex Weight 190 g/m²
SIZES	S - M - L - XL - XXL - XXXL
TREATMENT	





Chef's jacket Colette

(CODE MG0901)

FABRIC	96% Cotton, 4% spandex Weight 190 g/m²
SIZES	XS - S - M - L - XL
TREATMENT	







Chef's jacket Larissa

(CODE MG0301)

FABRIC	Gabardine 100% non-shrink cotton Weight 200 g/m²
SIZES	XS - S - M - L XL - XXL - XXXL
TREATMENT	₩ A @ P O





Chef's jacket Accademia

(CODE MG0100)

FABRIC	Gabardine 100% non-shrink cotton Peso 190 g/m²
SIZES	XS - S - M - L XL - XXL - XXXL
TREATMENT	



Chef's jacket with Korean collar, a breast pocket, double-breasted buttoning with ten interchangeable white buttons, open roll up sleeve bottom.

for ventilation, internal breast welt pocket on the left, open roll up sleeve bottom.

COLOUR

02 - WHITE

Plutone Trousers

(CODE MP0301)



FABRIC

Gabardine 100% non-shrink cotton Weight 200 g/m² - for 02-white, 05-black and JN-black pinstriped Yarn-dyed, 100% cotton Weight200 g/m² - for 15 black and white checkers

SIZES

XS - S - M - L XL - XXL - XXXL

TREATMENT







Zante Apron

CODE M40207

FABRIC
65% polyester
35% Cotton
Weight 240 g/m²

DIMENSIONS
67 x 93 cm

TREATMENT















Apron with antique brass buckle, neck and hips lace in matching fabric, rounded central large pocket.



Apron with antique brass buckle, neck and hips lace in matching fabric, rounded central large pocket.

Zante Apron

(CODE M40201)

Tristano lab coat

CODE MC0101

FABRIC	Gabardine
	100% non-shrink cotton
	Weight 200 g/m²
SIZES	S - M - L - XL - XXL - XXXL
TREATMENT	$\widetilde{\omega} \triangle \overline{\omega} \bigcirc \overline{\mathbb{Q}}$



Men's cotton lab coat with a left breast patch pocket, central closure with concealed buttons, two lower patch pockets, elasticated wrists, full back.

COLOUR

02 - WHITE

Isotta lab coat

CODE MVO601



Women's cotton lab coat with a left breast patch pocket, central closure with concealed buttons, two lower patch pockets, elasticated wrists, full back.

COLOUR

02 - WHITE

Men's hospital lab coat

(CODE A63001)

FABRIC	Gabardine 100% non-shrink cotton Weight 200 g/m²
SIZES	From 44 to 62
TREATMENT	



Men's cotton lab coat with a left breast patch pocket, central closure with exposed buttons, two lower patch pockets, back with central stitching, free back half belt in two pieces with two central buttons, slit at the back.

COLOUR

02 - WHITE

Women's hospital lab coat

CODE A63101)

FABRIC
Gabardine
100% non-shrink cotton
Weight 200 g/m²

SIZES
From 42 to 56

TREATMENT

60° \(\triangle \triangle


Women's cotton lab coat with a left breast patch pocket, central closure with exposed buttons, two lower patch pockets, back with central stitching, free back half belt in two pieces with two central buttons, slit at the back.











Trousers



CODE A00228 ULTRAFLEX TROUSERS PAGE 22



CODE A00805 FANGIO TROUSERS PAGE 26



CODE A00328 THUNDER TROUSERS PAGE 34



CODE A00803
RIP STOP MATRIX
TROUSERS
PAGE 35



CODE A00147 CARGO SOUL JEANS



TPS TROUSERS PAGE 41



3ACTIVE TROUSERS PAGE 44



FLAMMATEX TROUSERS PAGE 50



2ACTIVE TROUSERS PAGE 54



CODE A00130 TWO-TONES TROUSERS PAGE 62



TROUSERS PAGE 66



CODE A0011799
WINTER PADDED
TROUSERS
PAGE 68



SILVERSTONE TROUSERS PAGE 111



CODE A00106 SERIOPLUS + TROUSERS WITH REFLECTIVE STRIPES PAGE 115



SERIOPLUS + TROUSERS PAGE 116



SERIOTECH TROUSERS PAGE 122



CODE A00101 SERIO TROUSERS PAGE 125



BREMBOPLUS MULTI-POCKET TROUSERS PAGE 126



BREMBOPLUS TROUSERS



CODE A00108 TERMOPLUS+ TROUSERS



CODE A89800 STIFFER TROUSERS



CODE A00901 BAHAMAS TROUSERS



CODE A85010 NEW SANTIAGO TROUSERS



NEW NEBRASKA WINTER TROUSERS PAGE 160



SERIO MULTI-POCKET TROUSERS PAGE 161



CODE A88800 TALLIN WINTER TROUSERS PAGE 161



CODE A00148 POP JEANS PAGE 162



CODE A00146 FEEL GOOD JEANS PAGE 240



CODE FF103
ALIMINIZED ARAMID
FIBER TROUSERS
PAGE 318



CODE RR430 TYVEK PRACTIK TROUSERS PAGE 324



CODE MPO301 PLUTONE TROUSERS PAGE 334

Bermuda shorts



CODE A00804 RIP STOP WORKY BERMUDA SHORTS PAGE 36



CODE A89700 STIFFER BERMUDA SHORTS PAGE 155



CODE A00902 BONNIE BERMUDA SHORTS PAGE 157



CALIFORNIA BERMUDA SHORTS PAGE 159

Overalls



TPS OVERALLS



CODE A40150 3ACTIVE OVERALLS



FLAMMATEX OVERALLS PAGE 52



2ACTIVE OVERALLS PAGE 56



CODE A40130
TWO-TONES OVERALLS PAGE 65



OVERALLS PAGE 67



CODE A40129 SILVERSTONE OVERALIS PAGE 114



CODE A40109 SERIOPLUS + OVERALLS



CODE A40122 BRMBOPLUS OVERALLS **PAGE 129**



CODE A40108 TERMOPLUS + OVERALLS **PAGE 138**



DAYTONA **OVERALLS** PAGE 139



CODE A45107 NUVOLARI **OVERALLS**



CODE A45007 LOMELLINA **OVERALLS**



CODE A42807 AMSTERDAM **OVERALLS**





CODE A43007 NOTTINGHAM **OVERALLS**



CODE A46107 NEW YORK OVERALLS



CODE A42307 BREST **OVERALLS**



LONDRA **OVERALLS** PAGE 145



CODE A41807 GINEVRA OVERALLS PAGE 146



CODE A42007 BERLINO OVERALLS PAGE 146



CODE A42707 SIDNEY **OVERALLS** PAGE 147



CODE A42401 BELGRADO OVERALLS PAGE 147



CODE A41307 BRUXELLES OVERALLS PAGE 148



CODE A41507 BONN OVERALLS PAGE 148



ALUMINIZED ARAMID FIBER SUIT PAGE 318



CODE RR404 DUPONT TYCHEM C COVERALLS PAGE 322



COVERALLS

PAGE 322

OVERTECHELKHART

COVERALLS

PAGE 323

OVERTECH MAINE COVERALLS PAGE 323



PAGE 325

CODE RR401 TYVEK PRACTIK 1622E COVERALLS

CODE RR400
POLYPROPYLENE COVERALLS PAGE 325

Bibs



CODE A50228 ULTRAFLEX BIB PAGE 24



CODE A50114 2ACTIVE BIB PAGE 56



TWO-TONES BIB PAGE 64



CODE A50129 SILVERSTONE BIB





CODE A50122 BREMBOPLUS BIB

CODE A50108 TERMOPLUS+ BIB

Lab Coats and Coats



2ACTIVE MEN'S COAT

PAGE 55



CODE A60137 UNISEX ACID PROOF COAT PAGE 57



CODE A60109 SERIOPLUS + WORK COAT PAGE 119



CODE A60101 SERIO MEN'S WORK COAT PAGE 125



CODE A60122 BREMBOPLUS MEN'S WORK COAT



CODE A60107 POLISERIO



CODE A70107 POLISERIO



CODE A62207 POLIBREMBO



CODE A62307 POLIBREMBO MEN'S WORK COAT WOMEN'S WORK COAT MEN'S WORK COAT WOMEN'S WORK COAT



CODE RR426 TYVEK PRACTIK COAT



CODE MC0101 TRISTANO LAB COAT PAGE 336



CODE MV0601 ISOTTA LAB COAT PAGE 336



CODE A63001 **MEN'S HOSPITAL** LAB COAT PAGE 337



CODE A63101 WOMEN'S HOSPITAL LAB COAT PAGE 337

Work jacket



CODE A10228
ULTRAFLEX
JACKET
PAGE 23



FANGIO
JACKET
PAGE 27



CODE A10151 TPS JACKET PAGE 42



CODE A10150 3ACTIVE JACKET PAGE 45



CODE A10116
FLAMMATEX
JACKET



CODE A10114 2ACTIVE JACKET PAGE 54



TWO-TONE
JACKET



CODE A10117 JACKET PAGE 66



CODE A1011799
WINTER PADDED
JACKET
PAGE 68



CODE A10129 SILVERSTONE JACKET



CODE A10109 SERIOPLUS + JACKET PAGE 117



CODE A10225 SERIOTECH JACKET PAGE 123



CODE A10122
BREMBOPLUS
JACKET



CODE A10108 TERMOPLUS + JACKET PAGE 136



CODE RR425 TYVEK PRACTIK JACKET PAGE 324

Work jacket



CODE A20150 3ACTIVE JACKET PAGE 46



CODE A20116
FLAMMATEX
JACKET



CODE GH200 SPLIT LEATHER JACKET



CODE A20109 SERIOPLUS + JACKET PAGE 120



CODE A20122 BREMBOPLUS JACKET PAGE 128



CODE A20108 TERMOPLUS + JACKET PAGE 137



CODE FF102
JACKET IN
ALUMINIZED ARAMID
FIBER
PAGE 318



CODE MG0801 CHEF'S JACKET ANTON PAGE 332



CODE MG0901 CHEF'S JACKET COLETTE PAGE 332



CODE MG0301 CHEF'S JACKET LARISSA PAGE 333



CODE MG0100 CHEF'S JACKET ACCADEMIA PAGE 333

Jackets



CODE HH626 FLASHUP HI-VIS JACKET PAGE 61



CODE HH224 LINDOS PARKA PAGE 73



CODE HH225 FRESNEL PARKA PAGE 74



CODE HH226
EDDYSTONE PILOT PAGE 75



CODE HH309 RAIN CREW SUITE OUTFIT PAGE 76



CODE HH641 SNIPER PAGE 87



CODE HH642 MASTER+ PAGE 88



CODE HH638 SMARTY SOFTSHELL JACKET PAGE 89



CODE HH634 NEWMAN SOFTSHELL JACKET PAGE 90



CODE HH651 RUSTY SOFTSHELL JACKET PAGE 91



NEW NYBORG SOFTSHELL JACKET PAGE 93



CODE HH620 SHETTLAND SOFTSHELL JACKET PAGE 95



CODE HH652 **NEW CRUISER** JACKET PAGE 96



DUSTY JACKET PAGE 98



CODE HH637 **DOVER** JACKET PAGE 99



MONTANA JACKET PAGE 100



CODE HH625 COLLINS JACKET PAGE 101



CODE HH310 SET NEWPORT PAGE 104



CODE HH627 CRUZ JACKET



CODE HH631 LENNY MEN'S K-WAY



CODE HH632 ESSEN WOMEN'S K-WAY PAGE 188



CODE HH636 ISLAND **JACKET**



CODE HH693 DENVER **JACKET**



CODE HH217 RONNY JACKET PAGE 218



CODE HH210 SIMPLE PARKA



CODE HH241 SUPERSTAR PARKA PAGE 223



CODE HH262 NYLON PILOT PAGE 224



CODE HH260 **COTTON POLYESTER** PILOT PAGE 225



CODE HH305 JACKET AND TROUSERS SET -POLYESTER PAGE 228



CODE HH302 **POLYESTER COAT** PAGE 229

Vests



CODE A20805 FANGIO VEST PAGE 28



CODE HH229 KEN VEST PAGE 70



CODE A10317 VEST PAGE 70



CODE A10319 VEST PAGE 71



CODE A10519 PROMOTIONAL VEST PAGE 71



CODE HH654 ZACK SOFTSHELL VEST PAGE 92



CODE HH623 PRESTON SOFTSHELL VEST PAGE 94



CODE HH653 KARL VEST PAGE 97



CODE HH624 BRADFORD VEST PAGE 102



CODE HH687 KANSAS VEST PAGE 103



CODE HH298 FLORIDA VEST PAGE 190



CODE HH218 MORGAN VEST PAGE 219



CODE HH213 DIXON VEST PAGE 220



CODE HH214 NELSON VEST PAGE 220



CODE HH686 PERLIS VEST PAGE 221



CODE HH296 MULTI-POCKET QUILTED VEST PAGE 226



CODE HH299 ORTISEI VEST PAGE 226

Sweatshirts and fleeces



NORBERG FLEECE



CODE HH166 SKILL SWEATSHIRT PAGE 81



CODE HH165 TASK FLEECE PAGE 83



CODE HH196 HAMPTON SWEATSHIRT PAGE 194



CODE HH191 CANBERRA SWEATSHIRT PAGE 195



CODE HH189 QUEBEC SWEATSHIRT PAGE 196



CODE HH184 NEW NARVIK SWEATSHIRT PAGE 197



CODE HH103 NARVIK SWEATSHIRT PAGE 198



CODE HH186 PHOENIX SWEATSHIRT PAGE 198



CODE HH185 CARDIFF SWEATSHIRT PAGE 199



CODE HH102 ASPEN SWEATSHIRT PAGE 200



CODE HH181
PERTH
SWEATSHIRT
PAGE 202



GRABBY SWEATSHIRT PAGE 204



SPACE SWEATSHIRT PAGE 206



CODE HH107
POLO COLLAR
SWEATSHIRT
PAGE 208



CODE HH183 OTTAWA SWEATSHIRT PAGE 208



CODE HH050 V-NECK SWEATER PAGE 209



CODE HH053 SWEATER WITH ZIP PAGE 209



CODE HH131 LONG ZIP FLEECE PAGE 210



CODE HH132 SHORT ZIP FLEECE PAGE 212

T-shirts and Polo shirts





CODE HH112 ULTRAFLEX T-SHIRT PAGE 25

CODE HH228 SEAL POLO SHIRT PAGE 69

CODE HH163 POLO SHIRT PAGE 166

CODE HH164 TRUCK T-SHIRT PAGE 167



CODE HH162 LAZY MEN'S T-SHIRT **PAGE 168**



CODE HH155 FOXY POLO SHIRT PAGE 169



CODE HH153 PARROT POLO SHIRT PAGE 170



CODE HH145 TOP LANCELOT **POLO SHIRT PAGE 171**



CODE HH146 ITALIA **POLO SHIRT** PAGE 172



CODE HH125 LANCELOT LONG SLEEVE POLO SHIRT **PAGE 173**



CODE HH124 LANCELOT **POLO SHIRT** PAGE 174



TAKE TIME WOMEN'S POLO SHIRT PAGE 175



TAKE TIME POLO SHIRT PAGE 176



T-SHIRT **PAGE 178**



CODE HH154 TAKE TIME WOMEN'S T-SHIRT PAGE 180



CODE HH152 **TAKE TIME** CHILDREN'S T-SHIRT PAGE 181



CODE HH116 V-NECK T-SHIRT PAGE 182



CODE HH161 T-SHIRT PAGE 182

Shirts



CODE HHOO7 **3ACTIVE** SHIRT



CODE HH026 LONG SLEEVE SHIRT



CODE HH002 LONG SLEEVE SHIRT



BREMBO LONG SLEEVE SHIRT PAGE 135



CODE HH025 **BREMBO SHORT** SLEEVE SHIRT PAGE 135



JAZZ DENIM SHIRT PAGE 242

Aprons and hats



CODE H213 MASSAUA APRON PAGE 232



CODE RO11 FORAGE HAT PAGE 232



CODE RO10 FORAGE HAT PAGE 232



CODE R109 DRILL APRON PAGE 233



CODE R110 MASSAUA APRON



CANVAS APRON PAGE 233



APRON



SLEEVE



CODE R101 - CODE R103 WAIST APRON PAGE 234



CHEF'S HAT PAGE 235



CODE R100 KITCHEN TOWEL PAGE 235



CODE R140 CHEF SCARF PAGE 235



CODE RO51 CAP PAGE 236



CODE ROO2 WOMAN'S CAP PAGE 236



CODE ROO1 WOMAN'S CAP PAGE 236



CODE M40207 ZANTE APRON PAGE 335



CODE M40201 ZANTE APRON PAGE 335

Footwear



CODE SSRC608 ROCKFORD LOW FOOTWEAR PAGE 246



ROCKFORD HIGH FOOTWEAR PAGE 246



CODE PPRC606 OREGON HIGH FOOTWEAR PAGE 247



CODE PPRC663 TOLEDO HIGH FOOTWEAR PAGE 248



CODE SSRC631 TOLEDO LOW FOOTWEAR PAGE 248



CODE SSVL418 TORONTO LOW FOOTWEAR PAGE 249



CODE SSRC304 DALLAS LOW FOOTWEAR PAGE 249



BRANDON LOW FOOTWEAR PAGE 250



CODE SSVL419 YUMA LOW FOOTWEAR PAGE 250



CODE SSVL300 BALTIMORA LOW FOOTWEAR PAGE 251



CODE SSVL200 ISERE LOW FOOTWEAR PAGE 251



CODE SSRC163
PETRA
LOW FOOTWEAR
PAGE 251



CODE PPVL425 VOLGA HIGH FOOTWEAR PAGE 252



VOLGA
LOW FOOTWEAR
PAGE 252



CODE PPVL100 PANAMA HIGH FOOTWEAR PAGE 253



CODE SSVL400 PANAMA LOW FOOTWEAR PAGE 253



CODE PPRC160 HARVEY HIGH FOOTWEAR PAGE 254



CODE SSRC174 HARVEY LOW FOOTWEAR PAGE 254



CODE PPFL151 TARIM HIGH FOOTWEAR PAGE 255



CODE PPFL171 TRIVOR HIGH FOOTWEAR WITH METATARSUS PAGE 255



CODE SSCM300 FOOD INDUSTRY FOOTWEAR PAGE 256



CODE SSVL114 STELVIO FOOD INDUSTRY FOOTWEAR PAGE 256



CODE TTIO70 RUBBER BOOT FOOD INDUSTRY PAGE 257



CODE TTI401 KNEE PVC SAFETY PAGE 257



CODE TTI400 KNEE PVC SAFETY PAGE 257



CODE SSEX115 MINORCA CLOG PAGE 258



CODE SSEX116 LANZAROTE CLOG PAGE 258



CODE SSZ0007 + SSZ0008 WOMEN/MEN'S CLOG WITH STRAP PAGE 259



CODE SSZO005 + SSZO006 WOMEN/MEN'S CLOG PAGE 259

Masks



CODE R600 3M™ AURA™ 9310+ /FFP1 PAGE 272



CODE R601 3M™ AURA™ 9312+ WITH VALVE/FFP1 PAGE 273



CODE R602 3M™ AURA™ 9320+ /FFP2 PAGE 273



CODE R603 3M™ AURA™ 9322+ WITH VALVE/FFP2 PAGE 273



CODE R604 3M™ AURA™ 9332+ WITH VALVE/FFP3 PAGE 273



CODE R605 3M™ 8710/FFP1 PAGE 274



CODE R606 3M™ 8810/FFP2 PAGE 274



CODE R607 3M™ 8812 WITH VALVE/FFP1



CODE R608 3M™ 8822 WITH VALVE/FFP2 PAGE 275



CODE R758 3M™ 8832 WITH VALVE FFP 3 NRD PAGE 275



CODE R612 3M™ 9913 /FFP1 PAGE 276



CODE R613 3M™ 9914+ WITH VALVE/FFP2 PAGE 276



CODE R611 3M™ 9925 WITH VALVE FOR WELDING FUMES AND OZONE / FFP2 PAGE 276



CODE R619 3M™ 4251 FOR ORGANIC VAPOURS AND POWDERS / FFAIP2 R D PAGE 277



CODE R760 3M™ 4255 FOR ORGANIC VAPOURS AND POWDERS /FFAIP3 R D PAGE 277



CODE R630 3M™ SERIES 6000 HALF MASK PAGE 278



CODE R680 3M™ SERIES 6000 MASK FULL FACE



CODE R640 3M™ SERIES 2125/FFP2 PAGE 278



CODE R641 3M™ SERIES 2135/FFP3 PAGE 278



CODE R650 3M™ 5911/FFP1 PAGE 279



CODE R651 3M™ 5925/FFP2 PAGE 279



CODE R652 3M™ 5935/FFP3 PAGE 279



CODE R635 3M™ 6051/A1 PAGE 280



CODE R636 3M™ 6055/A2 PAGE 280



CODE R653 3M™ 501 RING NUT PAGE 280



CODE R637 3M™ 6057/ABE1 PAGE 281



CODE R638 3M™ 6059 /ABEK1 PAGE 281



CODE R681 3M™ 6099 / ABEK2HGP3 PAGE 281



CODE R309
FULL FACE MASK
MONOFILTER
PAGE 282



CODE R338 MASK FILTER / A2B2E2K2P3 PAGE 282



CODE R333 MASK FILTER / P3 PAGE 282



CODE R334 MASK FILTER / A2P3 PAGE 282



CODE R660 RESPIRATOR / FFP1 NR D PAGE 283



CODE R661
RESPIRATOR / FFP1
NR D WITH VALVE
PAGE 283



CODE R662
RESPIRATOR / FFP2
NR D
PAGE 283



CODE R663
RESPIRATOR / FFP2
NR D WITH VALVE
PAGE 284



RESPIRATOR / FFP3
NR D WITH VALVE
PAGE 284



CODE R665
RESPIRATOR / FFP2
NR D WITH VALVE
PAGE 284

Glasses and goggles



CODE SV01 FACE SHIELD PELTOR V4F PAGE 292



CODE SV04
GROOVED
CONNECTIONS PELTOR
P3E3M



CODE R190 HEAD GEAR H8 TUFFMASTER 3M PAGE 292



CODE R191
FACE SHIELD VISOR
WP96
PAGE 292



CODE R222 VISITOR GLASSES 3M PAGE 292



CODE R253 GOGGLES UVEX 9301/613 PAGE 293



CODE R364 ACETATE GOGGLES UVEX 9305/514 PAGE 293



CODE R287 GOGGLES UVEX 9302/245 PAGE 293



CODE R252
POLYCARBONATE
GOGGLES UVEX
9301/105
PAGE 293



CODE R264 ACETATE GOGGLES UVEX 9301/714 PAGE 294



GLASSES UVEX SKYGUARD 9175-260 PAGE 294



CODE R257 GLASSES UVEX 9161/005 PAGE 294



CODE R358 GLASSES UVEX I-VO 9160-265 PAGE 294



CODE R251 GLASSES UVEX 9180/125 FUTURA PAGE 295



CODE R387 GLASSES PHEOS 9192-225 PAGE 295



CODE R425 UVEX X-FIT 9199-265 PAGE 295



CODE R557 GLASSES 5X9 UNIVET PAGE 296



CODE R707 WELDING GLASSES UNIVET PAGE 296



CODE R708

SCRATCH-RESISTANT
WELDING FLAP
UNIVET
PAGE 296

CODE R702

SCRATCH RESISTANT
GLASSES UNIVET
PAGE 296



CODE R702
CRATCH RESISTANT
GLASSES UNIVET
PAGE 296

CODE R703
SAFETY
OVERGLASSES
UNIVET
PAGE 296



CODE R704
POLYCARBONATE
GOGGLES UNIVET
PAGE 297



CODE R705
GOGGLES
WITH INDIRECT
VENTILATION UNIVET
PAGE 297



CODE R706 GOGGLES UNIVET PAGE 297



CODE R560 GLASSES 6X1 PAGE 297



CODE R710 HALF HEAD GEAR FOR ANTI ELETRIC ARC **FACE SHIELD UNIVET** PAGE 298



CODE R714 HALF HEAD GEAR WITH FACE SHIELD UNIVET PAGE 298



CODE R712
FACE SHIELD (THICKNESS 2 MM) **PAGE 298**



CODE R709 HALF HEAD GEAR FOR FACE SHIELD UNIVET **PAGE 299**



CODE R711
FACE SHIELD (THICKNESS 1 MM) UNIVET **PAGE 299**



CODE R713
STEEL MASH FACE SHIELD FOR BRUSH **CUTTERS PAGE 299**

Hearing protection



CODE R200 EARPLUG INSERTS E-A-R CLASSIC 3M PAGE 287



CODE R2401 REFILL EARPLUG E-A-R **CLASSIC 3M** PAGE 287



CODE R500 DISPENSER E-A-R ONE-TOUCH 3M PAGE 287



CODE R690 EARPLUG DISPOSABLE INSERTS 3M 1100 PAGE 287



CODE R206 HEARING BAND E-A-R CAPS 3M PAGE 288



CODE R242 REFIL E-A-R CAPS 3M PAGE 288



CODE R339 INSERT E-A-R ULTRAFIT 20 3M PAGE 288



CODE R203 EARPLUG INSERTS E-A-R ULTRAFIT 3M PAGE 288



CODE SCO5 PAGE 289



CODE SCO6 CODE SCO7 EAR MUFF 3M PELTOR EAR MUFF 3M PELTOR EAR MUFF 3M PELTOR OPTIME I / H510A OPTIME I / H510B OPTIME I / 510P3E PAGE 289 PAGE 289



OPTIME II / H520A



CODE SC08 CODE SC10
EAR MUFF 3M PELTOR EAR MUFF 3M PELTOR OPTIME III / H540A

Gloves



CODE CCHOSO NBR GLOVE COVERED WITH CANVAS SLEEVE PAGE 301



CODE GGUO31 NBR GLOVE **AERATED BACK CANVAS SLEEVE** PAGE 301



CODE GGU032 NBR GLOVE AERETED BACK WITH KNIT CUFF **PAGE 301**



CODE GGLIO33 NYLON AND SYNTHETIC FIBER **GLOVE WITH PU PALM** PAGE 302



CODE GGU028 **GLOVE IN NYLON AND** SYNTETIC FIBER WITH NITRILE PALM PAGE 302



FOAM DOTTED NYLON/NITRILE GLOVE PAGE 302



CODE GGU025 SATIN NYLON/NITRILE GLOVE PAGE 303



CODE GGU022 WHITE NYLON GLOVE/ NITRILE ROYAL PAGE 303



NYLON GLOVE/ POLYURETHANE WHITE PAGE 303



NYLON GLOVE/ POLYURETHANE BLACK PAGE 303



CODE GGU018 NYLON GLOVE/ POLYURETHANE GDEV PAGE 303



CODE GGU504 DISPOSABLE LATEX DISPOSABLE NITRILE DISPOSABLE GLOVE GLOVE PAGE 304



CODE GGU502 GLOVE **PAGE 304**



CODE GGU503 LTX+PLUS (50 PCS. PACKS) PAGE 304



CODE GGU202 GLOVE SHELTECH IN GRAIN COWHIDE I FATHER PAGE 305



CODE GU204B COWHIDE GRAIN LEATHER GLOVE (WITH INNER LINING) PAGE 305



GRAIN COWHIDE LEATHER **GLOVE (WITH BACK** AND SLEEVE IN CANVAS) PAGE 305



CODE GGU206 GRAIN COWHIDE LEATHER LEATHER GLOVE (SPLIT LEATHER BACK)



CODE GU102 GLOVE IN SPLIT **LEATHER JEANS** PAGE 306



CODE GU103 **PLAIN SPLIT LEATHER GLOVE (SLEEVE** 7 CM.) PAGE 306



CODE GU104 REINFORCED SPLIT **LEATHER GLOVE** (SLEEVE 7 CM.) PAGE 306



CODE GU109 **GLOVE IN SPLIT** LEATHER WITH FLEECE LINING (35 CM) PAGE 306



CODE GU091 GLOVE IN SPLIT **LEATHER DUAL PALM** (SLEEVE 7 CM) PAGE 307



CODE GU105 **PLAIN SPLIT LEATHER** GLOVE (SLEEVE 15 CM) PAGE 307



CODE GU106 REINFORCED SPLIT LEATHER GLOVE (SLEEVE 15 CM) PAGE 307



CODE GU315 HEAT PROOF GLOVE (48 CM) PAGE 308



CODE GU313 HEAT PROOF GLOVE (28 CM) **PAGE 308**



CODE GU314 HEAT PROOF GLOVE (38 CM.) PAGE 308



CODE GGU935 ACTIVARMR HYCRON **GLOVE 27-805** PAGE 309



CODE GGU932 ACTIVARMR HYCRON **GLOVE 27-607** PAGE 309



CODE GGU928 ACTIVARMR HYCRON **GLOVE 27-600** PAGE 309



CODE GGU933 ACTIVARMR HYCRON **GLOVE 27-602** PAGE 310



CODE GGU700 **ACTIVARMR HYLITE GLOVE 47-400** PAGE 310



CODE GGU110 NITROTOUGH GLOVE N230Y PAGE 310



CODE GGU938 HYNIT **GLOVE 32-105** PAGE 311



CODE GGU947 HYNIT **GLOVE 32-815** PAGE 311



CODE GGU926 HYFLEX GLOVE 11-800 PAGE 311



CODE GGU703 **HYFLEX GLOVE 70-215** PAGE 312



CODE GGU970 ACTIVARMR GLOVE 42-474 PAGE 312



CODE GU711 CODE GU711 HYFLEX SLEEVE 70-114 PAGE 312



CODE GU712 HYFLEX SLEEVE 70-118 PAGE 312



CODE GGU989 ALPHATEC GLOVE 87-900 PAGE 313



CODE GGU509 ALPHATEC GLOVE 87-190 PAGE 313



CODE GGU801 ALPHATEC GLOVE 87-370 PAGE 313



CODE GGU112 ALPHATEC GLOVE 37-520 PAGE 314



CODE GGU371 ALPHATEC SOLVEX GLOVE 37-185 PAGE 314



CODE GGU705 ALPHATEC GLOVE 39-124 PAGE 314



CODE GGU916 ALPHATEC SOLVEX GLOVE 37-675 PAGE 314



CODE GGU978 ALPHATEC GLOVE 29-500 PAGE 315



CODE GGU706 ALPHATEC GLOVE 09-022 PAGE 315



CODE GU710 HYFLEX SLEEVE 72-290 PAGE 315



CODE GGU942 GLOVE TOUCH N TUFF 92-500 PAGE 315



CODE GGU131 HYFLEX GLOVE 11-917 PAGE 316



CODE GGU704 HYFLEX GLOVE 72-285 MM 330 PAGE 316



CODE FR107 GLOVE IN ALUMINIZED ARAMID FIBER 38 CM PAGE 319

Anti-fall



CODE NO83 **TITAN HARNESS** (1-POINT) PAGE 263



CODE NO84 **TITAN HARNESS** (2-POINTS) PAGE 263



CODE NO85 **TITAN HARNESS** (2-POINTS+BELT) PAGE 263



BELT WIN 1 PAGE 264



TITAN™ MOBILE PLATFORM KIT PAGE 264



CODE NO79 TITAN SCAFFOLDING TITAN ROOFING KIT TITAN PAGE 265

PAGE 265

PAGE 265 PAGE 264



CODE NO17



CODE NO98



CODE NO96 FALCON RETRACTABLE DEVICE (10 METERS)



CODE NO77 AVIABLOC PAGE 266



CODE NO62 **SNAP HOOK** AUTOMATIC TWIST-LOCK CS20 PAGE 266



CODE NO61 SNAP LOCK CS20 PAGE 266



CODE NO11 FPL 1200/1S LANYARD PAGE 267



CODE NO07 FPL 1200/1S LANYARD EKO PAGE 267



CODE N092+N093+N094 TITAN LANYARD PAGE 267



CODE NO97 STEEL CABLE PAGE 268



CODE NO72 ANCHORAGE STRAP PAGE 268



CODE NO95 LANYARD TITAN PAGE 268



CODE R136 HARD HAT PHEOS E 9770/120 PAGE 269



CODE R440 SCAFFOLDING HARD HAT PHEOS B-S-WR 9772-031 PAGE 269



CODE R261 **CHIN STRAP 9790-021** PAGE 269



CODE R260 **CHIN STRAP 9790-005** PAGE 269



CODE HO60 HARD HAT PAGE 270



PAGE 270

CODE SO63 CHINSTRAP WITH 2 ANCHOR POINTS "COMFORT" PAGE 270

Accessories



CODE ROO3 HEADGEAR FOR WELDER PAGE 52



CODE R130 APRON FOR WELDER PAGE 53



CODE GH190 GAITERS FOR WELDER PAGE 53



CODE GH191 SLEEVE FOR WELDER PAGE 53



CODE GH192 SLEEVE FOR WELDER PAGE 53



CODE HO42 CAP TWO-TONE PAGE 189



CODE HO41 CAP PAGE 189



CODE HO66 BEANIE TECHNO PAGE 227



CODE HO52 BEANIE HAT PAGE 227



CODE HO20 APRON PAGE 229



CODE FR105 APRON IN ALUMINIZED **ARAMID FIBER PAGE 319**



CODE FR101 HOOD IN ALUMINIZED
ARAMID FIBER PAGE 320



CODE FR108 **FOOTWEAR IN** ALUMINIZED ARAMIC ALUMINIZED ARAMIC FIBER



CODE FR104 **GAITERS IN** FIBER

Personal safety





WORKERS)

PAGE 327

WORKERS) PAGE 328



CODE COO2 CODE COO5 CODE COO6
FIRST AID CABINET (3 INCREASED FIRST AID FIRST AID KIT CASE FIRST AID CASE (3 OR MORE WORKERS) CABINET (3 OR MORE (LESS THAN 3 MORE WORKERS)

PAGE 327
WORKERS'

WORKERS' PAGE 328



INCREASED FIRST AID KIT (3 OR MORE WORKERS) PAGE 329



REFILL MEDICATION PACK (LESS THAN 3 WORKERS)



CODE CO16 REFILL MEDICATION PACK (3 OR MORE WORKERS) WITH ANEROID **SPHYGMOMANOMETER**

PAGE 329



PAGE 327

REFILL MEDICATION PACK (3 OR MORE WORKERS)









Via Pastrengo, 7M/9 24068 Seriate (BG) t. +39 035 312696 p.iva 01992400166 commerciale@rossini1969.it

Share capital: Euro 28 million, fully paid-up

J00028